

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 10/10/2005

1 Identification

Product identifier

Product name: Bis(isopropylcyclopentadienyl)tungstendihydride

Stock number: 42672
CAS Number:
64561-25-7
Relevant identified uses of the substance or mixture and uses advised against.
Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

Water-react. 3 H261 In contact with water releases flammable gas.



GHS07

H315 Causes skin irritation.

Skin Irrit. 2 Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02 GHS07

Signal word Warning
Hazard statements
H226 Flammable liquid and vapour.
H261 In contact with invitation releases flammable gas.

H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P231+P232 Handle under inert gas. Protect from moisture.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification
B6 - Reactive flammable material
D2B - Toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 1
Flammability = 2
Physical Hazard = 2

Other hazards Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 64561-25-7 Bis(isopropylcyclopentadienyl)tungstendihydride

USA

(Contd. on page 2)

Product name: Bis(isopropylcyclopentadienyl)tungstendihydride

(Contd. of page 1)

4 First-aid measures

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor

Meet important symptoms and effects, both acute and deleved No further relevant information as

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture Reacts violently with water If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide Metal oxide fume

Metal oxide fume
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.
Methods and material for containment and cleaning up:
Keep away from ignition sources.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
Prevention of secondary hazards: Keep away from ignition sources.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Hecautions for safe nandling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires:
Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility:
Store away from oxidizing agents.
Store away from air.
Store away from water/moisture.
Further information about storage conditions:

Store under dry inert gas. This product is moisture sensitive.

This product is air sensitive.
This product is air sensitive.
Protect from humidity and water.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters Components with limit values that require monitoring at the workplace:

Tungsten and compounds (as W)

Tungsten and compounds (as W) mg/m3

ACGIH TLV 5; 10-STEL (metal)
1; 3-STEL (soluble compounds)
5; 10-STEL (insoluble compounds)
Belgium TWA 1 (soluble compounds)
5; 10-STEL (insoluble compounds)
Finland TWA 5 (metal)
1 (soluble compounds)
5 (insoluble compounds)
Netherlands MAC-TGG 5 (metal)
1 (soluble compounds)
5 (insoluble compounds)
5 (insoluble compounds)

Poland TWA

5 (insoluble compounds) 5 (metal)

(Contd. on page 3)

(Contd. of page 2)

Product name: Bis(isopropylcyclopentadienyl)tungstendihydride

(soluble compounds)

5 (insoluble compounds) Sweden NGV 5 (metal) 1 (soluble compounds)

1 (soluble compounds)
5 (insoluble compounds)
United Kingdom TWA 5; 10-STEL (metal)
1; 3-STEL (soluble compounds)
5; 10-STEL (insoluble compounds)
MSHA TWA 1 (soluble compounds)
5 (insoluble compounds)
Additional information: No data

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality.

Quality will vary from manufacturer to manufacturer.

Eye protection:

Eye protection: Safety glasses Full face protection

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form: Liquid Color: Orange Not determined Odor:

Odor threshold: Not determined. pH-value: Not determined.

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Not determined 124 °C (255 °F) (0.1mm Hg)

Not determined

Not determined Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Not determined Not determined Not determined Auto igniting: Not determined

Danger of explosion: Explosion limits: Lower: Upper: Not determined Not determined Not determined

Vapor pressure: Density: Relative density Not determined Not determined. Vapor density Evaporation rate Solubility in / Miscibility with Not determined Not determined.

Water: Reacts violently Partition coefficient (n-octanol/water): Not determined.

Viscosity dynamic: Not determined. Not determined. kinematic:

Other information No further relevant information available.

Not determined.

10 Stability and reactivity

Reactivity Reacts violently with water.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts violently with water

Conditions to avoid No further relevant information available.

Incompatible materials:

Air

Oxidizing agents
Water/moisture
Hazardous decomposition products:

Carbon monoxide and carbon dioxide Metal oxide fume

11 Toxicological information

Information on toxicological effects

Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes skin irritation. No Skin irritation or corrosion: Causes serious eye irritation. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known.

(Contd. on page 4)

(Contd. of page 3)

Product name: Bis(isopropylcyclopentadienyl)tungstendihydride

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: May cause respiratory irritation.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: Turget or compounds may be irritating to the cure and respiratory treat. Chronic exposure may result in part

Subacute to chronic toxicity: Tungsten compounds may be irritating to the eyes and respiratory tract. Chronic exposure may result in permanent lung damage. Subacute to chronic toxicity: No effects known.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

14	irans	port	imormation	

UN-Number DOT, IMDG, IATA	UN3398
UN proper shipping name DOT	Organometallic substance, liquid, water-reactive (Bis(isopropylcyclopentadienyl)
IMDG, IATA	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER- REACTIVE (Bis(isopropylcyclopentadienyl)tungstendihydride)
Transport hazard class(es)	

「ransport hazard class(es)

DOT



4.3 Substances which, in contact with water, emit flammable gases. 4.3 (W1) Substances which, in contact with water, emit flammable gases 4.3 Label IMDG. IATA



4.3 Substances which, in contact with water, emit flammable gases. 4.3 Class

Packing group DOT, IMDG, IATA

Environmental hazards: Not applicable.

Special precautions for user Warning: Substances which, in contact with water, emit flammable gases

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT

Marine Pollutant (DOT): No

UN3398, Organometallic substance, liquid, water-reactive (Bis(isopropylcyclopentadienyl)tungstendihydride), 4.3, III UN "Model Regulation":

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





Signal word Warning Hazard statements

Hazard statements
H226 Flammable liquid and vapour.
H261 In contact with water releases flammable gas.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

(Contd. on page 5)

Product name: Bis(isopropylcyclopentadienyl)tungstendihydride

Precautionary statements

(Contd. of page 4)

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P231+P232 Handle under inert gas. Protect from moisture.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity, Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO: International Civil Aviation Organization
ICAO: Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
VPUS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

USA