


Safety Data Sheet per OSHA HazCom 2012



Safety Data Sheet per OSHA HazCom 2012

Product name: Ytterbium(III) isopropoxide

After skin content Prove content of low conpend of your for some and manue theroughly: Set the important sympactic dependence of the source and delayed Content of the content of the content of the content of the source and delayed Content of the content of			
Extinguishing media Ditable for provide the Donot use write: For sitely reasons unuslated extinguishing agents Carbon dioxide Provide agents and agents dioxide Provide agents and agents dioxide Provide agents agents agents agents agents agents agents agents agents agents Provide agents agents agents agents agents agents agents agents agents Provide agents agents agents agents agents agents agents agents agents Provide agents agents agents agents agents agents agents agents agents agents Provide agents agents Provide agents agents agents agents agents agents agents agents agents agents Provide agents agents Provide agents agents agents agents agents agents agents agents agents agents Provide agents agents agents agents agents agents agents agents agents agents Provide agents agents agents agents agents agents agents agents agents Provide agents agents agents agents agents agents agents agents agents Provide agents agents agents agents agents agents agents agents agents Provide agents agents agents agents agents agents agents agents agents Provide agents agents agents agents agents agents agents agents Provide agents agents agents agents agents agents agents agents agents Provide agents agents agents agents agents agents agents agents agents Provide agents agents agents agents agents agents agents Provide agents agents agents agents agents agents agents agents agents agents Provide agents agen		Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes serious eye damage.	(Contd. of page 1)
Personal precautions, protective equipment and emergency procedures Weer productive equipment. Keep improducted persons away. Ensuite adequate werhilation Weer productive equipment. Keep improducted persons away. Ensuite adequate werhilation Weer productive equipment. Keep away from instend to be released to the environment without proper governmental permits. Methods and material as weste according to section 13. Ensuite adequate werhilation The prevention of accordary hardrad is weste according to section 13. Ensuite adequate werhilation To reloand the methods are made to a set handling See Section 15 for information on set handling See Section 5 for information on set handling Recease werk for information on set handling Recease werk for the production equipment. See Section 5 for information on set handling Recease consumer lightly seated. Handling and storage Handling Precutons for safe handling Recease consumer lightly seated. Information about protection against explosions and fires: Protect against electrostatic charges. Conditions for safe handling Recease away from oxidizing agents. See Section 15 and exposed intervents. Ensure good section against explosions and fires: Protect against electrostatic charges. Information about protection against explosions and fires: Protect against electrostatic charges. Conditions for safe storage, including any incompatibilities Recease away from oxidizing agents. See Section 15 and exposed intervents. Section addition about storage conditions: Store under dy indire due to according to accordin	ES Lef S H C N A F V	Extinguishing media Suitable extinguishing agents Dry sand Extinguishing powder. Do not use water. For safety reasons unsuitable extinguishing agents Carbon dioxide Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Metal oxide fume Advice for firefighters Protective equipment: Wear self-contained respirator	
Handling Processitions for safe handling Handle under dry protective ges. Keep container fightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation about protection against explosions and fires: Protect against electrostatic charges. Information about protection against explosions and receptacles: Store in a cool location. Information about protection against explosions and receptacles: Store in a cool location. Information about storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Storage away from witerimoisture. Further information about storage conditions: Store away from witerimoisture. This product is moisture sensitive. This product is moisture sensitive. This product is moisture sensitive. This product is moisture sensitive. Store other dry iner dgs. Store other dry investive sensitive. This product is moisture sensitive. This product is moisture sensitive. This product is moisture sensitive. Store other dry investive self self of technical systems: Properly operating chemical funder design of technical systems: Properly operating chemical time hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: Not required. Additional information: No data Exposure controls Presonal protective equipment General protective equipment General protective equipment General protective and hygienic measures The usual preceasitionary measu	FVEKENKULEFRS	Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Keep away from ignition sources. Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: Not required. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all solied and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Eye protection: Tightly sealed goggles	HFFKSELI OSFLISSSFSTTK	Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Protect against electrostatic charges. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Store away from oxidizing agents. Store away from water/moisture. Further information about storage conditions: Store under dry inert gas. This product is air sensitive. This product is air sensitive.	
lightly sealed goggles	8 E F C C C C C C C C C C C C C C C C C C	Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: Not required. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Maintain an ergonomically appropriate working environment. Breating equipment: Use suitable respirator when high concentrations are present. Protection of hands: Protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	
	7	Ĩghłly sealed goggles	(Contd. on page 3)

Page 3/5 Printing date 11/23/2015 Reviewed on 05/11/2010

Full face protection

(Contd. of page 2)

Full face protection Body protection: Protective work clothi	ng.	(00/10. 0) page 2)			
9 Physical and chemical properties					
Information on basic physical and che General Information Appearance: Form:					
Color: Odor: Odor threshold:	Powder Off-white Odorless Not determined.				
pH-value:	Not applicable.				
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	200 °C (392 °F) (dec) Not determined 190-200 °C (374-392 °F) (0.2mm Hg)				
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not applicable Highly flammable. Not determined Not determined Not determined.				
Danger of explosion: Explosion limits: Lower:	Not determined. Not determined				
Upper: Vapor pressure: Density: Relative density	Not determined Not applicable. Not determined Not determined.				
Vapor density Evaporation rate Solubility in / Miscibility with Water:	Not applicable. Not applicable. Reacts				
Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic:	Not determined. Not applicable.				
Other information	Not applicable. No further relevant information available.				
Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Air Carbon dioxide Water/moisture Hazardous decomposition products: Carbon monoxide and carbon dioxide Metal oxide fume					
11 Toxicological information Information on toxicological effects Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LCS0 values that are relevant for classification: No data Skin irritation or corrosion: Causes series skin burns. Eye irritation or corrosion: Causes series series exert and the danger of perforation of esophagus and stomach. Carcinogenicity: No effects known. Germ cell mutagenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Subacute to chronic toxicity: Lanthanons can cause delayed blood clotting leading to hemorrhages. Exposure may also lead to sensitivity to heat, itching, increased awareness of odor and taste, and liver damage. Subacute to chronic toxicity: Subacute to chronic toxicity: Subacute to chronic toxicity: Isopropyl alcohol, if formed, may act as a local irritant and in high concentrations as a narcotic with symptoms such as headache, nausea, dizziness, vomiting, mental depression, anesthesia, and coma. Subacute to chronic toxicity: Isopropyl alcohol, if formed, may act as a local irritant and in high concentrations as a narcotic with symptoms such as headache, nausea, dizziness, vomiting, mental depression, anesthesia, and coma. Subacute to chronic toxicity: Isopropyl alcohol, if formed, may act as a local irritant and in high concentrations as a narcotic with symptoms such as headache, nausea, dizziness, vomiting, mental depression, anesthesia, and coma. Subacute to chronic toxicity: Isopropyl alcohol, if formed, may act as a local irritant and in high concentrations as a narcotic with symptoms such as headache, nausea, dizziness, vomiting, mental depression, anesthesia, and coma. Subacute to chronic toxicity: Isopropyl alcohol, if formed, may act as a local irritant and in high con					
12 Ecological information					
Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.					
Avoid transfer into the environment.		(Contd. on page 4) USA			

Product name: Ytterbium(III) isopropoxide				
	(Contd. of page 3)			
Results of PBT and vPvB assessment PBT: Not applicable.				
vPvB: Not applicable. Other adverse effects No further relevant information available.				
13 Disposal considerations Waste treatment methods				
Recommendation Consult state, local or national regulations to ens	sure proper disposal.			
Uncleaned packagings: Recommendation: Disposal must be made according to official regu	ulations.			
14 Transport information				
UN-Number	11012025			
DOT, IMDG, IATA UN proper shipping name	UN2925			
DOT IMDG, IATA	Flammable solids, corrosive, organic, n.o.s. (Ytterbium(III) isopropoxide) FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S. (Ytterbium(III)			
	isopropoxide)			
Transport hazard class(es)				
DOT				
1				
Class Label	4.1 Flammable solids, self-reactive substances and solid desensitised explosives. 4.1+8			
Class	4.1 (FC1) Flammable solids, self-reactive substances and solid desensitised explosives			
	explosives 4.1+8			
IMDG, IATA				
M				
Class	4.1 Flammable solids, self-reactive substances and solid desensitised explosives.			
Label	4.1+8			
Packing group DOT, IMDG, IATA	III			
Environmental hazards:	Not applicable.			
Special precautions for user	Warning: Flammable solids, self-reactive substances and solid desensitised explosives			
EMS Number:	explosives F-A,S-G			
Transport in bulk according to Annex II of MARPOL73/78 and the	ie IBC Code Not applicable.			
Transport/Additional information: DOT				
Marine Pollutant (DOT):	No			
UN "Model Regulation":	UN2925, Flammable solids, corrosive, organic, n.o.s. (Ytterbium(III) isopropoxide), 4.1 (8), III			
15 Regulatory information				
Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms				
\land				
GHS02 GHS05				
Signal word Danger Hazard statements				

Hazard statements H228 Flammable solid. H314 Causes severe skin burns and eye damage. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor/... P300 Immediately call a POISON CENTER/doctor/... National regulations This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes. SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Developmental toxicity, substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity (toxic) for the chick of the chick of the manufacturing, placing on the substance or listed. Other regulations of restrictions according to Article 67 and Annex XVII of the Regulations (EC) No. 1907/2006. Substance is not listed. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. (Contd. on page 5) USA

(Contd. on page 5)

Page 5/5 Printing date 11/23/2015 Reviewed on 05/11/2010

(Contd. of page 4)

USA

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.
Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/23/2015 / Abbreviations and acronyms:
RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGE: Dangerous Goods Regulations by the 'International Air Transport Association" (IATA)
CAO: International Civil Aviation Organization
CAO: International Civil Aviation Organization
CAO: International Maritime Code for Dangerous Goods
Dot US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDC: International Maritime Code for Dangerous Goods
DOT: US Department of Transport des marchandises double (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDC: International Air Transport Association
(IATA)
CAS: Chemical Abstrats Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
VPWE very Persistent and very Bioaccumulative
ACGIH: American Abstration Softward Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
IMP: National Toxicology Program (USA)
IAP: National Toxicology Program (USA)
IAP: Chemican Abstrate (USA)
IAP: Chemican Abstrate (USA)
IAP: Chemican Abstrate (USA)