

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 08/11/2015

1 Identification

Product identifier

Product name: Ammonium chromate

Stock number: A15194 **CAS Number:** 7788-98-9 EC number:

232-138-4 Index number: 024-017-00-8

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

www.ana.com I**nformation Department:** Health, Safety and Environmental Department **Emergency telephone number:** During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS08 Health hazard

Carc. 1B H350 May cause cancer.



Skin Sens. 1 H317 May cause an allergic skin reaction. Hazards not otherwise classified No information known.

Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS07 GHS08

Signal word Danger Hazard statements H317 May cause an allergic skin reaction. H350 May cause cancer.

Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P281 Use personal protective equipment as required.
P363 Wash contaminated clothing before reuse.

P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

WHMIS classification
C - Oxidizing materials
D1B - Toxic material causing immediate and serious toxic effects
D2A - Very toxic material causing other toxic effects
E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3

Flammability = 0

Flammability = 1

Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 7788-98-9 Ammonium chromate Identification number(s): EC number: 232-138-4 Index number: 024-017-00-8

Product name: Ammonium chromate

(Contd. of page 1)

4 First-aid measures

Description of first aid measures General information Immediately remove any clothing soiled by the product.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact
Immediate with water and seep and rippe thereughly.

Arter Skin contact: Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

Causes severe skin burns.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
For safety reasons unsuitable extinguishing agents Halocarbon extinguisher
Special hazards arising from the substance or mixture
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.
If this product is involved in a fire, the following can be released:
Toxic metal oxide fume
Nitrogen exides (NOV)

Nitrogen oxides (NOx) Ammonia

Artimonia
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:
Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.

Ensure adequate ventilation.

Prevention of secondary hazards:
Acts as an oxidizing agent on organic materials such as wood, paper and fats Keep away from combustible material.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires:
Substance/product can reduce the ignition temperature of flammable substances.
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility:
Store away from flammable substances.
Store away from reducing agents.
Do not store with organic materials.
Store away from metal powders.
Do not store together with acids.
Further information about storage conditions:
Keep container tightly sealed.

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

7788-98-9 Ammonium chromate (100.0%) PEL (USA)

Long-term value: 0.005* mg/m³ Ceiling limit value: 0.1** mg/m³ *as Cr(VI) **as CrO3; see 29 CFR 1910.1026

REL (USA)

Long-term value: 0.001 mg/m³ as Cr; See Pocket Guide Apps. A and C

Long-term value: 0.05 mg/m³ as Cr; BEI TLV (USA)

(Contd. on page 3)

Product name: Ammonium chromate (Contd. of page 2) EL (Canada) | Short-term value: C0.1 mg/m³ Long-term value: 0.025 mg/m³ as Cr; ACIGH A1, IARC 1 Ingredients with biological limit values: 7788-98-9 Ammonium chromate (100.0%) 25 μg/L Medium: urine Time: end of shift at end of workweek Parameter: Total chromium (fume) BEI (USA) 10 µg/L Medium: urine Time: increase during shift Parameter: Total chromium (fume) Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Material of gloves Polyvinyl chloride (PVC) Penetration time of glove material (in minutes) Not determined Eye protection: Tirchity evaled naggles Exposure controls Eye protection: Tightly sealed goggles Full face protection Body protection: Protective work clothing. 9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Crystalline Color: Yellow-orange Odor: Odor threshold: Odorless Not determined. pH-value: Not applicable. Change in condition Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto insition: 180 °C (356 °F) (dec) Not determined Not determined Contact with combustible material may cause fire. Not determined Not determined Not determined Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Product does not present an explosion hazard. Not determined Not determined

Vapor pressure: Density at 20 °C (68 °F):

Not applicable. 1.91 g/cm³ (15.939 lbs/gal) Bulk density at 20 °C (68 °F): 880 kg/m³

Relative density Vapor density Vapor density

Evaporation rate

Solubility in / Miscibility with

Water at 20 °C (68 °F):

Partition coefficient (n-octanol/water): Not determined.

Not determined. Not applicable.

Viscosity: Not applicable.

dynamic: kinematic: Other information

Not applicable. No further relevant information available.

10 Stability and reactivity

Reactivity May intensify fire; oxidizer.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with reducing agents

Reacts with flammable substances

Conditions to avoid No further relevant information available.

Incompatible materials:

Acids
Flammable substances
Reducing agents
Organic materials

(Contd. on page 4)

(Contd. of page 3)

Product name: Ammonium chromate

Hazardous decomposition products: Toxic metal oxide fume Nitrogen oxides Ammonia

11 Toxicological information

Information on toxicological effects

Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes severe skin burns.

Eye irritation or corrosion: Causes serious eye damage.
Sensitization: May cause an allergic skin reaction.
Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity:

Carcinogenicity:
May cause cancer.
IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.
ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical evidence in, exposed humans.
NTP-K: Known to be carcinogenic: sufficient evidence from human studies.
(inhalation) EPA-A: human carcinogen: sufficient evidence from epidemiologic studies to support a causal association between exposure and cancer.
(inhalation) EPA-K: Known human carcinogens.
(oral) EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available.
(oral) EPA-CBD: Carginogenic potential cannot be determined.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: No effects known.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Ecotoxical effects:
Remark: Very toxic for aquatic organisms
Additional ecological information:
General notes:
Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach ground water, water course or sewage system.

Do not allow product to reach ground water, water course or sewage system. Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Ayoid transfer into the environment.

Very toxic for aquatic organisms
Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

4 4	T	!
74	iransport	information

UN-Number DOT, IMDG, IATA	UN3087
UN proper shipping name DOT IMDG, IATA	Oxidizing solid, toxic, n.o.s. (Ammonium chromate) OXIDIZING SOLID, TOXIC, N.O.S. (Ammonium chromate)

5.1 Oxidising substances. 5.1+6.1 5.1 (OT2) Oxidizing substances 5.1+6.1

Transport hazard class(es)









(2)	< <u>*</u> >
Class	

Class	5.1 Oxidising substances.
Label	5.1+6.1
Pooking group	

DOT, IMDG, IATA

Environmental hazards: Environmentally hazardous substance, solid

Special precautions for user EMS Number: *Warning:* Oxidizing substances F-A,S-Q

(Contd. on page 5)

Product name: Ammonium chromate

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

(Contd. of page 4)

Transport/Additional information:

DOT

Marine Pollutant (DOT): UN "Model Regulation": No

UN3087, Oxidizing solid, toxic, n.o.s. (Ammonium chromate), 5.1 (6.1), III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS07 GHS08

Signal word Danger Hazard statements

H317 May cause an allergic skin reaction. H350 May cause cancer.

H350 May cause cancer.

Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P281 Use personal protective equipment as required.
P363 Wash contaminated clothing before reuse.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
National regulations

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL)

SARA Section 313 (specific toxic chemical listings)

7788-98-9 Ammonium chromate

California Proposition 65

Prop 65 - Chemicals known to cause cancer

7788-98-9 Ammonium chromate

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female

7788-98-9 Ammonium chromate

Prop 65 - Developmental toxicity, male

7788-98-9 Ammonium chromate

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance in set listed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / -

Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
VPUB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
SSHA: Occupational Safety and Health Administration (USA)
IAFC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)