



Page 1/5 Printing date 04/05/2017 Revision date 04/04/2017 Version 1

٦

1 Identification Product identifier	
Product name: Iodine monochloride	
Stock number: 39104 CAS Number: 7790-99-0 EC number: 232-236-7	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar	
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660	
Fax: 800-322-4757 Email: tech@alfa.com	
www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.	
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS05 Corrosion	
Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS05 GHS07	
Signal word Danger Hazard statements H302+H312 Harmful if swallowed or in contact with skin. H314 Causes severe skin burns and eye damage.	
Precautionary statements	
P260 Do not breatine dusts or mists. P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomfortable for breathing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a POISON CENTER/doctor. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.	
F40J SIUTE TUCKEU UD.	
P501 Dispose of co ^h tents/container in accordance with local/regional/national/international regulations. WHMIS classification D1B - Toxic material causing immediate and serious toxic effects D2B - Toxic material causing other toxic effects	
Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
HEALTH I Health (acute effects) = 3 FIRE Flammability = 0 REACTIVITY 2 Physical Hazard = 2	
Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Substances CAS# Description:	
7790-99-0 lodine monochloride Concentration: ≤100%	l. on page 2)
Conte	USA

(Contd. of page 1)

Product name: lodine monochloride

Identification number(s): EC number: 232-236-7

4 First-aid measures

Description of first aid measures General information Immediately remove any clothing soiled by the product. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor

Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Harmful if swallowed. Harmful in contact with skin. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Iodine (12) Hydrogen chloride (HI) Hydrogen chloride (HCI) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away Ensure adequate ventilation Ensure adequate ventilation Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 7 for disposal information. Protective Action Criteria for Chemicals PAC-1: Substance is not listed. PAC-3: Substance is not listed.

7 Handling and storage

Handling Handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: The product is not flammable information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store in the dark. Store away from water/moisture. Store away from strong bases. Do not store with organic materials. Store away from metal powders. Store away from metals. Store away from metals. Further information about storage conditions: Store under dry inert gas. This product is moisture sensitive. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Protect from exposure to light. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

(Contd. on page 3)

Page 3/5 Printing date 04/05/2017 Revision date 04/04/2017 Version 1

Control parameters Components with limit values that re 7790-99-0 Iodine monochloride (100.0 TLV (USA) Long-term value: 0.01* pm *as inhalable fraction and v Additional information: No data Exposure controls Personal protective equipment Concerd and the protective equipment	0%)
7790-99-0 lodine monochloride (100. TLV (USA) Long-term value: 0.01* ppn *as inhalable fraction and v Additional information: No data Exposure controls Personal protective equipment	0%)
TLV (USA) Long-term value: 0.01* ppn *as inhalable fraction and v Additional information: No data Exposure controls Personal protective equipment	n
Additional information: No data Exposure controls Personal protective equipment	rapor
Exposure controls Personal protective equipment	
Personal protective equipment	
Consul nucleative and by aismis man	
General protective and hygienic mea	isures
Keep away from foodstuffs, beverages,	andling chemicals should be followed. and feed
Remove all soiled and contaminated clo	othing immediately.
Vash hands before breaks and at the e Avoid contact with the eyes and skin	nd of work.
Avoid contact with the eyes and skin. Maintain an ergonomically appropriate	working environment.
Breathing equipment: Use suitable rea Recommended filter device for short	spirator when high concentrations are present.
Jse a respirator with multi-purpose con	nbination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to
letermine if air-purifying respirators are CEN (EU).	e appropriate.´ Onlý use equipment testéd and approved under appropriate government standards such as NIOSH (USA)
Protection of hands:	
mpervious gloves	
Check protective gloves prior to each u The selection of suitable gloves not only	se for their proper condition. y depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Viaterial of gloves Fluorocarbon rubbe	r (Viton)
Penetration time of glove material (in Eye protection:	n minutes) Not determined
lightly sealed goggles	
-ŭll fáce protečtiŏň Safety glasses with side shields / NIOS	
Body protection: Protective work cloth	
Appearance: Form: Odor: Odor threshold:	Liquid or low-melting solid Pungent Not determined.
	Not determined.
oH-value:	Not determined.
Change in condition	
Change in condition Melting point/Melting range:	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	25-27 °C (77-81 °F) 96-98 °C (205-208 °F) Not determined
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous)	25-27 °C (77-81 °F) 96-98 °C (205-208 °F) Not determined Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) gnition temperature:	25-27 °C (77-81 °F) 96-98 °C (205-208 °F) Not determined Not determined. Not determined
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) gnition temperature: Decomposition temperature:	25-27 °C (77-81 °F) 96-98 °C (205-208 °F) Not determined Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) gnition temperature: Decomposition temperature: Auto igniting: Danger of explosion:	25-27 °C (77-81 °F) 96-98 °C (205-208 °F) Not determined Not determined Not determined Not determined
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Tammability (solid, gaseous) gnition temperature: Pecomposition temperature: Auto igniting: Danger of explosion: Explosion limits:	25-27 °C (77-81 °F) 96-98 °C (205-208 °F) Not determined Not determined. Not determined Not determined Not determined. Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) gnition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper:	25-27 °C (77-81 °F) 96-98 °C (205-208 °F) Not determined Not determined Not determined Not determined Not determined. Not determined. Not determined Not determined
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: 'lammability (solid, gaseous) gnition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: /apor pressure:	25-27 °C (77-81 °F) 96-98 °C (205-208 °F) Not determined Not determined Not determined Not determined Not determined. Not determined Not determined Not determined
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) gnition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: /apor pressure: Density at 20 °C (68 °F):	25-27 °C (77-81 °F) 96-98 °C (205-208 °F) Not determined Not determined Not determined Not determined Not determined. Not determined. Not determined Not determined
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) gnition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Japor pressure: Density at 20 °C (68 °F): Relative density Japor density	25-27 °C (77-81 °F) 96-98 °C (205-208 °F) Not determined Not determined Not determined Not determined Not determined. Not determined Not determined Not determined Not determined Not determined Not determined Not determined. Not determined. Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) gnition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	25-27 °C (77-81 °F) 96-98 °C (205-208 °F) Not determined Not determined Not determined Not determined Not determined. Not determined Not determined Not determined Not determined Not determined Not determined. Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) gnition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water:	25-27 °C (77-81 °F) 96-98 °C (205-208 °F) Not determined Not determined Not determined Not determined Not determined. Not determined Not determined Not determined 3.18 g/cm ³ (26.537 lbs/gal) Not determined. Not determined. Not determined. Hydrolyzes
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) gnition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water,	25-27 °C (77-81 °F) 96-98 °C (205-208 °F) Not determined Not determined Not determined Not determined Not determined. Not determined Not determined Not determined 3.18 g/cm ³ (26.537 lbs/gal) Not determined. Not determined. Not determined. Hydrolyzes
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) gnition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water,	25-27 °C (77-81 °F) 96-98 °C (205-208 °F) Not determined Not determined Not determined Not determined Not determined. Not determined Not determined 3.18 g/cm ³ (26.537 lbs/gal) Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Hydrolyzes): Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) gnition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water, Viscosity: dynamic: kinematic:	25-27 °C (77-81 °F) 96-98 °C (205-208 °F) Not determined Not determined Not determined Not determined Not determined Not determined Not determined 3.18 g/cm ³ (26.537 lbs/gal) Not determined. Not determined.
Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water, Viscosity: dynamic:	25-27 °C (77-81 °F) 96-98 °C (205-208 °F) Not determined Not determined Not determined Not determined Not determined. Not determined Not determined Not determined Not determined. Not determined. Not determined. Not determined. Hydrolyzes): Not determined. Not determined. Not determined.

Possibility of hazardous reactions No dargerous reactions K Conditions to avoid No further relevant information available. Incompatible materials: Water/moisture Bases Organic materials Metal powders Metals Light Hazardous decomposition products: Hydrogen iodide (HCI) Hydrogen chloride (HCI) Iodine (I2)

USA -(Contd. on page 4)

(Contd. of page 3)

		(Contd. of page 3)			
11 Toxicological information					
Information on toxicological effects					
Acute toxicity: Harmful in contact with skin.	Harmful in contact with skin.				
Harmful if swallowed. Danger through skin absorption.					
Swallowing will lead to a strong corrosive effect on mouth and throat and to the The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute					
LD/LC50 values that are relevant for classification: No data					
Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage.					
Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known.					
Carcinogenicity: No classification data on carcinogenic properties of this mate	erial is available from the EPA, IARC, NTP, OSHA or ACGIH.				
Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects know	vn				
Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known.					
Subacute to chronic toxicity: No effects known.					
Additional toxicological information: To the best of our knowledge the acute	and chronic toxicity of this substance is not tully known.				
12 Ecological information					
Toxicity Aquatic toxicity: No further relevant information available.					
Persistence and degradability. No further relevant information available					
Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available.					
Additional ecological information: General notes:					
Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.					
Avoid transfer into the environment. Results of PBT and vPvB assessment					
PBT: Not applicable. vPvB: Not applicable.					
Other adverse effects No further relevant information available.					
13 Disposal considerations					
Waste treatment methods					
Recommendation Consult state, local or national regulations to ensure proper	r disposal.				
Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.					
14 Transport information					
UN-Number					
DOT, IMDĠ, IATA	UN1792				
UN proper shipping name DOT	lodine monochloride, solid				
ADR	1792 lodine monochloride, solid				
IMDG, IATA Transport hazard class(es)	IODINE MONOCHLORIDĖ, SOLID				
DOT					
Class	8 Corrosive substances				
Label	8				
ADR					
<u>(i</u> ii)					
\mathbf{v}					
Class Label	8 (C2) Corrosive substances				
IMDG, IATA	0				
$\mathbf{\nabla}$					
Class	8 Corrosive substances				
Label Realing group	8				
Packing group DOT, ADR, IMDG, IATA	<u> </u>				
Environmental hazards:	Not applicable.				
Special precautions for user EMS Number:	Warning: Corrosive substances F-A,S-B				
Segregation groups	Acids				
Stowage Category Stowage Code	D SW2 Clear of living quarters.				
Segregation Code	SG6 Segregation as for class 5.1				
	SG6 Segregation as for class 5.1 SG16 Stow "separated from" class 4.1 SG17 Stow "separated from" class 5.1 SG19 Stow "separated from" class 7				
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Cod	<i>le</i> Not applicable.				
		(Contd. on page 5) USA			



Product name: lodine monochloride (Contd. of page 4) Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 50 kg Marine Pollutant (DOT): Ňo IMDG Limited quantities (LQ) 1 kg Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN "Model Regulation": UN 1792 IODINE MONOCHLORIDE, SOLID, 8, II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms ! GHS05 GHS07 Signal word Danger Hazard statements H302+H312 Harmful if swallowed or in contact with skin. H314 Causes severe skin burns and eye damage.

 H314
 Causes severe skin burns and eye damage.

 Precautionary statements
 Do not breathe dusts or mists.

 P260
 Do not breathe dusts or mists.

 P280
 Wear protective gloves/protective clothing/eye protection/face protection.

 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

 P304+P340
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

 P301
 Immediately call a POISON CENTER/doctor.

 P301+P312
 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

 P405
 Store locked up.

 P405 Store locked up P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, the substance is not listed. Prop 65 - Developmental toxicity substance is not listed. Prop 65 - Developmental toxicity, and Substance is not listed. Prop 65 - Developmental toxicity, and Substance is not listed. Prop 65 - Developmental toxicity, and Substance is not listed. Prop 65 - Developmental toxicity, and Substance is not listed. Prop 65 - Developmental toxicity, and Substance is not listed. Differentiation about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Information Constraints of the properties of the product and include mathemation with any other product or process, is the responsibility of the user.
Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
ENIECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
VPW: very Persistent, Bioaccumulative and Toxic
SVHC: Substances of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
Acute Tox: A: Acute Toxicity – Category 1B
Eye Dam: 1: Serious eye damage/eye irritation – Category 1 USA