

Safety Data Sheet per OSHA HazCom 2012

	d on 05/05/2010
1 Identification Product identifier	
Product name: 3-Bromo-2-butanone	
Stock number: L00303 CAS Number:	
814-75-5 EC number:	
212-404-6 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar	
Alia Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street	
Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757	
Email: tech@alfa.com www.alfa.com	
Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-07	89.
2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS06 Skull and crossbones	
Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H331 Toxic if inhaled.	
GHS05 Corrosion	
Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.	
GHS07	
Acute Tox. 4 H312 Harmful in contact with skin. Hazards not otherwise classified Lachrymator	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS05 GHS06	
Signal word Danger Hazard statements Hadde 1999	
H301+H331 Toxic if swallowed or if inhaled. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage.	
Precautionary statements P280 Wear protective aloves/protective clothing/eve protection/face protection	
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P309 IF exposed or if you feel unwell: P310 Immediately call a POISON CENTER/doctor/	
WHMIS classification D1A - Very toxic material causing immediate and serious toxic effects	
D2B - Toxic material causing other toxic effects E - Corrosive material	
Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
HEALTH B Health (acute effects) = 3 FIRE I Flammability = 1	
REACTIVITY] Physical Házard = 1 Other hazards	
Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Substances CAS# Description:	
814-75-5 3-Bromo-2-butanone	(Contd. on page 2)
	UŠA -

Product name: 3-Bromo-2-butanone

Page 2/5 Printing date 11/23/2015 Reviewed on 05/05/2010

(Contd. of page 1)

Identification number(s): EC number: 212-404-6 Additional information: <1% magnesium oxide

4 First-aid measures

Description of first aid measures

General information

Immediately remove any clothing soiled by the product. Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eve contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Do not induce vomiting; immediately call for medical help. Information for doctor Mact important symptoms and offects, both acute and delayed

Most important symptoms and effects, both acute and delayed Causes severe skin burns.

Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Advice for firefietners

Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation **Environmental precautions:** Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to section 13.

Provide the containing of section 12. Ensure adequate ventilation. **Prevention of secondary hazards:** No special measures required. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling Precautions for Sale nanoming Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Store away from strong bases. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters Components with limit values that require monitoring at the workplace: Not required. Additional information: No data Exposure controls

Personal protective equipment General protective equipment The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work.

Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. **Breathing equipment:** Use self-contained respiratory protective device in emergency situations.

(Contd. of page 2)

Product name: 3-Bromo-2-butanone

Protection	of hands
Imam a muia una	alouroo

Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Eye protection: Tightly sealed goggles Full face protection

Body protection: Protective work clothing.

9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Liquid Pale yellow Pungent Not determined. Color: Odor: Odor threshold: pH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Not determined 69-70 °C (156-158 °F) (70mm Hg) Sublimation temperature / start: Not determined Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: > 100 °C (> 212 °F) Not determined Not determined Not determined Auto igniting: Not determined Danger of explosion: Explosion limits: Product does not present an explosion hazard. Lower: Upper: Not determined Not determined Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Not determined 1.438 g/cm³ (12 lbs/gal) Not determined Not determined. Evaporation rate Solubility in / Miscibility with Not determined. Water: Not miscible or difficult to mix Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: Not determined kinematic Not determined. Other information No further relevant information available 10 Stability and reactivity

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: Carbon monoxide and carbon dioxide Hydrogen bromide 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful in contact with skin. Toxic if inhaled. Toxic if swallowed. Danger through skin absorption. Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: LDLo 50 mg/kg (rat) (RTECS) Oral Dermal LD50 1438 mg/kg (guinea pig) (RTECS) Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: This product is a lachrymator. Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) reports the following effects in laboratory animals: Behavioral - somnolence (general depressed activity). Lungs, Thorax, or Respiration - dyspnea. Skin and Appendages - hair. Skin and Appendages - dermatitis, other (after systemic exposure). Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. Skin irritation or corrosion: Causes severe skin burns. USA

Product name: 3-Bromo-2-butanone

Product name: 3-Bromo-2-butanone		
	(Contd. of page 3)	
12 Ecological information		
Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes:	ı.	
Do not allow material to be released to the environment without proper go Do not allow undiluted product or large quantities to reach ground water, Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.	overnmental permits. water course or sewage system.	
13 Disposal considerations		
Waste treatment methods Recommendation Consult state, local or national regulations to ensure p Uncleaned packagings: Recommendation: Disposal must be made according to official regulation		
14 Transport information		
UN-Number DOT, IMDG, IATA	UN2922	
UN proper shipping name DOT		
IMDG, IATA	Corrosive liquids, toxic, n.o.s. (3-Bromo-2-butanone) CORROSIVE LIQUID, TOXIC, N.O.S. (3-Bromo-2-butanone)	
Transport hazard class(es) DOT		
Class Label Class Label	8 Corrosive substances. 8+6.1 8 (CT1) Corrosive substances 8+6.1	
Class Label	8 Corrosive substances. 8+6.1	
Packing group DOT, IMDG, IATA	П	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Corrosive substances	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
Transport/Additional information:		
DOT Marine Pollutant (DOT):	No	
UN "Model Regulation":	UN2922, Corrosive liquids, toxic, n.o.s. (3-Bromo-2-butanone), 8 (6.1), II	
15 Regulatory information Safety, health and environmental regulations/legislation specific for GHS label elements The product is classified and labeled in accordance Hazard pictograms GHS05 GHS06	the substance or mixture ∌ with 29 CFR 1910 (OSHA HCS)	
P309 IF exposed or if you feel unwell: P310 Immediately call a POISON CENTER/doctor/	tion/face protection. ninutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
National regulations All components of this product are listed in the U.S. Environmental Protect All components of this product are listed on the Canadian Non-Domestic SARA Section 313 (specific toxic chemical listings) Substance is not California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed.	ction Agency Toxic Substances Control Act Chemical substance Inventory. Substances List (NDSL). listed.	

California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals.

Product name: 3-Bromo-2-butanone

Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/23/2015 /
Abbreviations and acronyms:

ID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAC: International Concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAC: International Civil Aviation Organization
ICAC-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Air Transport Association
IATA: International Agetive ton the American Chemical Substan

(Contd. of page 4)

USA