





htermine in an ender and ender a book nucle and delayed to kurther relevant information analytic. 5 Fin-lighting measures E Fin-lighting E Final E Fin		Review	ved on 02/26/200
htermine in an ender and ender a book nucle and delayed to kurther relevant information analytic. 5 Fin-lighting measures E Fin-lighting E Final E Fin	roduct name: IsobutyIboronic acio	1	
Exinglishing media Subble exinglishing media Subble exinglishing media Subble exinglishing spects Carbon docke, exinguishing powdor or water spray. Fight larger fires with water spray or alcohol resistant foam. If the product is involved an a fine, the following can be released: Carbon monitories and carbon docker. Advice for firefighters: Personal proceedions published: Wear following published: Wear following published: Wear following published: Wear following published: Wear following published: Personal proceedions published: Personal proceedions published: Wear following published: Wear following published: Personal proceedions published: Personal proceedion published: Personal proceedions published: Personal proceedions published: Personal proceedion published: Personal proceedion published: Personal proceedion published: Personal proceedion publish	Most important symptoms and effect	s, both acute and delayed No further relevant information available. attention and special treatment needed No further relevant information available.	(Contd. of page
Personal proceutions, protective equipment, and emergency procedures Wear problem equipment. Corporations and/or. Ensure equipment. Corporations and/or. Ensure equipment. Corporations and/or. Personal processing of the processing equipment and ensures required. Wethods and for information on presonal protective operations. Provention of secondary hearts: No special measures required. See Section 15 or information on presonal protection equipment. See Section 15 or information. See Section 15 or information. Provention of secondary hearts: No special measures required. Bendling Proceedulons for safe strange. Reductions for safe strange. Reductions for safe strange. Reductions for safe strange. Provention of safe strange. Reductions for safe strange strange strange. Red	Extinguishing media Suitable extinguishing agents Carbon Special hazards arising from the sub- If this product is involved in a fire, the fo Carbon monoxide and carbon dioxide Boron oxide Advice for firefighters Protective equipment: Wear self-contained respirator.	n dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. stance or mixture illowing can be released:	
Handling Mean container lightly sealed: Mean container light	Personal precautions, protective equ Wear protective equipment. Keep unpro Ensure adequate ventilation Environmental precautions: Do not al Methods and material for containmer Prevention of secondary hazards: No Reference to other sections See Section 7 for information on safe ha See Section 8 for information on person	stected persons away. low material to be released to the environment without proper governmental permits. It and cleaning up: Ensure adequate ventilation. I special measures required. andling al protection equipment.	
Additional information about design of technical systems: Properly operating chemical furme hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Control parameters Additional information: No data Exposure controls Personal protective sequipment The sequipment information: No data Exposure controls Personal protective sequipment The sequipment information: No data Exposure controls Ree pawey from food stuffs, beverages and feed. Remove all solied and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Meintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protective seques and skin. Meintain an ergonomically diverse for the each use for their proper condition. The selection: Salidy gloves not not each use for their proper condition. The selection: Salidy glasses Body protection: Not determined Diversional Appearance: Form: Corist: Mater papinzballe. Change in condition Buding point/Bolling range: Not determined Sublimation temperature / Start: Not determined Flass point: Not determined Sublimation temperature: Not determined Sublimation t	Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed Ensure good ventilation at the workplac Information about protection against Conditions for safe storage, including Storage Requirements to be met by storeroom Information about storage on one con Further information about storage co Keep container tightly sealed.	e. explosions and fires: No information known. g any incompatibilities ns and receptacles: No special requirements. nmon storage facility: Store away from oxidizing agents. nditions:	
Exposure controls Personal protective and hygienic measures The usual proceeditionary measures for handling chemicals should be followed. Keep away from foodstuffs. Deverages and leed. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing guipment: Uses suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Pentration time of glove material (in minutes) Not determined Eye protection: Safety glasses Body protection: Safety glasses Body protection: Safety glasses Godor: White Appearance: Form: Crystalline powder Color: White Odor threshold: Not determined Odor threshold: Not determined Dimmation on basic physical and chemical properties Form: Crystalline powder Color: White Odor threshold:	Additional information about design Properly operating chemical fume hood Control parameters Components with limit values that rea	of technical systems: designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Information on basic physical and chemical properties General Information Appearance: Form: Color: Vhite Odor: Not determined Odor threshold: Not determined. pH-value: Not applicable. Change in condition Melting point/Melting range: Sublimation temperature / start: Not determined Flash point: Flammability (solid, gaseous) Ignition temperature: Not determined Value: Not determined Not determined Not determined Not determined Not determined Not determined Contd. on pa	Exposure controls Personal protective equipment General protective and hygienic mea. The usual precautionary measures for h Keep away from foodstuffs, beverages a Remove all soiled and contaminated clo Wash hands before breaks and at the e Avoid contact with the eyes and skin. Maintain an ergonomically appropriate w Breathing equipment: Use suitable res Protection of hands: Impervious gloves Check protective gloves prior to each us The selection of suitable gloves not only Penetration time of glove material (in Eve protection: Safety classes	anding chemicals should be followed. and feed. titing immediately. nd of work. working environment. spirator when high concentrations are present. se for their proper condition. y depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. minutes) Not determined	
General Information The form Appearance: Crystalline powder Form: Crystalline powder Color: White Odor: Not determined Odor: Not determined. pH-value: Not applicable. Change in condition Not applicable. Melting point/Melting range: 108-110 °C (226-230 °F) Boiling point/Boiling range: Not determined Sublimation temperature / start: Not determined Flash point: Not applicable Flammability (solid, gaseous) Not determined. Ignition temperature: Not determined. Not determined. Not determined. Vot determined. Not determined. Ignition temperature: Not determined. Not determined. Not determined. Ignition temperature: Not determined. Not determined Not determined. Decomposition temperature: Not determined. Not determined Contd. on perature:	9 Physical and chemical properties	<u> </u>	
Odor threshold: Not determined. pH-value: Not applicable. Change in condition Image: 108-110 °C (226-230 °F) Boiling point/Boiling range: Not determined Sublimation temperature / start: Not determined Flash point: Not applicable Flammability (solid, gaseous) Not determined. Ignition temperature: Not determined. Decomposition temperature: Not determined Contd. on participation (Contd. on participation)	General Information Appearance: Form: Color:	Crystalline powder White	
Change in condition Melting point/Melting range: 108-110 °C (226-230 °F) Boiling point/Boiling range: Not determined Sublimation temperature / start: Not determined Flash point: Not applicable Flammability (solid, gaseous) Not determined. Ignition temperature: Not determined Decomposition temperature: Not determined	Odor threshold:	Not determined.	
Flammability (solid, gaseous) Not determined. Ignition temperature: Not determined Decomposition temperature: Not determined (Contd. on page 1000) (Contd. on page 1000)	Change in condition Melting point/Melting range: Boiling point/Boiling range:	108-110 °C (226-230 °F) Not determined	
(Contd. on p	Flash point: Flammability (solid, gaseous) Ignition temperature:	Not determined. Not determined	
			(Contd. on page

Product name: Isobutvlboronic acid

Page 3/4 Printing date 11/24/2015 Reviewed on 02/26/2008 ٦

Product name: IsobutyIboronic acid		
	(Contd. of pa	
Auto igniting:	Not determined.	
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water) Viscosity: dynamic: kinematic: Other information 10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recom	Product does not present an explosion hazard. Not determined Not determined Not determined Not determined Not determined Not applicable. Not applicable. Not determined. Not applicable. Not determined. Not applicable. Not applicable. Not provided. Not applicable. Not further relevant information available.	
Incompatible materials: Oxidizing agen Hazardous decomposition products: Carbon monoxide and carbon dioxide Boron oxide		
Reproductive toxicity: No effects know Specific target organ system toxicity Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: No effect Subacute to chronic toxicity: Boron affects the central nervous syster coma. The temperature may become si	kin irritation. rious eye irritation. iown. equate for an assessment of human carcinogenic potential. wn. - repeated exposure: No effects known. - single exposure: May cause respiratory irritation.	
12 Ecological information Toxicity Aquatic toxicity: No further relevant information Persistence and degradability No further Bioaccumulative potential No further in Mobility in soil No further relevant information: General notes: Do not allow material to be released to to Do not allow undiluited product or large of Avoid transfer into the environment. Results of PBT and vPvB assessmen PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant	her relevant information available. relevant information available. rmation available. the environment without proper governmental permits. quantities to reach ground water, water course or sewage system. It	
13 Disposal considerations Waste treatment methods Recommendation Consult state, local of Uncleaned packagings: Recommendation: Disposal must be m	or national regulations to ensure proper disposal.	
14 Transport information Not a hazardous material for transportat		
UN-Number DOT, IMDG, IATA	None	
UN proper shipping name DOT, IMDG, IATA	None	
Transport hazard class(es)		
DOT, ADR, IMDG, IATA Class	None	
Packing group DOT, IMDG, IATA	None	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
	(Contd. on pa	

(Contd. on page 4)

Page 4/4 Printing date 11/24/2015 Reviewed on 02/26/2008

	(Contd. of pag
Transport in bulk according to Annex II of MARPOL73	3/78 and the IBC Code Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
DOT Marine Pollutant (DOT):	No
Regulatory information	
Safety, health and environmental regulations/legislati GHS label elements The product is classified and labeled Hazard pictograms	
GHS07 Signal word Warning	
Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/va	nours/snrav
P280 Wear protective gloves/protective cloth	ning/eye protection/face protection. er for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. air and keep comfortable for breathing.
P501 Dispose of contents/container in accor National regulations	dance with local/regional/national/international regulations.
This product is not listed in the U.S. Environmental Protect	ction Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restric used by or directly under the supervision of a technically qualified individual as defined by TSCA. This ormulations for commercial purposes. ubstance is not listed.
Prop 65 - Chemicals known to cause cancer Substance Prop 65 - Developmental toxicity Substance is not listee Prop 65 - Developmental toxicity, female Substance is Prop 65 - Developmental toxicity, male Substance is not	d. not listed. ot listed.
Information about limitation of use: For use only by tec Other regulations, limitations and prohibitive regulati Substance of Very High Concern (SVHC) according to The conditions of restrictions according to Article 67 market and use must be observed.	chnically qualified individuals. ons o the REACH Regulations (EC) No. 1907/2006. Substance is not listed. and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on
Substance is not listed. Annex XIV of the REACH Regulations (requiring Author Chemical safety assessment: A Chemical Safety Asses	orisation for use) Substance is not listed. sment has not been carried out.
information to ensure proper use and protect the health an	ent to other information gathered by them, and should make independent judgement of suitability of this nd safety of employees. This information is furnished without warranty, and any use of the product not i ombination with any other product or process, is the responsibility of the user.
Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / - Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC60: Lethal concentration, 50 percent UD50: Lethal dose, 50 percent VPB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)	V)
VPUB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer	
EPA: Environmental Protection Agency (USA)	