

Safety Data Sheet per OSHA HazCom 2012



Page 2/5 Printing date 11/23/2015 Reviewed on 08/15/2006

 4 First kill measures Generation of the state measure For of generation Generation of the state measure Generation of the state measure For of generation Generation of the state measure Generation of the state measure For of generation Generation of the state measure For of generation Generation measures For of generation Generation of the state measures For of generation Generation measures For of generation Generation of the state measures For of generation Generation measures For of generation Generation measures For of generation For of generation	Product name: Sodium tert-butoxide	
Pescipion of first air measures General information more may obting solied by the product. Supplements for the information more may obting solied by the product. We also the information more may obting solied by the product. We also the information more may obting solied by the product. We also the information more may obting solied by the product. We also the information more may obting solied by the product. We also the information more may obting solied by the product. We also the information more may obting solied by the product. We also the information more may obting solied by the product. We also the information more may obting solied by the product. Formation more may obting solied by the product mark may may be also the information more m		(Contd. of page 1)
Extinguishing media Suitable etiligishing sparts CO2, sand, extinguishing powder. Do not use water. Special baseds analing from the substance or mixture Packs working with water Packs working of the substance or mixture Packs working of the substance of the substance or mixture Packs working of the substance of the s	Description of first aid measures General information Immediately remove any clothing soiled by the product. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes sevien sevie damage.	
Suitable settinguishing agents CO2, sand, exinguishing provider. Do not use water: For early reading the intermediate and the intermediate of the intermediat	5 Fire-fighting measures	
Personal precautions, protective equipment and emergency procedures. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environment protective equipment. Keep away the relatest to the environment without proper governmental permits. Methods and material so recontainment and cleaning up: Keep away from ignition For addition of the environment and the environment without proper governmental permits. Methods and material as waste according to section 13. Ensure adequate ventilation To flush with water or aqueous cleansing agents To not flush with water or aqueous cleansing agents To not flush with water or aqueous cleansing agents To not flush with water or aqueous cleansing agents To not flush with water or aqueous cleansing agents To not flush with water or aqueous cleansing agents To not flush with water or aqueous cleansing agents To not flush with water or aqueous cleansing agents To not flush with water or aqueous cleansing agents To not flush with water or aqueous cleansing agents See Section 7 for information on safe handling Teactions See Section 7 for information on safe handling See Section 1 for information on parsonal protective agents See Section 1 for information on safe handling Teactions See Section 1 for information on safe handling Teactions See Section 1 for information agents explosions and fires: Protect against electrostatic charges. Information about protective against explosions and fires: Protect against electrostatic charges. Information about storage conditions: Store winds for main. Store winds for main. See Section 1 september against electrostatic charges. See Section 1 september against electrostatic charges. Store winds for main. Sectime additional time workplace. Information about storage conditions: Store winds for main. Sectime addition at the workplace. Store winds for main. Sectime addition addition addition advisor	Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture Reacts violently with water If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Sodium oxide Advice for firefighters Protective equipment: Wear self-contained respirator.	
Ween profective equipment. Keep unproducted persons away. "" The area dequise verifiation sores Environmental precautions: Conciliance and cleaning up: Keep away from giftion sources Environmental precautions: Conciliance and cleaning up: Keep away from giftion sources Dispose of containment and cleaning up: Keep away from giftion sources Environmental precautions: Conciliance and cleaning up: Keep away from giftion sources Environmental precautions: Conciliance and cleaning up: Keep away from giftion sources Environmental precautions: Conciliance and cleaning up: Keep away from giftion sources Environmental precautions: Conciliance and cleaning up: Keep away from giftion sources Environmental precautions: Conciliance and cleaning up: Keep away from giftion sources Environmental precaution and set handling See Section 16 for information on presonal protection equipment. See Section 16 for information on presonal protection equipment. See Section 16 for information on presonal protection equipment. See Section 16 for information on presonal protection equipment. See Section 16 for information on presonal protection equipment. See Section 5 for safe handling Precautions for safe handling France equipment. Section sources Environment by protection against explosions and fires: Protect against electrostatic charges. Conditions for safe handling France equipment to be met by storerooms and receptacles: Store in a cool location. Requirement bot met phy storerooms and receptacles: Store in a cool location. Requirement about storage conditions: France information about design of technical systems: France information about design of technical systems: France information about design of technical systems: Frotec	6 Accidental release measures	
Handling Financian of parts of handling Handle under dry protective gas. Keep container lightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Protect against electrostatic charges. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Store away from air. Store away from water/moisture. Further information about storage conditions: Store under dry inert gas. Probabut is mositive. This product is mositive. This product is mositive. This product is mositive. Store under dry inert gas. Store in cool, dry conditions in well sealed containers. Store in cool, dry conditions in well sealed containers. Store in cool, dry conditions in well sealed containers. Store in cool, dry conditions in well sealed containers. Store in cool, dry conditions in well sealed containers. Store in cool, dry conditions in well sealed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. <td>Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Keep away from ignition sources. Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections</td> <td></td>	Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Keep away from ignition sources. Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections	
Precautions for safe handling Handle under dry protective gas. Keep container lightly sealed. Store in cool, dry place in lightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Protect against electrostatic charges. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Storage in a cool location. Information about storage in one common storage facility: Store away from water/moisture. Further information about storage conditions: This product is moisture. Protect from humidity and water. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Keep controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	7 Handling and storage	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: Not required. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present.	Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Protect against electrostatic charges. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Store away from air. Store away from water/moisture. Further information about storage conditions: Store under dry inert gas. This product is moisture sensitive. Protect from humidity and water. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Store in cool, dry conditions in well sealed containers.	
Control parameters Components with limit values that require monitoring at the workplace: Not required. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present.		
Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present.	Control parameters Components with limit values that require monitoring at the workplace: Not required. Additional information: No data	
Breatning equipment: Use suitable respirator when high concentrations are present. (Contd. on page 3)	Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work.	
	Breatning equipment: Use suitable respirator when high concentrations are present.	(Contd. on page 3)

P

		Reviewed on 08/15/2006
Product name: Sodium tert-butoxide)	
Protection of hands: Impervious gloves Check protective gloves prior to each us The selection of suitable gloves not only Penetration time of glove material (in Eye protection: Tightly sealed goggles Full face protection: Body protection: Protective work clothin		(Contd. of page 2)
9 Physical and chemical properties		
Information on basic physical and che General Information Appearance: Form: Color: Odor: Odor threshold:	emical properties Powder Off-white Not determined Not determined.	
pH-value:	Not applicable.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	263-270 °C (505-518 °F) Not determined Not determined	
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not applicable Highly flammable. Not determined Not determined Not determined.	
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic: Other information	Not determined. Not determined Not applicable. 1.04 g/cm³ (8.679 lbs/gal) Not determined. Not applicable. Not applicable. Reacts violently Not determined. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. No further relevant information available.	
10 Stability and reactivity Reactivity Reacts violently with water. Chemical stability Stable under recommo Thermal decomposition / conditions to	nended storage conditions. o be avoided: Decomposition will not occur if used and stored according to specifications.	

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts violently with water Conditions to avoid No further relevant information available. Incompatible materials: Reducing agents Air Air Water/moisture Hazardous decomposition products: Carbon monoxide and carbon dioxide Sodium oxide 11 Toxicological information

Information on toxicological effects Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data LD/LCS0 values that are relevant for classification: No data Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Sensiti tarret error exector toxicity, reported experime. No effecte known

Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

 ECOlogical Information

 Toxicity

 Aquatic toxicity: No further relevant information available.

 Persistence and degradability No further relevant information available.

 Bioaccumulative potential No further relevant information available.

 Mobility in soil No further relevant information available.

 Additional ecological information:

 General notes:

 Do not allow material to be released to the environment without proper governmental permits.

 Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

 Avoid transfer into the environment.

(Contd. on page 4)

Product name: Sodium tert-butoxide (Contd. of page 3) Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available. 13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information UN-Number DOT, IMDG, IATA UN3206 UN proper shipping name DOT Alkali metal alcoholates, self-heating, corrosive, n.o.s. (Sodium tert-butoxide) ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S. (Sodium ĨMDG, IATA tert-butoxide) Transport hazard class(es) DOT Class 4.2 Substances liable to spontaneous combustion. 4.2+8 Label Class 4.2 (SC4) Substances liable to spontaneous combustion Labe IMDG, IATA * Class 4.2 Substances liable to spontaneous combustion. Label 4.2+8 Packing group DOT, IMDG, IATA 11 Environmental hazards: Not applicable. Special precautions for user Warning: Substances liable to spontaneous combustion Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable Transport/Additional information: DOT Marine Pollutant (DOT): No UN3206, Alkali metal alcoholates, self-heating, corrosive, n.o.s. (Sodium tert-UN "Model Regulation": butoxide), 4.2 (8), II 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS02 GHS05 Signal word Danger Hazard Statements Hazard Statements H228 Flammable solid. H251 Self-heating: may catch fire. H314 Causes severe skin burns and eye damage. Precautionary statements Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

 Prot
 Dispose of contents/container in accordance with local/regional/national/international regulations.

 National regulations
 This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

 SARA Section 313 (specific toxic chemical listings) Substance is not listed.

 California Proposition 65

 Prop 65 - Developmental toxicity Substance is not listed.

 Prop 65 - Developmental toxicity, female Substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Prop 65 - Developmental toxicity, and prohibitive regulations

 Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

 The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be

is not liste

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

(Contd. on page 5)

Page 5/5 Printing date 11/23/2015 Reviewed on 08/15/2006

(Contd. of page 4)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/23/2015 / -Abbreviations and accoryms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation EINECS: European Inventory of Existing Commercial Chemical Substances EINECS: European Inventory of Existing Commercial Chemical Substances EAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent UDS: Lethal concentration, 50 percent LD50: Lethal concentration and rev Bioaccumulative ACGIH: American Colerence of Governmental Industrial Hygienists (USA) OSH: Occupational Safety and Health Administration (USA) MTP: National Toxicology Program (USA) MTP: National Toxicology Program (USA) MTP: National Toxicology Program (USA)

USA