



Page 1/4 Printing date 06/21/2017 Revision date 06/06/2017 Version 1

	version i
1 Identification	
Product identifier	
Product name: Urease	
Stock number: J61455 CAS Number: 9002-13-5 EC number:	
232-656-0	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar	
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8000	
Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757	
Email: tech@alfa.com www.alfa.com Information Departments Health, Sefety and Environmental Department	
Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0)789.
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS08 Health hazard	
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
GHS07	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.	
STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS07 GHS08	
Signal word Danger Hazard statements H315 Causes skin irritation.	
H319 Causes serious eve irritation.	
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. Precautionary statements	
P284 [In case of inadequate ventilation] wear respiratory protection. P261 Avoid breathing dust/fume/gas/mist/vapors/spray	
P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	
WHMIS classification D2A - Very toxic material causing other toxic effects	
$\overline{\mathbf{T}}$	
Classification system HMIS ratings (scale 0-4)	
(Hazardous Materials Identification System) HEALTH 2 Health (acute effects) = 2	
FIRe I Flammability = 1 Reactivity [] Physical Hazard = 1	
Other hazards <u>Res</u> ults of PBT and vPvB assessment	
PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Substances CAS# Description:	
9002-13-5 Urease Concentration : ≤100%	
Identification number(s): EC number: 232-656-0	
	(Contd. on page 2)

Product name: Urease

	(Contd. of page 1
4 First-aid measures	
Description of first aid measures After inhalation	
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.	
After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.	
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment.	
Information for doctor Most important symptoms and effects, both acute and delayed	
Causes skin irritation.	
May cause allergy or asthma symptoms or breathing difficulties if inhaled. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures	
Extinguishing media	
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:	
Carbon monoxide and carbon dioxide	
Nitrogen oxides (NOx) Advice for firefighters	
Protective equipment: Wear self-contained respirator.	
Wear fully protective impervious suit.	
6 Accidental release measures Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	
Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
Prevention of secondary hazards: No special measures required. Reference to other sections	
See Section 7 for information on safe handling	
See Section 8 for information on serie manaling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals RAC 11 Substance in political	
PAC-1: Substance is not listed. PAC-2: Substance is not listed. PAC-3: Substance is not listed.	
7 Handling and storage Handling	
Precautions for safe handling Keep container tightly sealed.	
Ensure good ventilation at the workplace. Prevent formation of dust.	
Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities	
Storage Requirements to be met by storerooms and receptacles: Store in freezer (-20 °C).	
Information about storage in one common storage facility:	
Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection Additional information about design of technical systems:	
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data	
Exposure controls	
Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.	
Keep away from foodstuffs, beverages and feed. Remove all solled and contaminated clothing immediately. Wash hands before breaks and at the end of work.	
Wash hands before breaks and at the end of work. Avoid contact with the eves and skin	
Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use:	
Recommended filter device for short term use: Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to de	etermine if air-
Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to de purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands:	
Impervious aloves	
Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	

Product name: Urease

Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU) **Body protection:** Protective work clothing.

(Contd. of page 2)

Body protection: Protective work clothin	ng.			
9 Physical and chemical properties				
Information on basic physical and che General Information Appearance: Form: Odor:	Lyophilized powder Not determined			
Odor threshold: pH-value:	Not determined.			
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not applicable. Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not determined			
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic:	Not determined. Not determined Not determined Not applicable. 1.15 g/cm³ (9.597 lbs/gal) Not determined. Not applicable. Not applicable. Not determined Not determined. Not applicable. Not applicable.			
Other information	No further relevant information available.			
Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Heat Hazardous decomposition products: Carbon monoxide and carbon dioxide Sulfur oxides (SOx) Nitrogen oxides				
LD/LC50 values that are relevant for c Skin irritation or corrosion: Causes ski Eye irritation or corrosion: May cause Sensitization: May cause allergy or astr Germ cell mutagenicity: No effects know Carcinogenicity: No classification data Reproductive toxicity: No effects know. Specific target organ system toxicity Specific target organ system toxicity Aspiration hazard: No effects known.	in irritation. irritation ma symptoms or breathing difficulties if inhaled. wn. on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. n.			
12 Ecological information Toxicity Aquatic toxicity: No further relevant infor Persistence and degradability No furth Bioaccumulative potential No further re Mobility in soil No further relevant inforn Additional ecological information: General notes: Do not allow undiluted product or large q Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further releva	uantities to reach ground water, water course or sewage system.			
13 Disposal considerations Waste treatment methods Recommendation Consult state, local o	r national regulations to ensure proper disposal.	(Contd. on page 4) USA _		

Product name: Urease

(Contd. of page 3)

Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

······································			
14 Transport information			
UN-Number DOT, ADN, IMDG, IATA	Not applicable		
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not applicable		
Transport hazard class(es)			
DOT, ADR, ADN, IMDG, IATA Class	Not applicable		
Packing group DOT, ADR, IMDG, IATA	Not applicable		
Environmental hazards:	Not applicable.		
Special precautions for user	Not applicable.		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.			
Transport/Additional information:			
DOT Marine Pollutant (DOT):	No		
UN "Model Regulation":	Not applicable		

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



Signal word Danger

Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. Precautionary statements P284 In case of inadequate ventilation! wear respiratory protection.

 Precautionary statements

 P284
 [In case of inadequate ventilation] wear respiratory protection.

 P261
 Avoid breathing dust/fume/gas/mist/vapors/spray

 P280
 Wear protective gloves / eye protection / face protection.

 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P405
 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity, substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, application of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. International to chain is ploper located by better in combination with any other product or process, is the responsibility of the user.
Department issuing SDS: Global Marketing Department Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport dassociation
EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent
PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern VPVB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA)
MF: National Toxicology Program (USA)
IAR: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)
Skin trat. 2: Ken corosion/intation – Category 2 Key Imt. 2A: Serious evel damage/eye Imtition – Category 2A Resp. Sens. 1: Respiratory sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3