according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

ROTH

Aluminium nitrate nonahydrate ROTI®METIC 99,999 % (5N)

article number: **5567** date of compilation: 2016-07-04 Version: **1.0 en**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Aluminium nitrate nonahydrate

Article number 5567

Registration number (REACH) 01-2119979577-14-xxxx

EC number 236-751-8
CAS number 7784-27-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Germany

Telephone: +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data : Department Health, Safety and Environment

sheet

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service Poison Centre Munich: +49/(0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS Section **Hazard class** Hazard class and cat-Hazard stateegory ment 2.14 oxidising solid (Ox. Sol. 2) H272 3.2 skin corrosion/irritation (Skin Irrit. 2) H315 3.3 serious eye damage/eye irritation (Eye Irrit. 2) H319

United Kingdom (en) Page 1 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Aluminium nitrate nonahydrate ROTI®METIC 99,999 % (5N)

article number: 5567

Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms





Hazard statements

H272 May intensify fire; oxidiser.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

Precautionary statements

Precautionary statements - prevention

P220 Keep/store away from combustible materials.

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)





2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Aluminium nitrate nonahydrate

Registration number (REACH) 01-2119979577-14-xxxx

EC number 236-751-8 CAS number 7784-27-2

Molecular formula Al(NO₃)₃ * 9 H₂O

Molar mass 375,1 g/_{mol}

United Kingdom (en) Page 2 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Aluminium nitrate nonahydrate ROTI®METIC 99,999 % (5N)

article number: 5567

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Cough, Nausea, Vomiting, Diarrhoea

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible. Oxidising property.

Hazardous combustion products

In case of fire may be liberated: nitrogen oxides (NOx)

5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

United Kingdom (en) Page 3 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Aluminium nitrate nonahydrate ROTI®METIC 99,999 % (5N)

article number: **5567**

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe dust. Avoid contact with skin and eyes.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provide adequate ventilation. When not in use, keep containers tightly closed.

• Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits. Take any precaution to avoid mixing with combustibles.

Advice on general occupational hygiene

Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a dry place. Keep away from combustible material.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Ventilation requirements

Use local and general ventilation.

• Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

7.3 Specific end use(s)

No information available.

United Kingdom (en) Page 4 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Aluminium nitrate nonahydrate ROTI®METIC 99,999 % (5N)

article number: 5567

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	Notation	Identifier	TWA [mg/m³]	STEL [mg/m³]	Source
GB	dust	i	WEL	10		EH40/2005
GB	dust	r	WEL	4		EH40/2005

Notation

Inhalable fraction

Respirable fraction Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-STEL

minute period unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average

Relevant DNELs/DMELs/PNECs and other threshold levels

human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	0,5 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	0,34 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

environmental values

Endpoint	Threshold level	Environmental compartment	
PNEC	0,0003 mg/l	freshwater	
PNEC	0,00003 mg/l	marine water	
PNEC	0,001 mg/l	water	
PNEC	20 mg/l	sewage treatment plant (STP)	
PNEC	0,0025 mg/kg	freshwater sediment	
PNEC	0,00025 mg/kg	marine sediment	
PNEC	0,00032 mg/kg	soil	

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)







United Kingdom (en) Page 5 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Aluminium nitrate nonahydrate ROTI®METIC 99,999 % (5N)

article number: 5567

Eye/face protection

Use safety goggle with side protection.

Skin protection

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm.

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection

Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state solid (crystalline)

Colour colourless

Odour faintly perceptible
Odour threshold No data available

Other physical and chemical parameters

pH (value) 2 - 4 (50 ^g/_I, 20 °C)

Melting point/freezing point 73 °C

Initial boiling point and boiling range 135 °C (slow decomposition)

Flash point not applicable

Evaporation rate no data available

Flammability (solid, gas) Non-flammable

Explosive limits

lower explosion limit (LEL)
 upper explosion limit (UEL)
 this information is not available
 Explosion limits of dust clouds
 Vapour pressure
 this information are not available
 This information is not available.

United Kingdom (en) Page 6 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Aluminium nitrate nonahydrate ROTI®METIC 99,999 % (5N)

article number: 5567

Density $1,72 \, {}^{9}/_{\text{cm}^3}$ at 20 ${}^{\circ}\text{C}$

Vapour density This information is not available.

Bulk density $900 - 1.100 \, {}^{9}\text{/}_{\text{cm}^3}$

Relative density Information on this property is not available.

Solubility(ies)

Water solubility $\sim 419 \, {}^{\rm g}/_{\rm l}$ at 20 $^{\circ}{\rm C}$

Partition coefficient

n-octanol/water (log KOW)

This information is not available.

Auto-ignition temperature Information on this property is not available.

Decomposition temperature >135 °C

Viscosity not relevant (solid matter)

Explosive properties shall not be classified as explosive

Oxidising properties oxidiser

9.2 Other information

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

oxidising property.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Cyanide, Ester, Isocyanates, Strong acid, Sulphur-, Metal powder, => Explosive properties

10.4 Conditions to avoid

Protect from moisture. Keep away from heat. Decompostion takes place from temperatures above: >135 °C.

10.5 Incompatible materials

different metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

United Kingdom (en) Page 7 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Aluminium nitrate nonahydrate ROTI®METIC 99,999 % (5N)

article number: **5567**

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species	Source
oral	LD50	3.671 ^{mg} / _{kg}	rat	TOXNET

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

• Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

gastrointestinal complaints, nausea, vomiting, diarrhoea

• If in eyes

Causes serious eye irritation

• If inhaled

irritant effects, cough

• If on skin

causes skin irritation

Other information

Other adverse effects: Headache, Vertigo, Blood pressure drop, Methaemoglobinaemia

United Kingdom (en) Page 8 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Aluminium nitrate nonahydrate ROTI®METIC 99,999 % (5N)

article number: 5567

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	1438
14.2	UN proper shipping name	ALUMINIUM NITRATE
	Hazardous ingredients	Aluminium nitrate nonahydrate
14.3	Transport hazard class(es)	
	Class	5.1 (oxidizing substances)
14.4	Packing group	III (substance presenting low danger)
14.5	Environmental hazards	NONE (non-environmentally hazardous acc. to the dangerous goods regulations)

United Kingdom (en) Page 9 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Aluminium nitrate nonahydrate ROTI®METIC 99,999 % (5N)

article number: 5567

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number 1438

Proper shipping name ALUMINIUM NITRATE

Particulars in the transport document UN1438, ALUMINIUM NITRATE, 5.1, III, (E)

Class 5.1
Classification code O2
Packing group III
Danger label(s) 5.1



Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
Transport category (TC) 3
Tunnel restriction code (TRC) E
Hazard identification No 50
Emergency Action Code 12

• International Maritime Dangerous Goods Code (IMDG)

UN number 1438

Proper shipping name ALUMINIUM NITRATE

Particulars in the shipper's declaration UN1438, ALUMINIUM NITRATE, 5.1, III

Class 5.1
Packing group III
Danger label(s) 5.1



Special provisions (SP)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg

EmS F-A, S-Q

Stowage category A

United Kingdom (en) Page 10 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Aluminium nitrate nonahydrate ROTI®METIC 99,999 % (5N)

article number: **5567**

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)
 - Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC) Not listed.
 - Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS) Not listed.
 - Regulation 850/2004/EC on persistent organic pollutants (POP) Not listed.
 - Restrictions according to REACH, Annex XVII not listed
 - List of substances subject to authorisation (REACH, Annex XIV) not listed

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

National inventories

Substance is listed in the following national inventories:

- EINECS/ELINCS/NLP (Europe)
- REACH (Europe)

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)

United Kingdom (en) Page 11 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Aluminium nitrate nonahydrate ROTI®METIC 99,999 % (5N)

article number: **5567**

Abbr.	Descriptions of used abbreviations
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
TWA	time-weighted average
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EÚ GHS)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H272	may intensify fire; oxidiser
H315	causes skin irritation
H319	causes serious eye irritation

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

United Kingdom (en) Page 12 / 12