

Revision: 27.06.2012

Printing date 27.06.2012

Version number 1

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: OIL OF CAMPHOR light, rectified

· Article number: 3357

• CAS Number: 8008-51-3 • EC number: 294-760-2

· Registration number

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation Laboratory chemical
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Carl Roth GmbH + Co. KG Schoemperlenstraße 3-5 76185 Karlsruhe Germany

Telefon: +49/(0)721 5606-0 Telefax: +49/(0)721 5606-149 E-Mail: sicherheit@carlroth.de

- · Further information obtainable from: Department Health, Safety and Environment
- Emergency telephone number: Poison Centre Munich Telefon +49/(0)89 19240

2 Hazards identification

- · Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Lig. 3 H226 Flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



(Contd. on page 2)



Printing date 27.06.2012 Version number 1 Revision: 27.06.2012

Trade name: OIL OF CAMPHOR light, rectified

(Contd. of page 1)

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

×

Xn; Harmful

R65: Harmful: may cause lung damage if swallowed.



Xi; Irritant

R38: Irritating to skin.



Xi; Sensitising

R43: May cause sensitisation by skin contact.



N; Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R10: Flammable.

Information concerning particular hazards for human and environment:

This product is hazardous according to EEC directives 67/548/EEC and 1999/45/EC.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms



(!)





GHS02

2 GHS07

GHS08

GHS09

- · Signal word Danger
- · Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

Other hazards

All chemicals are potentially dangerous. They should only be handled by specially trained personnel.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 3)



Printing date 27.06.2012 Version number 1 Revision: 27.06.2012

Trade name: OIL OF CAMPHOR light, rectified

(Contd. of page 2)

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description 8008-51-3 Oil of camphor · Identification number(s)

EC number: 294-760-2

4 First aid measures

- Description of first aid measures
- · General information: Remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air.

After inhalation of vapors / aerosols:

Take affected persons into fresh air and keep quiet.

Seek medical treatment in case of complaints.

· After skin contact:

Wash with water and soap.

If there is any trouble seek medical help.

After eye contact:

Rinse opened eye for 10 minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and drink a glass of water. Do not induce vomiting.

In case of spontaneous vomiting: Risk of aspiration. Pulmonary failure possible.

Call for a doctor immediately.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, powder, foam.
- · Special hazards arising from the substance or mixture

In the event of fire development of hazardous combustion gases or vapours possible.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Prevent fire-fighting water from entering surface water or groundwater.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Do not inhale vapours. Avoid contact with the eyes and skin.

Keep away from ignition sources.

- · Environmental precautions: Do not allow to enter sewers/ground water or penetrate the soil.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (e.g. Rotisorb® Art.-Nr. 1710.1).

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 4)



Printing date 27.06.2012 Version number 1 Revision: 27.06.2012

Trade name: OIL OF CAMPHOR light, rectified

(Contd. of page 3)

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Keep container tightly sealed.

Protect from exposure to the light.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Do not eat, drink or smoke while working.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

· Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

- Respiratory protection: When vapours/aerosols are generated.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile, thickness >0,3 mm.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

Value for the permeation: Level ≥ 6

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.


(Contd. on page 5)



Printing date 27.06.2012 Version number 1 Revision: 27.06.2012

Trade name: OIL OF CAMPHOR light, rectified

· Eye protection:





Tightly sealed goggles

· Body protection: Protective work clothing

A DI			1 1				4.5
4 Ph	veical	and		nemi	Са	nro	perties
VI	Joine	ullu			Ou	PIO	per ties

General Information

· Appearance:

Form: Fluid

Colour: Yellow to brown.

Odour: Characteristic

Odour threshold: Not determined.

· **pH-value:** Not determined.

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

· Flash point: 53°C

· Flammability (solid, gaseous): No information available

· Ignition temperature:

Decomposition temperature: Not determined.

· **Self-igniting:** No information available

Danger of explosion: Product is not explosive. However, formation of explosive air/vapour

mixtures is possible.

· Explosion limits:

Lower: Not determined. **Upper:** Not determined.

· Vapour pressure: Not determined.

• Density at 20°C: $\sim 0.9 \text{ g/cm}^3$

Vapour densityEvaporation rateNot determined.Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined.

• Other information No further relevant information available.

(Contd. on page 6)



Printing date 27.06.2012 Version number 1 Revision: 27.06.2012

Trade name: OIL OF CAMPHOR light, rectified

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity
- Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No information available.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidizing agents.
- · Hazardous decomposition products: No dangerous decomposition product known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification: Quantitative data on the toxicity of this product are not available.
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye:

Intense exposure may cause irritative symptoms.

May cause temporary discomfort.

· after inhalation:

Vapours may cause drowsiness and dizziness.

Irritations in the respiratory tract.

- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

After swallowing nausea and vomiting.

May cause lung damage if swallowed. Risk of aspiration.

· Further information: The product should be handled with the care usual when dealing with chemicals.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: Quantitative data on the ecological effect of this product are not available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- · Additional ecological information:
- General notes: Do not allow product to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation

This material and its container must be disposed of as hazardous waste.

The disposal is regionally differently regulated, therefore the kind of disposal is to be inquired at the responsible authorities.

(Contd. on page 7)



Printing date 27.06.2012 Version number 1 Revision: 27.06.2012

Trade name: OIL OF CAMPHOR light, rectified

(Contd. of page 6)

- · Uncleaned packaging:
- · Recommendation: Disposal according to official regulations.

				•	•				
-	\mathbf{I}	$\mathbf{n} \mathbf{c}$	$\overline{}$	ı m	-		~~	е п	
	Tra								
			\sim	 	-	-		ч.	

· UN-Number	
· ADR, IMDG, IATA	

UN1130

· UN proper shipping name

1130 CAMPHOR OIL, ENVIRONMENTALLY HAZARDOUS · ADR ·IMDG

CAMPHOR OIL, MARINE POLLUTANT

CAMPHOR OIL

- · Transport hazard class(es)
- · ADR, IMDG

·IATA





· Class 3 Flammable liquids.

· Label

· IATA



· Class 3 Flammable liquids.

· Label

· Packing group · ADR, IMDG, IATA

· Special marking (ADR):

Ш

Environmentally hazardous substance, liquid; Marine Pollutant · Environmental hazards:

· Marine pollutant:

Symbol (fish and tree) Symbol (fish and tree)

· Special precautions for user Warning: Flammable liquids.

Danger code (Kemler):

· EMS Number: F-E,S-E

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 5L D/E · Tunnel restriction code

· UN "Model Regulation": UN1130, CAMPHOR OIL, ENVIRONMENTALLY HAZARDOUS,

3, III

(Contd. on page 8)



Printing date 27.06.2012 Version number 1 Revision: 27.06.2012

Trade name: OIL OF CAMPHOR light, rectified

(Contd. of page 7)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · Waterhazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Department: Health, Safety and Environment
- · Contact: Frau Weckemann
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

P: Marine Pollutant

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

* * Data compared to the previous version altered.

GB