

EREZTECH LLC

11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: http://ereztech.com

SAFETY DATA SHEET

Section 1. Identification

Product Name: Dicarbonylcyclopentadienylcobalt

Product Type: Liquid

CAS Number: 12078-25-0. Product Number: CO8250

Product Manufacturer: Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

Product Information: (888) 658-1221

<u>In case of an emergency:</u> (888) 658-1221 (for spill, leak, fire or exposure)

*** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Emergency Overview

Appearance/Odor: Dark red liquid, acrid odor.

Classification: FLAMMABLE LIQUIDS – Category 3, H226

ACUTE TOXICITY, ORAL; - Category 3, H301 ACUTE TOXICITY, DERMAL; - Category 3, H311 SENSITIZATION, SKIN; - Category 1, H317

ACUTE TOXICITY, INHALATION; - Category 3, H331 SENSITIZATION, RESPIRATORY; - Category 1, H334 GERM CELL MUTAGENICITY; - Category 2, H341

CARCINOGENICITY - Category 2, H351

HAZARDOUS TO THE AQUATIC ENVIRONMENT, CHRONIC

TOXICITY; - Category 4, H413

GHS label elements

Signal word: DANGER

Hazard statements: H226: Flammable liquid and vapor.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H317: May cause an allergic skin reaction.

H331: Toxic if inhaled.

H334: May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H341: Suspected of causing genetic defects.

Date of Issue: 5/16/17 Page 1 of 13 Revision: 1.01

Section 2. Hazards Identification

Hazard statements (cont.): H351: Suspected of causing cancer.

H413: May cause long lasting harmful effects to aquatic life.

Hazard pictograms:



<u>Precautionary statements</u> Prevention:

Response:

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

P233: Keep container tightly closed.

P240: Ground/Bond container and receiving equipment.
P241: Use explosion-proof electrical/ ventilating/ lighting/ .../
equipment.

P242: Use only non-sparking equipment.

P243: Take precautionary measures against static discharge.

P261: Avoid breathing fumes/gas/mist/vapors/spray. P264: Wash exposed skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well ventilated area.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

P285: In case of inadequate ventilation, wear respiratory protection.

P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at

rest in a position comfortable for breathing.

P308 + P313: IF exposed or concerned: Get medical advice/attention.

Date of Issue: 5/16/17 Page 2 of 13 Revision: 1.01

Section 2. Hazards Identification

Response (cont.): P311: Call a POISON CENTER or doctor/physician.

P330: Rinse mouth.

P333 + P313: If skin irritation or rash occurs: Get medical

advice/attention.

P342 + P311: If experiencing respiratory symptoms: Call a

POISON CENTER or doctor/physician.

P363: Wash contaminated clothing before reuse.

P370 + P378: In case of fire: Use alcohol-resistant foam, carbon

dioxide, dry chemical or dry sand for extinction.

Storage: P403 + + P233 + P235: Store in a well ventilated place. Keep

container tightly closed. Keep cool.

P405: Store locked up.

Disposal: P501: Dispose of contents/ container to an approved wasted

disposal plant.

General: None.

OSHA/HCS status: This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Hazards not otherwise

classified:

None known.

Section 3. Composition/Information on Ingredients

Substances

Synonyms : Dicarbonyl(η5-2,4-cyclopentadien-1-yl)cobalt;

Cyclopentadienyl cobalt(I) dicarbonyl;

Cyclopentadienylcobalt dicarbonyl; Cobalt dicarbonyl cyclopentadiene; Cyclopentadienyldicarbonylcobalt

Formula : $(C_5H_5)Co(C0)_2$ Molecular weight : 180.05 g/mol. : 12078-25-0.

| Ingredient Name | % | CAS Number |
|----------------------------------|-----|------------|
| Dicarbonylcyclopentadienylcobalt | >99 | _ |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice: Move out of dangerous area. Consult a physician. Show this safety data sheet

to the doctor in attendance.

 Date of Issue: 5/16/17
 Page 3 of 13
 Revision: 1.01

Section 4. First Aid Measures

Eye Contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower eyelids. Check for and remove any contact lenses. Continue rinsing for at

least 20 minutes. Call a physician or POISON CONTROL CENTER immediately.

Skin Contact: Wash with plenty of soap and water. Remove contaminated clothing and shoe

Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear

impervious gloves. Continue to rinse for at least 20 minutes. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. Dispose of leather shoes which have been contaminated. Call a physician or POISON CONTROL CENTER

immediately.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If

unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Call a POISON CENTER or doctor/physician immediately.

Ingestion: Call a physician or POISON CONTROL CENTER immediately. Rinse mouth. Do

NOT induce vomiting. Remove dentures if any. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight

clothing such as a collar, tie, belt or waistband.

Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

Eye Contact: No specific symptoms identified.

Inhalation: Toxic if inhaled.

Skin Contact: Toxic if in contact with skin. Product may cause an allergic skin reaction.

Ingestion: Toxic if ingested. Ingestion of significant amounts of cobalt containing

compounds has been reported to have potential for causing blood, heart, thyroid

and pancreatic damage.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician: Treat symptomatically.

Specific Treatments: No specific treatment.

Protection of First Responders: No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire Fighting Measures

General Hazards: Flammable liquid and vapor.

Suitable Extinguishing Media: Use sand, water spray (fog), dry chemical or carbon dioxide

(CO₂).

Unsuitable Extinguishing Media: Do not use water jet.

Unusual Fire and Explosion: In a fire or if heated, a pressure increase will occur and the

container may burst, with the risk of a subsequent explosion. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. Runoff to sewer may create fire or explosion hazard.

Product of Combustion: Decomposition products may include carbon monoxide,

carbon dioxide and toxic cobalt oxide fumes.

Protection of Firefighters: Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in a positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-emergency Personnel: No action shall be taken involving any personal risk or without

suitable training. Remove all sources of ignition. Evacuate surrounding areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid inhalation

of vapors or mist. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective

equipment.

For Emergency Responders: If specialized clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency

personnel".

Environmental Precautions: Do not allow dispersal of spilled material and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Section 6. Accidental Release Measures

Methods for Containment

Small Spill:

Stop leak if without risk. Move containers from spill area. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Absorb with an inert liquid binding material (sand, diatomite, acid binders, and universal binders) and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large Spill:

Stop leak if without risk. Move containers from spill area. Prevent movement of material into sewers, water ways, basements or confined areas. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Aproach spill from upwind. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in dry container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and Storage

Precautions:

Store in cool/dry place in tightly closed container under an inert gas. Product is air sensitive. Keep container tightly sealed. Eliminate all ignition sources and take measures to prevent buildup of electrostatic charge. Avoid inhalation of vapors or mist. Avoid contact with skin or eyes. Avoid prolonged exposure. Provide adequate ventilation.

Protective Measures:

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

General Occupational Hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Date of Issue: 5/16/17 Page 6 of 13 Revision: 1.01

Section 7. Handling and Storage

Safe Storage Conditions:

Store in original container protected from direct sunlight in a cool and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Store product under an inert gas. Product is air sensitive. Store locked up.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

Occupational Exposure Limits:

| List | Components | CAS-No. | Туре | Value |
|-------|------------|-----------|------|-----------------------------------|
| ACGIH | Cobalt | 7440-48-4 | TLV | 0.02 mg/m ³ (Co metal) |
| OSHA | | 7440-48-4 | PEL | 0.1 mg/m ³ (Co metal) |

Engineering Controls:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.

Environmental Exposure Controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures

Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Contaminated clothing should not be allowed out of the workplace. Do not inhale gases/fumes/vapors. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Date of Issue: 5/16/17 Page 7 of 13 Revision: 1.01

Section 8. Exposure Controls/Personal Protection

Eye/Face Protection (cont.):

If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection

Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Neoprene or nitrile rubber.

Other Skin Protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Physical State: Liquid.
Color: Dark red.
Odor: Acrid.

Odor Threshold:

PH:

No data available.

No data available.

Melting Point:

-22 °C (-8 °F).

Boiling Point: 139 – 140 °C (282 – 284 °F) @ 710 mmHg.

Flash Point: 26.7 °C.

Auto-ignition temperature: No data available.

Specific Gravity: 1.35 g/cm³.

Vapor Pressure: No data available.
Vapor Density: No data available.

Water Solubility: Insoluble.

Evaporation Rate:Viscosity:
No data available.
No data available.
VOC Content:
No data available.

VOCs are calculated following the requirements under 40 CFR, Part 59, Subpart C for Consumer Products and Subpart D for Architectural Coatings.

Section 10. Stability and Reactivity

Reactivity: No data available.

Chemical Stability: Stable at normal ambient temperature and pressure and

under recommended storage conditions.

Conditions to Avoid: Avoid all possible sources of ignition (spark or flame). Do

not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

Incompatible Materials: Oxidizing agents, air.

Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous

decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: carbon oxides and toxic metal oxide fumes.

In the event of a fire: see section 5.

Possibility of Hazardous Reactions: Under normal conditions of storage and use, hazardous

reactions will not occur.

Section 11. Toxicological Information

Information on Toxicological Effects

Acute Toxicity : No specific data available.

Date of Issue: 5/16/17 Page 9 of 13 Revision: 1.01

Section 11. Toxicological Information

Irritation/Corrosion

Sensitization

Germ Cell Mutagencity

Carcinogenity

IARC

ACGIH

NTP

OSHA

Reproductive Toxicity

Teratogenicity

Specific Target Organ Toxicity

(single exposure)

Specific Target Organ Toxicity

(repeated exposure)

Aspiration Hazard

Information on the likely routes of exposure

Additional Information

: No specific data available.

: No specific data available.

: No effects known.

: Cobalt; CAS 7440-48-4. Group 2B: possibly carcinogenic

to humans.

: Cobalt; CAS 7440-48-4. Group A3: confirmed animal

carcinogen with unknown relevance to humans

: No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by NTP.

: No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by OSHA.

: No specific data.

: No specific data available.

: Respiratory tract irritation.

: Chronic exposure to cobalt compounds may result in

permanent lung damage.

: No specific data available.

: Inhalation, dermal, oral.

: None

Section 12. Ecological Information

Numerical Measures of Toxicity

Toxicity to Fish

Toxicity to daphnia and other

aquatic invertebrates

Toxicity to algae

Persistence and Degradability

Biodegradability

Bioaccumulative potential

Mobility in soil

Other Adverse Effects

- : No specific data available.
- : No specific data available.
- No specific data available.
- No specific data available.
- : No specific data available.
- : No specific data available.
- : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Date of Issue: 5/16/17 Page 10 of 13 Revision: 1.01

Section 13. Disposal Considerations

Waste Treatment Methods Product

: Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals.

Contaminated Packaging

Empty containers retain product residue (liquids, vapors and gases) and can be dangerous. DO NOT EXPOSE SUCH CONTAINERS TO MOISTURE, HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Section 14. Transport Information

| | DOT | IMDG | IATA |
|--------------------------|---------------------|---------------------|---------------------|
| UN Number | UN1992 | UN1992 | UN1992 |
| UN Proper Shipping Name | Flammable liquid, | FLAMMABLE LIQUID, | Flammable liquid, |
| | toxic, n.o.s. | TOXIC, N.O.S. | toxic, n.o.s. |
| | (Dicarbonyl(η5-2,4- | (Dicarbonyl(η5-2,4- | (Dicarbonyl(η5-2,4- |
| | cyclopentadien | cyclopentadien | cyclopentadien |
| | -1-yl)cobalt) | -1-yl)cobalt) | -1-yl)cobalt) |
| Transport Hazard Classes | 3 (6.1) | 3 (6.1) | 3 (6.1) |
| Packing Group | III | III | III |
| Environmental Hazards | - | - | - |
| Additional Information | | EMS No: F-E, S-D | |

Special Precautions for User

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act):

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

Date of Issue: 5/16/17 Page 11 of 13 Revision: 1.01

Section 15. Regulatory Information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard (Flammable), Acute Health Hazard (Toxic, Sensitizer), Chronic Health Hazard (Carcinogen)

Massachusetts Right To Know Components

| | CAS-No. | Revision Date |
|---------------------------------------|-----------|----------------------|
| Cobalt | 7440-48-4 | |
| Pennsylvania Right To Know Components | | |
| | CAS-No. | Revision Date |
| Cobalt | 7440-48-4 | |
| New Jersey Right To Know Components | | |
| | CAS-No. | Revision Date |
| Cobalt | 7440-48-4 | 8/2/2010 |

California Proposition 65 Components

This product contains a chemical known to State of California to cause cancer.

CAS-No. Revision Date Cobalt 7440-48-4 11/20/2015

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Date of Issue: 5/16/17 Page 12 of 13 Revision: 1.01

Section 16. Other Information

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating
HEALTH 2
FLAMMABILITY 3
PHYSICAL HAZARD 0

<u>History</u>

Date of printing : 5/16/17

Date of issue/Date of Revision : 5/16/17

Date of previous issue : 10/30/12

References : None available

Abbreviations and Acronyms

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DOT: US Department of Transportation

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

HMIS: Hazardous Materials Identification System IARC: International Agency For Research on Cancer

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

IMDG: International Maritime Code for Dangerous Goods

NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration SARA: Superfund Amendments and Reauthorization Act

VOC: Volatile Organic Compound

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.