EREZTECH LLC



11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

SAFETY DATA SHEET

Section 1. Identification

Product Name: Tris(ethylcyclopentadienyl)yttrium

Product Type: Solid

CAS Number: 476364-59-7

Product Number: Y4597

Product Manufacturer: Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

Product Information: (888) 658-1221

In Case of an Emergency: CHEMTREC: 1-800-424-9300 (USA);

+1 703-527-3887 (International); CCN836180
*** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Appearance/Odor: Yellow melting solid, odor not determined.

Classification: FLAMMABLE SOLID - Category 2, H228

SUBSTANCE AND MIXTURES WHICH, IN CONTACT WITH WATER,

EMIT FLAMMABLE GASES -Category 2, H261 SKIN CORROSION/IRRITATION - Category 2, H315

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A, H319
SPECIFIC ORGAN TOXICITY, SINGLE EXPOSURE; RESPIRATORY

TRACT IRRITATION - Category 3, H335

GHS Label Elements

Signal Word: DANGER

Hazard Statements: H228: Flammable solid.

H261: In contact with water releases flammable gas.

H315: Causes skin irritation.

H319: Causes serious eye irritation. H335: May cause respiratory irritation.

Hazard Pictograms:



Section 2. Hazards Identification

Precautionary	Statements
Prevention:	

- P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P223: Keep away from any possible contact with water, because of violent reaction and possible flash fire.
- P231 + P232: Handle under inert gas. Protect from moisture.
- P240: Ground/Bond container and receiving equipment.
- P241: Use explosion proof electrical/ventilating/lighting/processing equipment.
- P261: Avoid breathing dust.
- P264: Wash skin thoroughly after handling.
- P271: Use only outdoors or in a well-ventilated area.
- P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.
- P302 + P352: IF ON SKIN: Wash with plenty of soap and water.
- P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present. Continue rinsing.
- P312: Call a POISON CENTER or doctor/physician if you feel unwell.
- P332 + P313: If skin irritation occurs: Get medical advice/attention.
- P334 + P335: Brush off loose particles from skin and immerse in cool water/wrap in wet bandages.
- P337 + P313: If eye irritation persists: Get medical advice/attention.
- P362: Take off contaminated clothing and wash before reuse. P370 + P378: IN case of fire: Use CO₂, dry chemical or foam for extinction. DO NOT USE WATER.
- P402 + P404: Store in a dry place. Store in a closed container. P403 + P233: Store in a well ventilated place. Keep container tightly closed.
- P405: Store locked up.
- P501: Dispose of contents/ container to an approved wasted
- disposal plant.
- OSHA/HCS Status: This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

None.

Response:

Storage:

Disposal:

OSHA/HCS Status:

Hazards Not Otherwise Classified (HNOC):

Section 3. Composition/Information on Ingredients

Substances

Ingestion:

Synonyms : (EtCp)3Y; yttrium, tris[(1,2,3,4,5-h)-1-ethyl-2,4-

cyclopentadien-1-yl]-

Formula : $Y(C_2H_5(CH_2)_2CH_3)_3$: 368.35 g/mol

CAS-No. : 476364-59-7

Ingredient Name	%	CAS Number
Tris(ethylcyclopentadienyl)yttrium	>98	476364-59-7

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice: Move out of dangerous area. Consult a physician. Show this safety data sheet

to the doctor in attendance.

Eye Contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower eyelids. Check for and remove any contact lenses. Continue rinsing. Get

medical attention if eve irritation develops and persists.

Skin Contact: Wash off contaminated skin with soap and plenty of water. Get medical

attention if irritation develops and persists or if burns occur.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If not breathing, if breathing is irregular or if respiratory arrest

occurs, provide artificial respiration or oxygen by trained personnel. If

unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Call a POISON CENTER or doctor/physician immediately.

Rinse mouth. Do NOT induce vomiting. Remove dentures if any. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in

recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a

physician or POISON CONTROL CENTER immediately.

Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

Eye Contact: Symptoms may include stinging, tearing, and redness. Extended contact of eye

tissues with a large quantity of the chemical may result in thermal burns to the eye tissue due to the heat given off from the product when in contact with

water.

Section 4. First Aid Measures

Inhalation: Irritating to the nose, mucous membranes and respiratory tract due to product's

reactivity with water.

Skin Contact: Product may produce irritation and possible thermal burns of the skin if product

comes in contact with wet, moist or sweaty skin.

Ingestion: May produce thermal burns of the digestive tract if a large quantity is ingested.

Diarrhea and vomiting may occur.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician: Treat symptomatically.

Specific Treatments: No specific treatment.

Protection of First Responders: No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological Information (Section 11)

Section 5. Fire Fighting Measures

General Hazards: Reacts with water to produce a flammable liquid/gas.

Suitable Extinguishing Media: THE MOST EFFECTIVE FIRE EXTINGUISHING AGENT IS DRY

CHEMICAL POWDER PRESSURIZED WITH NITROGEN. Vermiculite, sand, dry chemical or carbon dioxide (CO₂) may

also be used.

Unsuitable Extinguishing Media: DO NOT USE WATER OR FOAM as an extinguisher, as this

product reacts with water to produce a flammable liquid/gas

(ethylcyclopentadiene).

Unusual Fire and Explosion

Hazards:

Product reacts with moisture/water to produce a flammable liquid/gas (ethylcyclopentadiene). Product runoff to sewer may create a fire or explosion hazard. Vapors and gases produced are heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to an ignition source and

flashback.

Product of Combustion: Decomposition products may include carbon oxides (CO_X) and

yttrium oxide fumes.

Protection of Firefighters: Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Avoid breathing dusts,

aerosols, vapors and gases.

Ereztech Y4597 Page 4 of 14 Revision: 2.10

Section 5. Fire Fighting Measures

Protection of Firefighters (cont.):

Eliminate all local and distant ignition sources. Move containers from fire area if process can be accomplished without risk to firefighters. To reduce the possibility of explosion, use a water spray or fog to reduce direct vapors and to cool unopened containers. Do not cut, grind, drill or weld on or near product containers (even empty) of this product because an explosion may result.

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid the formation and inhalation of dusts, vapors or aerosols. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment.

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Environmental Precautions:

For Emergency Responders:

Do not allow dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for Containment

General:

Eliminate all local and distant ignition sources. Move containers from spill area if safe to do so. Avoid allowing the spilled material to get wet or using water to clean up spillages or residues. Use spark-proof tools and explosion-proof equipment.

Small Spill:

Contain and collect spillage with non-combustible, dry binding material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor.

Section 6. Accidental Release Measures

Large Spill:

Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, dry binding material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and Storage

Precautions:

Product is moisture sensitive; handle under a dry, inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep away from all sources of ignition – NO SMOKING. Avoid formation and inhalation of dusts and aerosols. Keep container tightly sealed. Avoid contact with skin, eyes and clothing. Do not ingest. Avoid prolonged exposure. Ensure adequate ventilation.

Protective Measures:

Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Use explosion-proof electrical/ventilating/lighting/handling equipment. Use only non-sparking tools and equipment. Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid the formation and inhalation of dusts, vapors or aerosols. Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

General Occupational Hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Safe Storage Conditions:

Product is moisture sensitive; store under an inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep away from all sources of ignition – NO SMOKING.

Section 7. Handling and Storage

Safe Storage Conditions (cont.):

Store in original container protected from direct sunlight in a dry and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

Occupational Exposure Limits

List	Components	CAS-No.	Туре	Value
ACGIH	Tris(ethylcyclopentadienyl)yttrium	476364-59-7	TLV	1.0 mg/m³ (as Y) TWA
NIOSH	Tris(ethylcyclopentadienyl)yttrium	476364-59-7	REL	1.0 mg/m³ (as Y) TWA

Engineering Controls:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.

Environmental Exposure Controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures

Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts/aerosols/vapors. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Section 8. Exposure Controls/Personal Protection

Eye/Face Protection (cont.):

If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection

Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated

If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact material: Neoprene or nitrile rubber.

Other Skin Protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Physical State: Solid.
Color: Yellow.

Odor: No data available.

Ereztech Y4597 Page 8 of 14 Revision: 2.10

Section 9. Physical and Chemical Properties

Odor Threshold:

pH:

No data available.

Melting Point:

No data available.

150 °C (302 °F).

Density: 1.20 g/cc.

Water Solubility: Insoluble; reacts with water.

Section 10. Stability and Reactivity

Reactivity:This product reacts with water and compounds containing active hydrogen such as alcohols and acids to produce a

flammable liquid/gas.

Chemical Stability: This product is stable when stored under a dry, inert

atmosphere and away from heat. Nitrogen containing less than 5 ppm each moisture and air is recommended. This

product is not sensitive to impact.

Conditions to Avoid: Keep away from water, moisture, heat and sources of

ignition. Avoid extremes of temperature and direct

sunlight.

Incompatible Materials: Water/moisture, halogens, mineral acids and oxidizing

agents.

Hazardous Decomposition Products: Hazardous decomposition products formed under fire

conditions: carbon oxides (CO_X), yttrium oxide fumes and particles, ethylcyclopentadiene, isopropylcyclopentadiene

dimer. In the event of a fire: see section 5.

Possibility of Hazardous Reactions: Under normal conditions of storage and use, hazardous

reactions will not occur. Hazardous reactions or instability may occur under certain conditions of storage or use. In

contact with water, product releases a flammable

liquid/gas.

Section 11. Toxicological Information

Information on Toxicological Effects

Acute Toxicity: No specific data available.

Ereztech Y4597 Page 9 of 14 Revision: 2.10

Section 11. Toxicological Information

Irritation	/Corrosion
TI I I CO CI O I I	, 0011031011

: No specific data available. Contact with moist or wet tissues (eyes, skin, respiratory/digestive tract) may produce irritation/damage due to heat given off from product's reaction with water.

Sensitization **Germ Cell Mutagenicity** Carcinogenity

: No effects known.

: No specific data available.

IARC

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.

NTP

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.

OSHA

: No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.

Reproductive Toxicity

: This product is not expected to cause reproductive or developmental effects.

: Chronic exposure to tungsten compounds may result in

Teratogenicity

: No specific data available. : Respiratory tract irritation.

Specific Target Organ Toxicity (Single Exposure) **Specific Target Organ Toxicity**

(Repeated Exposure) **Aspiration Hazard**

permanent lung damage. : No specific data available.

Information on the Likely

: No specific data available.

Routes of Exposure Additional Information

: To the best of our knowledge, the chemical, physical and toxicological properties of this product have not

been thoroughly investigated.

Section 12. Ecological Information

Numerical Measures of Toxicity

Toxicity to Fish

Toxicity to Daphnia and Other

Aquatic Invertebrates

 No specific data available. : No specific data available.

Toxicity to Algae

Ereztech Y4597

: No specific data available.

Page 10 of 14 Revision: 2.10

Section 12. Ecological Information

Persistence and Degradability

Biodegradability

Bioaccumulative Potential

Mobility in Soil

Other Adverse Effects

- : No specific data available.
- : No specific data available.
- : No specific data available.
- : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13. Disposal Considerations

Waste Treatment Methods

Product Dispose of in accordance with local, state, and federal

> regulations. Refer to 40 CFR 260-299 for complete waste disposal regulations. Consult your local, state, or federal agency

before disposing of any chemicals.

Contaminated Packaging

Empty containers retain product residue (liquid and/or vapor) and can be dangerous. Dispose of as unused product. DO NOT EXPOSE EMPTY CONTAINERS TO AIR, MOISTURE, WATER AS FLAMMABLE/EXPLOSIVE GASES MAY BE GENERATED. DO NOT EXPOSE EMPTY CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Section 14. Transport Information

B H I D C	DOT	IMDG	IATA
UN Number	UN 3395	UN 3395	UN 3395
UN Proper Shipping	ORGANOMETALLIC	ORGANOMETALLIC	ORGANOMETALLIC
Name	SUBSTANCE, SOLID,	SUBSTANCE, SOLID,	SUBSTANCE, SOLID,
	WATER-REACTIVE	WATER-REACTIVE	WATER-REACTIVE
	(Tris	(Tris	(Tris
	(ethylcyclopentadienyl)	(ethylcyclopentadienyl)	(ethylcyclopentadienyl)
	yttrium)	yttrium)	yttrium)
Transport Hazard	4.3	4.3	4.3
Classes			
Packing Group	II	II	II
Environmental Hazards	-	-	-
Additional Information	Warning: Substances	Warning: Substances	Warning: Substances
	which, in contact with	which, in contact with	which, in contact with
	water, emits	water, emit flammable	water, emit flammable
	flammable gases.	gases.	gases.
		EMS No: F-A, S-G	

Ereztech Y4597 Page 11 of 14 Revision: 2.10

Section 14. Transport Information

Special Precautions for User

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act):

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard (Flammable), Reactive Hazard (In contact with water emits flammable gas), Health Hazard (Skin corrosion or irritation; Serious eye damage or eye irritation; Specific Target Organ Toxicity (STOT), single exposure: respiratory irritation).

Massachusetts Right to Know Components

	CAS-No.	Revision Date
Yttrium	7440-65-5	
Pennsylvania Right to Know Components		
	CAS-No.	Revision Date
Yttrium	7440-65-5	
New Jersey Right to Know Components		
	CAS-No.	Revision Date
Yttrium	7440-65-5	

California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Page 12 of 14 Revision: 2.10 Ereztech Y4597

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating

HEALTH	2
FLAMMABILITY	2
PHYSICAL HAZARD	1

History

Date of Printing : 3/14/2020 **Date of Issue/Date of Revision** : 3/14/2020 : 8/22/19 **Date of Previous Issue**

References : None available

Abbreviations and Acronyms

ACGIH: American Conference of Governmental Industrial Hygienists.

ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service (division of the American Chemical Society).

DOT: US Department of Transportation.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System.

HNOC: Hazards Not Otherwise Classified.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

Section 16. Other Information

Abbreviations and Acronyms (cont.)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA).

IDLH: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and

Safety (NIOSH)).

IMDG: International Maritime Code for Dangerous Goods.

NFPA: National Fire Protection Association.

NIOSH: National Institute of Occupational Safety and Health.

NTP: National Toxicology Program.

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limits. REL: Recommended Exposure Limits.

SARA: Superfund Amendments and Reauthorization Act.

STOT: Specific Target Organ Toxicity. TLV: Threshold Limit Values (ACGIH).

TWA: Time Weighted Average. VOC: Volatile Organic Compound.

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Miami Chemical regarding the accuracy or completeness of the information. Miami Chemical shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Ereztech Y4597 Page 14 of 14 Revision: 2.10