#### **EREZTECH LLC**



11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA

T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: https://ereztech.com

# SAFETY DATA SHEET

# Section 1. Identification

**Product Name:** Bis(isopropylcyclopentadienyl)tungsten(IV) dihydride

Product Type: Liquid

CAS Number: 64561-25-7

Product Number: W1257

**Product Manufacturer:** Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

**Product Information:** (888) 658-1221

<u>In Case of an Emergency:</u> CHEMTREC: 1-800-424-9300 (USA);

+1 703-527-3887 (International); CCN836180
\*\*\* Contact manufacturer for all non-emergency calls.

#### Section 2. Hazards Identification

**Appearance/Odor:** Dark orange liquid, odor not determined.

**Classification:** Not a hazardous substance.

**GHS Label Elements** 

Signal Word: None.

Hazard Statements: Not applicable.
Hazard Pictograms: Not applicable.

**Precautionary Statements** 

**Prevention:** P261: Avoid breathing dust/fumes/vapors.

P262: Do not get in eyes, on skin, or on clothing. P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/ protective clothing/ eye protection/

face protection.

**Response:** P304 + P340: IF INHALED: Remove victim to fresh air and keep at

rest in a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

**Storage:** P403 + P233 + P235: Store in a well-ventilated place. Keep

container tightly closed. Keep cool.

**Disposal:** P501: Dispose of contents/ container to an approved wasted

disposal plant.

<u>Ereztech W1257</u> Page 1 of 12 Revision: 1.20

#### Section 2. Hazards Identification

General: None.

OSHA/HCS Status: This material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

**Hazards Not Otherwise** Classified (HNOC):

None known.

### Section 3. Composition/Information on Ingredients

**Substances** 

 $\begin{array}{lll} \textbf{Formula} & : & (C_3H_7C_5H_4) \ 2WH_2 \\ \textbf{Molecular Weight} & : & 400.22 \ g/mol \\ \textbf{CAS-No.} & : & 64561-25-7 \\ \end{array}$ 

Ingredient Name	%	CAS Number
Bis(isopropylcyclopentadienyl)tungsten(IV) dihydride	100	64561-25-7

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First Aid Measures

#### **Description of Necessary First Aid Measures**

**General Advice:** Move out of dangerous area. Consult a physician. Show this safety data sheet

to the doctor in attendance.

**Eye Contact:** As a precaution, immediately flush eyes with plenty of water, occasionally lifting

the upper and lower eyelids. Check for and remove any contact lenses. Continue rinsing. If irritation develops and persists, consult a physician.

**Skin Contact:** Wash off contaminated skin with soap and plenty of water.

**Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If

unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a POISON CENTER or doctor/physician if you feel unwell.

**Ingestion:** Rinse mouth. Remove dentures if any. If vomiting occurs, the head should be

kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing

such as a collar, tie, belt or waistband. Consult a physician.

<u>Freztech W1257</u> Page 2 of 12 Revision: 1.20

### Section 4. First Aid Measures

Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

**Eye Contact:** None identified.

**Inhalation:** Product may be irritating to respiratory system. Chronic exposure may result in

permanent lung damage.

**Skin Contact:** Product may be irritating to the skin. Prolonged exposure may be corrosive to

the skin.

**Ingestion:** None identified.

**Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary** 

Notes to Physician: Treat symptomatically.

Specific Treatments: No specific treatment.

**Protection of First Responders:** No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

**See Toxicological Information (Section 11)** 

### Section 5. Fire Fighting Measures

General Hazards: None identified.

**Suitable Extinguishing Media:** Use water spray, sand, dry chemical or carbon dioxide (CO<sub>2</sub>).

Unsuitable Extinguishing Media: None identified.

Unusual Fire and None identified.

Explosion Hazards:

**Product of Combustion:** Decomposition products may include carbon oxides and metal

oxide fumes.

**Protection of Firefighters:** Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Avoid contact with skin or eyes. Avoid breathing sprays,

mists, aerosols, vapors and gases.

Eliminate all local and distant ignition sources. Move containers from fire area if process can be accomplished without risk to firefighters. To reduce the possibility of explosion, use a water spray or fog to reduce direct vapors

and to cool unopened containers.

Fire-fighters should wear appropriate protection equipment and self-contained breathing apparatus (SCBA) with a full

face-piece operated in a positive pressure mode.

<u>Ereztech W1257</u> Page 3 of 12 Revision: 1.20
Date of Issue: 2/21/2020

### Section 6. Accidental Release Measures

#### Personal Precautions, Protective Equipment and Emergency Procedures

**For Non-Emergency Personnel:** No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep

unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid inhalation of vapors or mist. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective equipment.

If specialized clothing is required to deal with the spillage, take **For Emergency Responders:** 

note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency

personnel".

contractor.

**Environmental Precautions:** Do not allow dispersal of spilled material and contact with soil,

> waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

**Methods for Containment** 

**Small Spill:** 

Move containers from spill area if safe to do so. Contain and collect spillage with a dry absorbent material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal

**Large Spill:** 

Move containers from spill area if safe to do so. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with a dry absorbent material (e.g. sand, earth, vermiculite or diatomaceous earth) and place in dry, sealed container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor.

Contaminated absorbent material may pose the same hazard

as the spilled product.

Note: see Section 1 for emergency contact information and

Section 13 for waste disposal.

### Section 7. Handling and Storage

**Precautions:** 

Product is moisture sensitive; handle under a dry, inert gas. Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Keep container tightly sealed. Avoid contact with skin, eyes and clothing.

### Section 7. Handling and Storage

**Precautions (cont.):** Avoid the formation and inhalation of sprays, mists, vapors and

gases. Do not ingest. Avoid prolonged exposure. Ensure

adequate ventilation.

**Protective Measures:** Put on appropriate personal protective equipment (see Section

8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing sprays, mists, vapors or gases. Keep in the original container kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do

not reuse container.

**General Occupational Hygiene:** Eating, drinking and smoking should be prohibited in areas

where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and

smoking. Remove contaminated clothing and protective

equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

**Safe Storage Conditions:** Product is moisture sensitive; store under an inert gas.

Nitrogen with less than 5 ppm each of moisture and oxygen is recommended. Store in original container protected from direct sunlight in a dry and well-ventilated area, away from incompatible materials noted above and food and drink. Keep container tightly closed and sealed until ready for use. Store

locked up.

### Section 8. Exposure Controls/Personal Protection

#### **Introductory Remarks:**

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should

be handled in accordance with Section 13.

#### **Occupational Exposure Limits**

List	Components	CAS-No.	Туре	Value
ACGIH	Bis(isopropylcyclopentadienyl) tungsten(IV) dihydride	64561-25-7	TLV	5.0 mg/m³ as W TWA
			TLV	10.0 mg/m <sup>3</sup> as W STEL
NIOSH	Bis(isopropylcyclopentadienyl) tungsten(IV) dihydride	64561-25-7	REL	5.0 mg/m³ as W TWA
			REL	10.0 mg/m <sup>3</sup> as W ST

### Section 8. Exposure Controls/Personal Protection

**Engineering Controls:** 

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.

**Environmental Exposure Controls:** 

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

<u>Individual Protection Measures</u> Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale gases/fumes/vapors. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/Face Protection:** 

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection
Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves.

### Section 8. Exposure Controls/Personal Protection

**Hand Protection (cont.):** Gloves must be inspected prior to use. Use proper glove

removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact

material: Neoprene or nitrile rubber.

Other Skin Protection: Appropriate footwear and any additional skin protection

measures should be selected based on the task being

performed and the risks involved and should be approved by a

specialist before handling this product.

**Respiratory Protection:** Where risk assessment shows air-purifying respirators are

appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator

cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU).

### Section 9. Physical and Chemical Properties

Physical State: Liquid.

Color: Dark orange.

Odor:

Odor Threshold:

PH:

No data available.

**Boiling Point:** 122 - 125 °C (251 - 257 °F). **Flash Point:** 93.3 °C (199.9 °F) – closed cup.

Specific Gravity:No data available.Vapor Pressure:No data available.Vapor Density:No data available.Water Solubility:No data available.Evaporation Rate:No data available.Viscosity:No data available.VOC Content:No data available.

VOCs are calculated following the requirements under 40 CFR, Part 59, Subpart C for Consumer Products and Subpart D for Architectural Coatings.

Page 7 of 12 Revision: 1.20

### Section 10. Stability and Reactivity

No data available. **Reactivity:** 

**Chemical Stability:** Stable at normal ambient temperature and pressure and

under recommended storage conditions.

Keep away from moist air and water. **Conditions to Avoid:** 

**Incompatible Materials:** Strong oxidizing agents.

**Hazardous Decomposition Products:** Under normal conditions of storage and use, hazardous

> decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: carbon oxides and metal oxide fumes. In the

event of a fire: see section 5.

Under normal conditions of storage and use, hazardous **Possibility of Hazardous Reactions:** 

reactions will not occur.

### Section 11. Toxicological Information

#### **Information on Toxicological Effects**

**Acute Toxicity** 

**Irritation/Corrosion** 

**Sensitization** 

**Germ Cell Mutagenicity** 

Carcinogenity

**IARC** 

**ACGIH** 

**NTP** 

**OSHA** 

**Reproductive Toxicity** 

**Teratogenicity Specific Target Organ Toxicity** (Single Exposure)

- : No specific data available.
- : No specific data available.
- : No specific data available.
- : No effects known.
- : No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- : No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.
- : No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.
- : No component of this product present at levels greater than 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.
- : This product is not expected to cause reproductive or developmental effects.
- : No specific data available.
- : Respiratory tract irritation.

Ereztech W1257 Page 8 of 12 Revision: 1.20 Date of Issue: 2/21/2020

### Section 11. Toxicological Information

**Specific Target Organ Toxicity** (Repeated Exposure)

**Aspiration Hazard** 

Information on the Likely Routes of Exposure

**Additional Information** 

: Chronic exposure to tungsten compounds may result in permanent lung damage.

: No specific data available.

: No specific data available.

: To the best of our knowledge, the chemical, physical and toxicological properties of this product have not been thoroughly investigated.

### Section 12. Ecological Information

#### **Numerical Measures of Toxicity**

**Toxicity to Fish** 

Toxicity to Daphnia and Other Aquatic Invertebrates

**Toxicity to Algae** 

**Persistence and Degradability** 

**Biodegradability** 

**Bioaccumulative Potential** 

**Mobility in Soil** 

**Other Adverse Effects** 

- : No specific data available.
- : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### Section 13. Disposal Considerations

#### **Waste Treatment Methods**

**Product** Dispose of in accordance with local, state, and federal

regulations. Refer to 40 CFR 260-299 for complete waste

disposal regulations. Consult your local, state, or federal agency

before disposing of any chemicals.

**Contaminated packaging** Empty containers retain product residue (liquid and/or vapor)

and can be dangerous.

Ereztech W1257 Page 9 of 12 Revision: 1.20

### Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	Not regulated	Not regulated	Not regulated
UN Proper Shipping Name	-	-	-
Transport Hazard Classes	-	-	-
Packing Group	-	-	-
Environmental Hazards	-	-	-
Additional Information	-	-	-

#### **Special Precautions for User**

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

### Section 15. Regulatory Information

#### **TSCA (Toxic Substance Control Act):**

This product is not listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory). Use of this product is restricted to research and development only. This product must be used under the supervision of a technically qualified individual as defined by the TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

None identified.

#### **Massachusetts Right to Know Components**

No components are subject to Massachusetts Right to Know Act.

#### **Pennsylvania Right to Know Components**

CAS-No. Revision Date

Bis(isopropylcyclopentadienyl) tungsten(IV) dihydride 64561-25-7

**New Jersey Right to Know Components** 

CAS-No. Revision Date

Bis(isopropylcyclopentadienyl) tungsten(IV) dihydride 64561-25-7

<u>Ereztech W1257</u> Page 10 of 12 Revision: 1.20
Date of Issue: 2/21/2020

### Section 15. Regulatory Information

#### **California Proposition 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### Section 16. Other Information

#### **National Fire Protection Association (U.S.A.)**



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### **HMIS Rating**

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

#### **History**

Date of Printing : 2/21/2020
Date of Issue/Date of Revision : 2/21/2020
Date of Previous Issue : 1/13/17

**References** : None available

 Page 11 of 12
 Revision: 1.20

#### Section 16. Other Information

#### **Abbreviations and Acronyms**

ACGIH: American Conference of Governmental Industrial Hygienists.

ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service (division of the American Chemical Society).

DOT: US Department of Transportation.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System.

HNOC: Hazards Not Otherwise Classified.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA).

IDLH: Immediately Dangerous to Life or Health (US National Institute for Occupation Health and

Safety (NIOSH)).

IMDG: International Maritime Code for Dangerous Goods.

NFPA: National Fire Protection Association.

NIOSH: National Institute of Occupational Safety and Health.

NTP: National Toxicology Program.

OSHA: Occupational Safety and Health Administration.

PEL: Permissible Exposure Limits. **REL:** Recommended Exposure Limits.

SARA: Superfund Amendments and Reauthorization Act.

STOT: Specific Target Organ Toxicity. TLV: Threshold Limit Values (ACGIH).

TWA: Time Weighted Average. VOC: Volatile Organic Compound.

#### **Disclaimer**

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.