SAFETY DATA SHEET

Version 4.8 Revision Date 06/02/2016 Print Date 11/10/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Nickel(II) sulfate hexahydrate

Product Number : 227676
Brand : Sigma-Aldrich
Index-No. : 028-009-00-5

CAS-No. : 10101-97-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315

Respiratory sensitisation (Category 1), H334 Skin sensitisation (Category 1), H317 Germ cell mutagenicity (Category 2), H341 Carcinogenicity (Category 1A), H350 Reproductive toxicity (Category 1B), H360

Specific target organ toxicity - repeated exposure, Inhalation (Category 1), H372

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H302 + H332 Harmful if swallowed or if inhaled

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

Sigma-Aldrich - 227676 Page 1 of 9

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H341 Suspected of causing genetic defects. May cause cancer. H350 May damage fertility or the unborn child. H360 Causes damage to organs through prolonged or repeated exposure if H372 inhaled. H410 Very toxic to aquatic life with long lasting effects. Precautionary statement(s) P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P285 In case of inadequate ventilation wear respiratory protection. P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF exposed or concerned: Get medical advice/ attention. P308 + P313 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P391 Collect spillage. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous components

Component	Classification	Concentration			
Nickel sulphate hexahydrate					
	Acute Tox. 4; Skin Irrit. 2; Resp. Sens. 1; Skin Sens. 1; Muta. 2; Carc. 1A; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H302 + H332, H315, H317, H334, H341, H350, H360, H372, H410	<= 100 %			

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - 227676 Page 2 of 9

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

1 of personal protection see section

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

Sigma-Aldrich - 227676 Page 3 of 9

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis	
			parameters		
Nickel sulphate	10101-97-0	TWA	1.000000	USA. Occupational Exposure Limits	
hexahydrate			mg/m3	(OSHA) - Table Z-1 Limits for Air	
				Contaminants	
		TWA	0.100000	USA. ACGIH Threshold Limit Values	
			mg/m3	(TLV)	
	Remarks	Lung damage			
		Nasal cance	er		
		Not classifiable as a human carcinogen			
		varies			
		TWA	0.015000	USA. NIOSH Recommended	
			mg/m3	Exposure Limits	
		Potential Occupational Carcinogen			
		See Appendix A			
		TWA	1 mg/m3	USA. Occupational Exposure Limits	
				(OSHA) - Table Z-1 Limits for Air	
				Contaminants	
		TWA	0.1 mg/m3	USA. ACGIH Threshold Limit Values	
				(TLV)	
		Lung damage			
		Nasal cancer			
		Not classifiable as a human carcinogen varies			
		TWA	0.015 mg/m3	USA. NIOSH Recommended	
				Exposure Limits	
		Potential Occupational Carcinogen			
		See Appendix A			
		PEL	0.05 mg/m3	California permissible exposure	
l				limits for chemical contaminants	
				(Title 8, Article 107)	

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Sigma-Aldrich - 227676 Page 4 of 9

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

a) Appearance

point

9.1 Information on basic physical and chemical properties

Colour: blue b) Odour No data available Odour Threshold No data available

No data available d) e) Melting point/freezing No data available

Initial boiling point and boiling range

No data available

Form: crystalline

q) Flash point No data available h) Evaporation rate No data available Flammability (solid, gas) No data available

Upper/lower flammability or explosive limits No data available

No data available k) Vapour pressure Vapour density No data available m) Relative density 2.07 a/cm3

n) Water solubility No data available Partition coefficient: n-No data available

octanol/water

p) Auto-ignition No data available

Sigma-Aldrich - 227676 Page 5 of 9 temperature

q) Decomposition temperature

No data available

No data available

r) Viscosity No data availables) Explosive properties No data available

9.2 Other safety information

Oxidizing properties

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Nickel/nickel oxides Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 361 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - 4 h - 2.48 mg/l

(OECD Test Guideline 403)

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

Maximisation Test - Guinea pig May cause allergic skin reaction.

Germ cell mutagenicity

In vitro tests showed mutagenic effects

Human lymphocyte

Cytogenetic analysis

Human

lymphocyte

Sister chromatid exchange

Sigma-Aldrich - 227676 Page 6 of 9

Mouse

lymphocyte

Mutation in mammalian somatic cells.

Hamster

Embryo

Morphological transformation.

Carcinogenicity

Human carcinogen. May cause cancer by inhalation.

IARC: 1 - Group 1: Carcinogenic to humans (Nickel sulphate hexahydrate)

NTP: Known to be human carcinogen (Nickel sulphate hexahydrate)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Presumed human reproductive toxicant May damage the unborn child.

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

Additional Information

RTECS: QR9600000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Sigma-Aldrich - 227676 Page 7 of 9

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substances, solid, n.o.s. (Nickel sulphate hexahydrate)

Reportable Quantity (RQ): 100 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 3077 EMS-No: F-A, S-F Class: 9 Packing group: III

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nickel sulphate

hexahydrate) Marine pollutant:yes

IATA

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Nickel sulphate hexahydrate)

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 311/312 Hazards

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. **Revision Date** 10101-97-0 1993-04-24

Nickel sulphate hexahydrate

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

CAS-No. **Revision Date** Nickel sulphate hexahydrate 10101-97-0 1993-04-24

Pennsylvania Right To Know Components

CAS-No. **Revision Date** Nickel sulphate hexahydrate 10101-97-0 1993-04-24

New Jersey Right To Know Components

CAS-No. **Revision Date** Nickel sulphate hexahydrate 10101-97-0 1993-04-24

California Prop. 65 Components

WARNING! This product contains a chemical known to the CAS-No. **Revision Date** State of California to cause cancer. 2007-09-28 10101-97-0

Nickel sulphate hexahydrate

Sigma-Aldrich - 227676 Page 8 of 9

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Carc. Carcinogenicity
H302 Harmful if swallowed.

H302 + H332 Harmful if swallowed or if inhaled

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure if inhaled.

HMIS Rating

Health hazard: 2
Chronic Health Hazard: *
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.8 Revision Date: 06/02/2016 Print Date: 11/10/2018

Sigma-Aldrich - 227676 Page 9 of 9