SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 4.8 Revision Date 05/27/2016 Print Date 11/09/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product identifiers Product name	:	Cadmium chloride		
	Product Number Brand Index-No.	:	202908 Aldrich 048-008-00-3		
	CAS-No.	:	10108-64-2		
1 2	Polovant identified use	c of th	a substance or mixture and uses advised		

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone Fax	:	+1 800-325-5832 +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 2), H330 Germ cell mutagenicity (Category 1B), H340 Carcinogenicity (Category 1B), H350 Reproductive toxicity (Category 1B), H360 Specific target organ toxicity - repeated exposure (Category 1), H372 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

Danger

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word



•	
Hazard statement(s)	
H301	Toxic if swallowed.
H330	Fatal if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H360	May damage fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.

H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284	Wear respiratory protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Formula	:	CdCl ₂
Molecular weight	:	183.32 g/mol
CAS-No.	:	10108-64-2
EC-No.	:	233-296-7
Index-No.	:	048-008-00-3

Hazardous components

Component	Classification	Concentration
Cadmium chloride Included in the Candidate List of S to Regulation (EC) No. 1907/2006 (REACH)	ubstances of Very High Concern (SVHC) according
	Acute Tox. 3; Acute Tox. 2;	<= 100 %
	Muta. 1B; Carc. 1B; Repr. 1B; STOT RE 1; Aquatic Acute 1;	
	Aquatic Chronic 1; H301,	
	H330, H340, H350, H360, H372, H410	
Ear the full text of the U Statements mentioned in this S	- , -	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.
- 6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
- 6.3 Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place.

hygroscopic Air sensitive. Store under inert gas. Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis			
Cadmium chloride	10108-64-2	TWA	0.010000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)			
	Remarks	Substances (see BEI® s Suspected h	Kidney damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Suspected human carcinogen varies				
		TWA	0.002000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)			
		Substances (see BEI® s	Kidney damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Suspected human carcinogen				
		See Append	Potential Occupational Carcinogen See Appendix A				
		See Append					
		PEL	0.005000 mg/m3	OSHA Specifically Regulated Chemicals/Carcinogens			
	1910.1027 This standard applies to all c cadmium compounds, in all the Occupational Safety and			cupational exposures to cadmium and rms, and in all industries covered by lealth Act, except the construction- overed under 29 CFR 1926.63. arcinogen OSHA Specifically Regulated			
		cadmium co the Occupat related indus	mg/m3Chemicals/Carcinogens1910.1027This standard applies to all occupational exposures to cadmium and cadmium compounds, in all forms, and in all industries covered by the Occupational Safety and Health Act, except the construction- related industries, which are covered under 29 CFR 1926.63. OSHA specifically regulated carcinogen				
		TWA	0.01 mg/m3	USA. ACGIH Threshold Limit Values (TLV)			
		Kidney damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Suspected human carcinogen varies					
		TWA	0.002 mg/m3	USA. ACGIH Threshold Limit Values (TLV)			
		Kidney damage Substances for which there is a Biological Exposure Index or Indice (see BEI® section) Suspected human carcinogen varies					
		PEL	0.005 mg/m3	OSHA Specifically Regulated Chemicals/Carcinogens			
1910.1027 This standard applies to all occupation cadmium compounds, in all forms, and the Occupational Safety and Health A related industries, which are covered u OSHA specifically regulated carcinoge			cupational exposures to cadmium and rms, and in all industries covered by lealth Act, except the construction- overed under 29 CFR 1926.63.				
- 202908			cupational Carcino				

	PEL	0.005 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
	see Sections	1532 & 5207	

Biological occupational exposure limits

Biological occupati	ional exposure	; 1111113			
Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Cadmium chloride	10108-64-2	cadmium	5.0000 μg/l	In blood	ACGIH - Biological Exposure Indices (BEI)
	Remarks	Not critical			
		cadmium	0.0050 mg/g	Urine	ACGIH - Biological Exposure Indices (BEI)
		Not critical			
		cadmium	5 µg/l	In blood	ACGIH - Biological Exposure Indices (BEI)
		Not critical			
		cadmium	5µg/g creatinine	Urine	ACGIH - Biological Exposure Indices (BEI)
		Not critical	· · · · · · · · · · · · · · · · · · ·		

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: solid Colour: white
b)	Odour	odourless
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 568 °C (1,054 °F) - lit.
f)	Initial boiling point and boiling range	960 °C (1,760 °F) at 1,013 hPa (760 mmHg)
g)	Flash point	No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	13 hPa (10 mmHg) at 656 °C (1,213 °F)
I)	Vapour density	No data available
m)	Relative density	4.050 g/cm3
n)	Water solubility	457 g/l at 20 $^\circ\text{C}$ (68 $^\circ\text{F})$ - OECD Test Guideline 105 - soluble
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
	ner safety information	

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

9.2

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No data available

10.4 Conditions to avoid Air Avoid moisture.

10.5 Incompatible materials Oxidizing agents, Bromine trifluoride

10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Cadmium/cadmium oxides Other decomposition products - No data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 107 mg/kg

LC50 Inhalation - Rat - male - 2 h - > 4.5 mg/m3

Dermal: No data available

No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitisation No data available

Germ cell mutagenicity

May alter genetic material. In vivo tests showed mutagenic effects

in vitro assay S. typhimurium Result: negative

Carcinogenicity

Carcinogenicity - Rat - male and female - Inhalation Lungs, Thorax, or Respiration:Tumors.

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Chronic exposure to cadmium may cause lung and prostate cancer.

Possible human carcinogen

IARC:	1 - Group 1: Carcinogenic to humans (Cadmium chloride)
-------	--

1 - Group 1: Carcinogenic to humans (Cadmium chloride)

NTP: Known to be human carcinogen (Cadmium chloride)

Known to be human carcinogenThe reference note has been added by TD based on the background information of the NTP. (Cadmium chloride)

OSHA: 1910.1027 (Cadmium chloride)

OSHA specifically regulated carcinogen (Cadmium chloride)

Reproductive toxicity

May cause congenital malformation in the fetus. Presumed human reproductive toxicant

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

Additional Information

Repeated dose Rat - male - Oral - NOAEL : 0.2 mg/kg - LOAEL : 0.5 mg/kg toxicity RTECS: Not available

Acute inhalation exposure to cadmium fumes may cause "metal fume fever" with flu-like symptoms of weakness, fever, headache, chills, nausea, vomiting, dizziness, sweating, muscular pain, cough and difficulty breathing. Acute pulmonary edema may develop within 24 hours and reaches a maximum by three days. The first chronic effect of exposure to cadmium is generally kidney damage, manifested by excretion of excessive protein in the urine, followed by anemia, teeth discoloration and loss of smell. Cadmium also is believed to cause pulmonary emphysema and bone disease.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - 1,500 $\mu\text{g/l}$ - 96 h
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 0.036 mg/l - 48 h
Toxicity to algae	static test EC50 - Pseudokirchneriella subcapitata (algae) - 0.070 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	Respiration inhibition NOEC - Sludge Treatment - 0.2 mg/l (OECD Test Guideline 209)

12.2 Persistence and degradability No data available

12.3 Bioaccumulative potential Bioaccumulation Salvelinus fontina

Salvelinus fontinalis - 266 d - 3.4 µg/l

Bioconcentration factor (BCF): 882

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2570 Class: 6.1 Packing group: III Proper shipping name: Cadmium compounds (Cadmium chloride) Reportable Quantity (RQ): 10 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 2570	Class: 6.1	Packing group: III	EMS-No: F-A, S-A
Proper shipping name	e: CADMIUM COM	IPOUND (Cadmium chloride)	
Marine pollutant:yes			
IATA			
UN number: 2570	Class: 6.1	Packing group: III	
Proper shipping name	e: Cadmium compo	ound (Cadmium chloride)	

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313 Components		0 1: 040
The following components are subject to reporting levels establish	CAS-No.	Revision 313:
Cadmium chloride	10108-64-2	1993-04-24
SARA 311/312 Hazards Acute Health Hazard, Chronic Health Hazard		
Massachusetts Right To Know Components		
Cadmium chloride	CAS-No. 10108-64-2	Revision Date 1993-04-24
Pennsylvania Right To Know Components		
Cadmium chloride	CAS-No. 10108-64-2	Revision Date 1993-04-24
New Jersey Right To Know Components		
Cadmium chloride	CAS-No. 10108-64-2	Revision Date 1993-04-24
California Prop. 65 Components		
WARNING! This product contains a chemical known to the State of California to cause cancer. Cadmium chloride	CAS-No. 10108-64-2	Revision Date 1987-10-01
WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. Cadmium chloride	CAS-No. 10108-64-2	Revision Date 1987-10-01

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Aquatic Acute	Acute toxicity Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Carc.	Carcinogenicity
H301	Toxic if swallowed.
H330	Fatal if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H360	May damage fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

HMIS Rating

NFPA Rating	1
Flammability: Physical Hazard	0 0
Chronic Health Hazard:	*
Health hazard:	4

Health hazard:	4
Fire Hazard:	0
Reactivity Hazard:	0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.8

Revision Date: 05/27/2016

Print Date: 11/09/2018