# SAFETY DATA SHEET

Version 5.9 Revision Date 05/07/2018 Print Date 11/19/2018

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Maneb

Product Number : 45554

Brand : Sigma-Aldrich Index-No. : 006-077-00-7

CAS-No. : 12427-38-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

### 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 4), H332 Skin sensitisation (Category 1), H317 Reproductive toxicity (Category 2), H361 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Warning

Hazard statement(s)

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H361 Suspected of damaging fertility or the unborn child. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Sigma-Aldrich - 45554 Page 1 of 9

P271 Use only outdoors or in a well-ventilated area. P272

Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment. P280

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Call a POISON CENTER/doctor if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 **Substances**

Formula  $[C_4H_6MnN_2S_4]_n$ 265.30 g/mol Molecular weight 12427-38-2 CAS-No. EC-No. 235-654-8 006-077-00-7 Index-No.

**Hazardous components** 

Component	Classification	Concentration
Maneb		
	Acute Tox. 4; Skin Sens. 1;	90 - 100 %
	Repr. 2; Aquatic Acute 1;	
	Aquatic Chronic 1; H317,	
	H332, H361, H410	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

# General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

Sigma-Aldrich - 45554 Page 2 of 9

### 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

No data available

### 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature 2 - 8 °C

Storage class (TRGS 510): 4.2: Pyrophoric and self-heating hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Maneb	12427-38-2	С	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
	Remarks	Ceiling limit is to be determined from breathing-zone air samples.		

Sigma-Aldrich - 45554 Page 3 of 9

TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits
ST	3 mg/m3	USA. NIOSH Recommended Exposure Limits
PEL	0.2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

# 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: solid Colour: yellow

o) Odour No data available
c) Odour Threshold No data available

Sigma-Aldrich - 45554 Page 4 of 9

No data available d) рΗ Melting point/freezing No data available point Initial boiling point and No data available boiling range g) Flash point No data available h) Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower No data available flammability or explosive limits No data available Vapour pressure Vapour density No data available

m) Relative density 1.920 g/cm3 at 25 °C (77 °F)

n) Water solubility insoluble

Partition coefficient: noctanol/water

No data available

p) Auto-ignition temperature

No data available

Decomposition temperature

No data available

Viscosity No data available r) No data available s) Explosive properties Oxidizing properties No data available

#### 9.2 Other safety information

No data available

### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 **Chemical stability**

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

#### 10.5 Incompatible materials

Strong oxidizing agents

#### 10.6 **Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides,

Manganese/manganese oxides

Other decomposition products - No data available

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - 3,000 mg/kg

Sigma-Aldrich - 45554 Page 5 of 9 Inhalation: No data available

LD50 Dermal - Rat - > 5,000 mg/kg

No data available

### Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitisation Germ cell mutagenicity

Rat

Other cell types

DNA inhibition

Human

fibroblast

Unscheduled DNA synthesis

Human

lymphocyte

**DNA** inhibition

Hamster

Lungs

Cytogenetic analysis

### Carcinogenicity

Carcinogenicity - Mouse - Oral

Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Lungs, Thorax, or Respiration:Tumors.

Carcinogenicity - Rat - Oral

Tumorigenic:Carcinogenic by RTECS criteria. Gastrointestinal:Tumors. Skin and Appendages: Other: Tumors.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Maneb)

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's

list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's

list of regulated carcinogens.

# Reproductive toxicity

Suspected human reproductive toxicant

Reproductive toxicity - Rat - Oral

Maternal Effects: Other effects. Effects on Newborn: Growth statistics (e.g., reduced weight gain). Effects on Newborn: Biochemical and metabolic.

No data available

Developmental Toxicity - Mouse - Oral

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Effects on Embryo or Fetus: Fetal death. Specific Developmental Abnormalities: Musculoskeletal system.

Developmental Toxicity - Rat - Oral

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Developmental Toxicity - Rat - Oral

Sigma-Aldrich - 45554 Page 6 of 9

Specific Developmental Abnormalities: Eye, ear. Specific Developmental Abnormalities: Craniofacial (including nose and tongue). Specific Developmental Abnormalities: Musculoskeletal system.

Developmental Toxicity - Rat - Oral

Specific Developmental Abnormalities: Homeostasis

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

### **Additional Information**

RTECS: OP0700000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish LC50 - Lepomis macrochirus (Bluegill) - 0.2 - 1 mg/l - 96.0 h

Toxicity to daphnia and

other aquatic invertebrates

Toxicity to algae EC50 - Pseudokirchneriella subcapitata (green algae) - 0.01 mg/l - 5 d

EC50 - Daphnia magna (Water flea) - 1 mg/l - 48 h

### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### Mobility in soil 12.4

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

No data available

Avoid release to the environment.

# 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

# **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

# Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

DOT (US)

UN number: 2210 Class: 4.2 (4.3) Packing group: III

Proper shipping name: Maneb Reportable Quantity (RQ): 5000 lbs Poison Inhalation Hazard: No

Sigma-Aldrich - 45554 Page 7 of 9 **IMDG** 

UN number: 2210 Class: 4.2 (4.3) Packing group: III EMS-No: F-G, S-L

Proper shipping name: MANEB

Marine pollutant: yes

IATA

UN number: 2210 Class: 4.2 (4.3) Packing group: III

Proper shipping name: Maneb

# 15. REGULATORY INFORMATION

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard

### **Massachusetts Right To Know Components**

Maneb	CAS-No. 12427-38-2	Revision Date 2007-07-01
Maneb	CAS-No. 12427-38-2	Revision Date 2007-07-01
Pennsylvania Right To Know Components  Maneb	CAS-No. 12427-38-2	Revision Date 2007-07-01
Maneb	CAS-No. 12427-38-2	Revision Date 2007-07-01
Maneb	CAS-No. 12427-38-2	Revision Date 2007-07-01
New Jersey Right To Know Components  Maneb	CAS-No. 12427-38-2	Revision Date 2007-07-01
Maneb	CAS-No. 12427-38-2	Revision Date 2007-07-01
California Prop. 65 Components WARNING! This product contains a chemical known to the State of California to cause cancer. Maneb	CAS-No. 12427-38-2	Revision Date 2007-09-28
WARNING! This product contains a chemical known to the State of California to cause cancer.  Maneb	CAS-No. 12427-38-2	Revision Date 2007-09-28

# **16. OTHER INFORMATION**

# Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

**Aquatic Acute** Acute aquatic toxicity

Sigma-Aldrich - 45554 Page 8 of 9 Aquatic Chronic Chronic aquatic toxicity

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Repr. Reproductive toxicity

### **HMIS Rating**

Health hazard: 3
Chronic Health Hazard:
Flammability: 0
Physical Hazard 1

**NFPA Rating** 

Health hazard: 3
Fire Hazard: 0
Reactivity Hazard: 1

### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.9 Revision Date: 05/07/2018 Print Date: 11/19/2018

Sigma-Aldrich - 45554 Page 9 of 9