SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 3.9 Revision Date 05/23/2016 Print Date 10/19/2018

| 1. PRODUCT AND COMPANY IDENTIFICATION | | | |
|---------------------------------------|----------------------------------|---------------------------|--|
| 1.1 | Product identifiers Product name | [:] Barium oxide | |
| | 1 Toddot Hamo | | |

| Product Number | : 554847 |
|----------------|-------------|
| Brand | : Aldrich |
| CAS-No. | : 1304-28-5 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

| Company | : | Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA | |
|------------------|---|--|--|
| Telephone Fax | : | +1 800-325-5832 +1 800-325-5052 | |

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 4), H332 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



| Signal word | Danger |
|--|--|
| Hazard statement(s) H301 H314 H332 | Toxic if swallowed. Causes severe skin burns and eye damage. Harmful if inhaled. |
| Precautionary statement(s) P260 P264 P270 P271 P280 | Do not breathe dust or mist. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection. |

| P301 + P310 P301 + P330 + P331 P303 + P361 + P353 | IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. |
|---|---|
| P304 + P340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER/doctor. |
| P321 | Specific treatment (see supplemental first aid instructions on this label). |
| P363 | Wash contaminated clothing before reuse. |
| P405 | Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

| Formula | : | BaO |
|------------------|---|--------------|
| Molecular weight | : | 153.33 g/mol |
| CAS-No. | : | 1304-28-5 |
| EC-No. | : | 215-127-9 |

Hazardous components

| Component | Classification | Concentration |
|--------------|---|---------------|
| Barium oxide | | |
| | Acute Tox. 3; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; H301, H314, H332 | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.Normal measures for preventive fire protection. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place.

Handle and store under inert gas. Air sensitive. Moisture sensitive. Keep in a dry place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis | |
|--------------|-----------|--|--------------------|--|--|
| Barium oxide | 1304-28-5 | TWA | 0.500000 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants | |
| | | TWA | 0.500000 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) | |
| | Remarks | Eye irritation Muscular stimulation Skin irritation Gastrointestinal irritation Not classifiable as a human carcinogen | | | |

| TWA | 0.500000 mg/m3 | USA. NIOSH Recommended Exposure Limits |
|--|-------------------|---|
| TWA | 0.5 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| TWA | 0.5 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) |
| Eye irritation Muscular stimulation Skin irritation Gastrointestinal irritation Not classifiable as a human carcinogen | | |
| TWA | 0.5 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| PEL | 0.5 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| a) | Appearance | Form: powder Colour: beige |
|----|--|-------------------------------|
| b) | Odour | No data available |
| c) | Odour Threshold | No data available |
| d) | рН | No data available |
| e) | Melting point/freezing point | No data available |
| f) | Initial boiling point and boiling range | No data available |
| g) | Flash point | Not applicable |
| h) | Evaporation rate | No data available |
| i) | Flammability (solid, gas) | No data available |
| j) | Upper/lower flammability or explosive limits | No data available |
| k) | Vapour pressure | No data available |
| I) | Vapour density | No data available |
| m) | Relative density | 5.72 g/cm3 at 25 °C (77 °F) |
| n) | Water solubility | No data available |
| o) | Partition coefficient: n- octanol/water | No data available |
| p) | Auto-ignition temperature | No data available |
| q) | Decomposition temperature | No data available |
| r) | Viscosity | No data available |
| s) | Explosive properties | No data available |
| t) | Oxidizing properties | No data available |
| | her safety information data available | |

10. STABILITY AND REACTIVITY

| 10.1 | Reactivity No data available |
|------|--|
| 10.2 | Chemical stability Stable under recommended storage conditions. |
| 10.3 | Possibility of hazardous reactions No data available |
| 10.4 | Conditions to avoid Avoid moisture. |
| 10.5 | Incompatible materials acids, Acid chlorides, Acid anhydrides, Reducing agents |
| 10.6 | Hazardous decomposition products Hazardous decomposition products formed under fire conditions Barium oxide |

Aldrich - 554847

9.2

Other decomposition products - No data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

LD50 Intraperitoneal - Mouse - 146 mg/kg

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitisation No data available

Germ cell mutagenicity No data available

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity No data available

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information RTECS: CQ9800000

Cough, Shortness of breath, Headache, Nausea, Vomiting

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

- 12.1 Toxicity No data available
- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

| | DOT (US) UN number: 1884 Proper shipping name | Class: 6.1 : Barium oxide | Packing group: I | II | | |
|-------|--|--|--------------------|----------------------|-----------------------------|--|
| | Poison Inhalation Haz | ard: No | | | | |
| | IMDG UN number: 1884 Proper shipping name | Class: 6.1 : BARIUM OXIDE | Packing group: I | II EMS | -No: F-A, S-A | |
| | IATA UN number: 1884 Proper shipping name | Class: 6.1 : Barium oxide | Packing group: I | II | | |
| 15. R | EGULATORY INFORM | IATION | | | | |
| | SARA 302 Compone No chemicals in this n | n ts naterial are subject to the | reporting requirem | ents of SARA Tit | le III, Section 302. | |
| | SARA 313 Components The following components are subject to reporting levels established by SARA Title III, Section 313: CAS-No. Revision Date | | | | | |
| | Barium oxide | | | 1304-28-5 | 2007-03-01 | |
| | SARA 311/312 Hazard, Acute Health Hazard, | rds Chronic Health Hazard | | | | |
| | | t To Know Components ubject to the Massachuse | | Act. | | |
| | Pennsylvania Right | To Know Components | | | | |
| | Barium oxide | | | CAS-No. 1304-28-5 | Revision Date 2007-03-01 | |
| | New Jersey Right To | Know Components | | | | |
| | Barium oxide | | | CAS-No. 1304-28-5 | Revision Date 2007-03-01 | |

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

| Acute Tox. Eye Dam. H301 H314 H318 H332 Skin Corr. | Acute toxicity Serious eye damage Toxic if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. Harmful if inhaled. Skin corrosion |
|---|--|
| HMIS Rating Health hazard: Chronic Health Haz Flammability: Physical Hazard | 3 zard: * 0 0 |
| NFPA Rating Health hazard: Fire Hazard: | 3 0 |

Reactivity Hazard: 0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.9

Revision Date: 05/23/2016

Print Date: 10/19/2018