SAFETY DATA SHEET

Version 5.9 Revision Date 09/23/2016 Print Date 10/19/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Hydrogen chloride – methanol solution

Product Number : 17935

Brand : Sigma-Aldrich

CAS-No. : 132228-87-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 1), H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled H314 Causes severe skin burns and eye damage.

H370 Causes damage to organs.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

Sigma-Aldrich - 17935 Page 1 of 10

| P240 | Ground/bond container and receiving equipment. |
|---------------------------|---|
| P241 | Use explosion-proof electrical/ ventilating/ lighting/ equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. |
| P264 | Wash skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| P301 + P310 + P330 | IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse |
| D004 : D000 : D004 | mouth. |
| P301 + P330 + P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304 + P340 + P310 | IF INHALED: Remove person to fresh air and keep comfortable for |
| | breathing. Immediately call a POISON CENTER/doctor. |
| P305 + P351 + P338 + P310 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. |
| P307 + P311 | IF exposed: Call a POISON CENTER or doctor/ physician. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P370 + P378 | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. |
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P403 + P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |
| F301 | Dispose of contents/ container to all approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Formula : HCl Molecular weight : 36.46 g/mol

Hazardous components

| Classification | Concentration | | | | |
|--------------------------------|--|--|--|--|--|
| | | | | | |
| Flam. Liq. 2; Acute Tox. 3; | >= 90 - <= 100 | | | | |
| STOT SE 1; H225, H301 + | % | | | | |
| H311 + H331, H370 | | | | | |
| | | | | | |
| Hydrogen chloride (press. gas) | | | | | |
| Press. Gas Compr. Gas; | >= 5 - < 10 % | | | | |
| Acute Tox. 3; Skin Corr. 1A; | | | | | |
| Eye Dam. 1; H280, H314, | | | | | |
| H318, H331 | | | | | |
| | Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301 + H311 + H331, H370 Press. Gas Compr. Gas; Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1; H280, H314, | | | | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Sigma-Aldrich - 17935 Page 2 of 10

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 - 8 °C

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich - 17935 Page 3 of 10

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

| Component | CAS-No. | Value | Control | Basis | | | |
|-----------|---------|---|--|--|--|--|--|
| | | | parameters | | | | |
| Methanol | 67-56-1 | TWA | 200.000000 ppm | USA. ACGIH Threshold Limit Values (TLV) | | | |
| | Remarks | Headache Nausea Dizziness Eye damage Substances for which there is a Biological Exposure Index or Indices | | | | | |
| | | (see BEI® s | | | | | |
| | | Danger of cutaneous absorption | | | | | |
| | | STEL | 250.000000 ppm | USA. ACGIH Threshold Limit Values (TLV) | | | |
| | | Headache Nausea Dizziness Eye damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) | | | | | |
| | | | utaneous absorption | | | | |
| | | TWA | 200.000000 ppm 260.000000 mg/m3 | USA. NIOSH Recommended Exposure Limits | | | |
| | | Potential for dermal absorption | | | | | |
| | | ST 250.000000 USA. NIOSH Recommended | | | | | |
| | | | ppm 325.000000 mg/m3 | Exposure Limits | | | |
| | | Potential for dermal absorption | | | | | |
| | | TWA | 200.000000 ppm 260.000000 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants | | | |
| | | The value in | n mg/m3 is approximate. | | | | |
| | | TWA | 200 ppm | USA. ACGIH Threshold Limit Values (TLV) | | | |
| | | Headache Nausea Dizziness Eye damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Danger of cutaneous absorption | | | | | |
| | | STEL | 250 ppm | USA. ACGIH Threshold Limit Values (TLV) | | | |
| | | (see BEI® s | for which there is | a Biological Exposure Index or Indices | | | |

Sigma-Aldrich - 17935 Page 4 of 10

| | | TWA | 200 ppm | USA. NIOSH Recommended | | | |
|--------------------------------|-----------|--|-----------------------------|---|--|--|--|
| | | Potential for | 260 mg/m3 dermal absorption | Exposure Limits | | | |
| | | ST | 250 ppm | USA. NIOSH Recommended | | | |
| | | 31 | 325 mg/m3 | Exposure Limits | | | |
| | | Potential for | | | | | |
| | | Potential for dermal absorption TWA 200 ppm USA. Occupational Exposure | | | | | |
| | | IVVA | 260 mg/m3 | (OSHA) - Table Z-1 Limits for Air Contaminants | | | |
| | | The value in mg/m3 is approximate. | | | | | |
| | | STEL | 250 ppm 325 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 | | | |
| | | Skin notation | | | | | |
| | | TWA | 200 ppm 260 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 | | | |
| | | Skin notation | | | | | |
| | | С | 1,000 ppm | California permissible exposure limits for chemical contaminants (Title 8, Article 107) | | | |
| | | Skin | | | | | |
| | | PEL | 200 ppm 260 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) | | | |
| | | Skin | | | | | |
| | | STEL | 250 ppm 325 mg/m3 | California permissible exposure limits for chemical contaminants | | | |
| | | 1 | 323 mg/m3 | (Title 8, Article 107) | | | |
| | | Skin | Т- | T | | | |
| Hydrogen chloride (press. gas) | 7647-01-0 | С | 2 ppm | USA. ACGIH Threshold Limit Values (TLV) | | | |
| | | Upper Respiratory Tract irritation Not classifiable as a human carcinogen | | | | | |
| | | С | 5 ppm 7 mg/m3 | USA. NIOSH Recommended Exposure Limits | | | |
| | | Often used i | n an aqueous solu | | | | |
| | | С | 5 ppm 7 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants | | | |
| | | The value in mg/m3 is approximate. Ceiling limit is to be determined from breathing-zone air samples. | | | | | |
| | | PEL | 0.3 ppm 0.45 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) | | | |
| | | С | 2 ppm | California permissible exposure limits for chemical contaminants (Title 8, Article 107) | | | |

Biological occupational exposure limits

| Biological occu | pational exposul | e iiiiiii | | | | |
|-----------------|------------------|--|--|------------|--------------------|--|
| Component | CAS-No. | Parameters | Value | Biological | Basis | |
| | | | | specimen | | |
| Methanol | 67-56-1 | Methanol | 15.0000 | Urine | ACGIH - Biological | |
| | | | mg/l | | Exposure Indices | |
| | | | | | (BEI) | |
| | Remarks | End of shift (A | End of shift (As soon as possible after exposure ceases) | | | |
| | | Methanol | 15 mg/l | Urine | ACGIH - Biological | |
| | | | | | Exposure Indices | |
| | | | | | (BEI) | |
| | | End of shift (As soon as possible after exposure ceases) | | | | |

Sigma-Aldrich - 17935 Page 5 of 10

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless, clear

b) Odour pungent

c) Odour Threshold No data availabled) pH No data available

e) Melting point/freezing Melting point/range: -98.0 °C (-144.4 °F)

point

f) Initial boiling point and 64.0 - 65.0 °C (147.2 - 149.0 °F) at 1,013 hPa (760 mmHg)

boiling range

g) Flash point 11 °C (52 °F) - closed cup

Sigma-Aldrich - 17935 Page 6 of 10

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 36 %(V) flammability or explosive limits Upper explosion limit: 36 %(V)

k) Vapour pressure 130.3 hPa (97.7 mmHg) at 20.0 °C (68.0 °F) 546.6 hPa (410.0 mmHg) at 50.0 °C (122.0 °F)

340.0 TIF a (410.0 TIIIII 19) at 30.0 °C (122

) Vapour density No data available

m) Relative density 0.831 g/mL at 20 °C (68 °F)

n) Water solubility completely miscibleo) Partition coefficient: n- log Pow: -0.77

o) Partition coefficient: noctanol/water

octanol/water

p) Auto-ignition 455.0 °C (851.0 °F) at 1,013 hPa (760 mmHg) temperature

q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

Dissociation constant 15.3

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Acids, Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents

10.6 Hazardous decomposition products

Hazardous decomposition products - Nature of decomposition products not known.

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available Dermal: No data available

No data available

Sigma-Aldrich - 17935 Page 7 of 10

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Warning: contains methanol. May be fatal or cause blindness if swallowed. Cannot be made nonpoisonous., May cause headache and dizziness., Nausea, Gastrointestinal disturbance, Confusion., Weakness, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence (Methanol)

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

Sigma-Aldrich - 17935 Page 8 of 10

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3286 Class: 3 (6.1, 8) Packing group: II

Proper shipping name: Flammable liquid, toxic, corrosive, n.o.s. (Methanol, Hydrochloric acid)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 3286 Class: 3 (6.1, 8) Packing group: II EMS-No: F-E, S-C

Proper shipping name: FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (Methanol, Hydrochloric acid)

IATA

UN number: 3286 Class: 3 (6.1, 8) Packing group: II

Proper shipping name: Flammable liquid, toxic, corrosive, n.o.s. (Methanol, Hydrochloric acid)

15. REGULATORY INFORMATION

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

CAS-No. Revision Date

Hydrogen chloride (press. gas) 7647-01-0 2013-02-08

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date 67-56-1 2007-07-01

 Methanol
 67-56-1
 2007-07-01

 Hydrogen chloride (press. gas)
 7647-01-0
 2013-02-08

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

 Methanol
 CAS-No.
 Revision Date

 Methanol
 67-56-1
 2007-07-01

 Hydrogen chloride (press. gas)
 7647-01-0
 2013-02-08

Pennsylvania Right To Know Components

 Methanol
 CAS-No.
 Revision Date

 Methanol
 67-56-1
 2007-07-01

 Hydrogen chloride (press. gas)
 7647-01-0
 2013-02-08

New Jersey Right To Know Components

 Methanol
 CAS-No.
 Revision Date

 Methanol
 67-56-1
 2007-07-01

 Hydrogen chloride (press. gas)
 7647-01-0
 2013-02-08

California Prop. 65 Components

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive 67-56-1 Revision Date 2012-03-16

harm.

Methanol

Sigma-Aldrich - 17935 Page 9 of 10

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Eye Dam. Serious eye damage Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H301 Toxic if swallowed.

H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled

H331

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H370 Causes damage to organs. Press. Gas Gases under pressure

Skin Corr. Skin corrosion

STOT SE Specific target organ toxicity - single exposure

HMIS Rating

Health hazard: 3
Chronic Health Hazard: *
Flammability: 3
Physical Hazard 1

NFPA Rating

Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.9 Revision Date: 09/23/2016 Print Date: 10/19/2018

Sigma-Aldrich - 17935 Page 10 of 10