SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 5.4 Revision Date 05/24/2016 Print Date 11/03/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product identifiers Product name	:	Antimony(III) telluride
	Product Number Brand	:	733490 Aldrich
	CAS-No.	:	1327-50-0
1.2 Relevant identified uses of the substance or mixture and uses advis			e substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone Fax	:	+1 800-325-5832 +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone #	:	+1-703-527-3887 (CHEMTREC)
-------------------	---	----------------------------

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Acute toxicity, Inhalation (Category 3), H331 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s) H331 H410	Toxic if inhaled. Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P261	Use only outdoors or in a well-ventilated area.
P271	Avoid release to the environment.
P273	IF INHALED: Remove person to fresh air and keep comfortable for
P304 + P340 + P311	breathing. Call a POISON CENTER/doctor.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

P501

Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Formula	:	Sb ₂ Te ₃
Molecular weight	:	626.32 g/mol
CAS-No.	:	1327-50-0

Hazardous components

Classification	Concentration
Acute Tox. 3; Aquatic Acute 1;	<= 100 %
Aquatic Chronic 1; H331,	
H410	
	Acute Tox. 3; Aquatic Acute 1; Aquatic Chronic 1; H331,

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture No data available
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Components with w				
Component	CAS-No.	Value	Control	Basis
			parameters	
ANTIMONY	1327-50-0	TWA	0.100000	USA. Occupational Exposure Limits
TELLURIDE,			mg/m3	(OSHA) - Table Z-1 Limits for Air
POWDER, -325			inginio	Contaminants
MESH				Containinants
IVIL SIT		T\A/A	0.500000	
		TWA	0.500000	USA. Occupational Exposure Limits
			mg/m3	(OSHA) - Table Z-1 Limits for Air
				Contaminants
		TWA	0.100000	USA. ACGIH Threshold Limit Values
			mg/m3	(TLV)
	Remarks	Halitosis		
		TWA	0.500000	USA. ACGIH Threshold Limit Values
			mg/m3	(TLV)
		Upper Resp	tion	
		Skin irritation		
		TWA	0.100000	USA. NIOSH Recommended
			mg/m3	Exposure Limits
		TWA	0.500000	USA. NIOSH Recommended
			mg/m3	Exposure Limits
		TWA	0.1 mg/m3	USA. Occupational Exposure Limits
			Ũ	(OSHA) - Table Z-1 Limits for Air
				Contaminants
		TWA	0.5 mg/m3	
		TWA	0.5 mg/m3	USA. Occupational Exposure Limits
		TWA	0.5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air
				USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA TWA	0.5 mg/m3 0.1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants USA. ACGIH Threshold Limit Values
				USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

TWA	0.5 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
	Upper Respiratory Tract irritation Skin irritation			
TWA	0.1 mg/m3	USA. NIOSH Recommended Exposure Limits		
TWA	0.5 mg/m3	USA. NIOSH Recommended Exposure Limits		
PEL	0.1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)		
PEL	0.5 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)		

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: solid		
b)	Odour	No data available		
c)	Odour Threshold	No data available		
d)	рН	No data available		
e)	Melting point/freezing point	629 °C (1,164 °F)		
f)	Initial boiling point and boiling range	No data available		
g)	Flash point	No data available		
h)	Evaporation rate	No data available		
i)	Flammability (solid, gas)	No data available		
j)	Upper/lower	No data available		
Aldrich - 733490				

flammability or explosive limits

k)	Vapour pressure	No data available		
r)	vapour pressure			
I)	Vapour density	No data available		
m)	Relative density	No data available		
n)	Water solubility	No data available		
o)	Partition coefficient: n- octanol/water	No data available		
p)	Auto-ignition temperature	No data available		
q)	Decomposition temperature	No data available		
r)	Viscosity	No data available		
s)	Explosive properties	No data available		
t)	Oxidizing properties	No data available		
Other safety information				

9.2 Other safety information No data available

10. STABILITY AND REACTIVITY

- 10.1 Reactivity No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5** Incompatible materials Acids, Strong oxidizing agents, Chlorates, Perchlorates.
- Hazardous decomposition products
 Hazardous decomposition products formed under fire conditions. Tellurium oxides, Antimony oxide
 Other decomposition products No data available
 In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitisation No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information

RTECS: Not available

Headache, Nausea, Drowsiness, metallic taste, loss of appetite, Tremors, Convulsions, respiratory distress

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4** Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1549 Class: 6.1 Packing group: III Proper shipping name: Antimony compounds, inorganic, solid, n.o.s. (ANTIMONY TELLURIDE, POWDER, -325 MESH) Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 1549 Class: 6.1 Packing group: III EMS-No: F-A, S-A Proper shipping name: ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S. (ANTIMONY TELLURIDE, POWDER, -325 MESH) Marine pollutant:yes IATA UN number: 1549 Class: 6.1 Packing group: III Proper shipping name: Antimony compound, inorganic, solid, n.o.s. (ANTIMONY TELLURIDE, POWDER, -325 MESH)

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:			
	CAS-No.	Revision Date	
ANTIMONY TELLURIDE, POWDER, -325 MESH	1327-50-0	2007-07-01	

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Democratic Dialet Te Kasaw Common ente

No components are subject to the Massachusetts Right to Know Act.

ennsylvania Right To Know Components			
	CAS-No.	Revision Date	
ANTIMONY TELLURIDE, POWDER, -325 MESH	1327-50-0	2007-07-01	
lew Jersey Right To Know Components			
	CAS-No.	Revision Date	
ANTIMONY TELLURIDE, POWDER, -325 MESH	1327-50-0	2007-07-01	
lew Jersey Right To Know Components	1327-50-0 CAS-No.	2007-07-01 Revision Date	

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

HMIS Rating

2
*
0
0

NFPA Rating

Health hazard:	2
Fire Hazard:	0
Reactivity Hazard:	0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.4

Revision Date: 05/24/2016

Print Date: 11/03/2018