# SIGMA-ALDRICH

# **Material Safety Data Sheet**

Version 3.0 Revision Date 08/28/2009 Print Date 03/21/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Dichlorosilane

Product Number : 333395 Brand : Aldrich

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +18003255832 Fax : +18003255052 Emergency Phone # : (314) 776-6555

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : H<sub>2</sub>Cl<sub>2</sub>Si Molecular Weight : 101.01 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
Dichlorosilane			
4109-96-0	223-888-3	-	-

### 3. HAZARDS IDENTIFICATION

### **Emergency Overview**

# **OSHA Hazards**

Flammable Gas, Highly toxic by inhalation, Corrosive

# **HMIS Classification**

Health Hazard: 4
Flammability: 4
Physical hazards: 3

**NFPA Rating** 

Health Hazard: 4
Fire: 4
Reactivity Hazard: 0

# **Potential Health Effects**

**Inhalation** May be fatal if inhaled. Material is extremely destructive to the tissue of the

mucous membranes and upper respiratory tract.

**Skin** May be harmful if absorbed through skin. Causes skin burns.

**Eyes** Causes eye burns.

**Ingestion** May be harmful if swallowed. Causes burns.

Sigma-Aldrich Corporation www.sigma-aldrich.com

### 4. FIRST AID MEASURES

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Continue rinsing eyes during transport to hospital. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 5. FIRE-FIGHTING MEASURES

# Flammable properties

Flash point -37 °C (-35 °F)
Ignition temperature 58 °C (136 °F)

### Suitable extinguishing media

Carbon dioxide (CO2) Dry powder

# Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

# 6. ACCIDENTAL RELEASE MEASURES

# **Personal precautions**

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

# **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# Methods for cleaning up

Do not flush with water.

# 7. HANDLING AND STORAGE

# Handling

Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment.

# **Storage**

Keep container tightly closed in a dry and well-ventilated place. Store in cool place.

Never allow product to get in contact with water during storage.

Contents under pressure.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

## Personal protective equipment

### Respiratory protection

Respiratory protection is not required. Where protection is desired, use multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# **Hand protection**

Handle with gloves.

# Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum).

# Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

# **Hygiene measures**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

# **Appearance**

Form gaseous

Colour colourless

# Safety data

pH no data available

Melting point -122 °C (-188 °F) - lit.

Boiling point 8.3 °C (46.9 °F) - lit.

Flash point -37 °C (-35 °F)
Ignition temperature 58 °C (136 °F)

Lower explosion limit 4.1 %(V) Upper explosion limit 99 %(V)

Vapour pressure 1,672 hPa (1,254 mmHg) at 20 °C (68 °F)

Density 1.200 g/cm3 Water solubility no data available

Relative vapour 3.49

density - (Air = 1.0)

# 10. STABILITY AND REACTIVITY

# Storage stability

Stable under recommended storage conditions.

### Conditions to avoid

Heat, flames and sparks. Exposure to moisture.

### Materials to avoid

Strong oxidizing agentsStrong bases, Reacts violently with water., Alcohols, Strong oxidizing agents

## **Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, silicon oxides

#### Hazardous reactions

Reacts violently with water.

# 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity**

no data available

### Irritation and corrosion

no data available

#### Sensitisation

no data available

# Chronic exposure

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as

a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as

a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as

a carcinogen or potential carcinogen by OSHA.

# Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea

# **Potential Health Effects**

**Inhalation** May be fatal if inhaled. Material is extremely destructive to the tissue of the

mucous membranes and upper respiratory tract.

**Skin** May be harmful if absorbed through skin. Causes skin burns.

**Eyes** Causes eye burns.

**Ingestion** May be harmful if swallowed. Causes burns.

Additional Information RTECS: VV3050000

# 12. ECOLOGICAL INFORMATION

# Elimination information (persistence and degradability)

no data available

# **Ecotoxicity effects**

no data available

### Further information on ecology

no data available

#### 13. DISPOSAL CONSIDERATIONS

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

# Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

UN-Number: 2189 Class: 2.3 (2.1, 8) Proper shipping name: Dichlorosilane

Marine pollutant: No

Poison Inhalation Hazard: Hazard zone B

**IMDG** 

UN-Number: 2189 Class: 2.3 (2.1, 8) EMS-No: F-D, S-U

Proper shipping name: DICHLOROSILANE

Marine pollutant: No

IATA

UN-Number: 2189 Class: 2.3 (2.1, 8) Proper shipping name: Dichlorosilane IATA Passenger: Not permitted for transport IATA Cargo: Not permitted for transport

## 15. REGULATORY INFORMATION

#### **OSHA Hazards**

Flammable Gas, Highly toxic by inhalation, Corrosive

# **DSL Status**

All components of this product are on the Canadian DSL list.

### **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

# **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

# Pennsylvania Right To Know Components

Dichlorosilane CAS-No. Revision Date 4109-96-0 2007-03-01

**New Jersey Right To Know Components** 

Dichlorosilane CAS-No. Revision Date 4109-96-0 2007-03-01

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

# **16. OTHER INFORMATION**

# **Further information**

Copyright 2009 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.