SAFETY DATA SHEET

Version 4.16 Revision Date 02/01/2018 Print Date 11/10/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Ethyl diazoacetate

Product Number : E22201 Brand : Aldrich

CAS-No. : 623-73-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Self-reactive substances and mixtures (Type E), H242

Acute toxicity, Oral (Category 4), H302 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Carcinogenicity (Category 2), H351

Specific target organ toxicity - single exposure (Category 3), Respiratory system, Central nervous system, H335, H336

Specific target organ toxicity - repeated exposure, Oral (Category 2), Liver, Blood, H373

Specific target organ toxicity - repeated exposure. Inhalation (Category 2), Central nervous system, H373

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Warning

Hazard statement(s)

H226 Flammable liquid and vapour.
H242 Heating may cause a fire.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

Aldrich - E22201 Page 1 of 9

H351	Suspected of causing cancer.
H373	May cause damage to organs (Liver, Blood) through prolonged or
	repeated exposure if swallowed.
H373	May cause damage to organs (Central nervous system) through
	prolonged or repeated exposure if inhaled.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and
	understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P220	Keep/Store away from clothing/ combustible materials.
P233	Keep container tightly closed.
P234	Keep only in original container.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face
	protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
	Rinse mouth.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water/shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for
	breathing. Call a POISON CENTER/doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
D000 - D040	contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 P403 + P235	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P411	Store at temperatures not exceeding .? °C/ .? °F.
P420	Store away from other materials.
P501	Dispose of contents/ container to an approved waste disposal plant.
	Dispose of container to an approved made disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Heating may cause an explosion.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous components

Component	Classification	Concentration
Ethyl diazoacetate		
	Flam. Liq. 3; Acute Tox. 4; H226, H302	70 - 90 %
Methylene chloride		

Aldrich - E22201 Page 2 of 9

Skin Irrit. 2; Eye Irrit. 2A; Carc.	20 - 30 %
2; STOT SE 3; Aquatic Acute	
3; H315, H319, H336, H351,	
H402	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

Aldrich - E22201 Page 3 of 9

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. Keep away from heat and sources of ignition.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 - 8 °C

Storage class (TRGS 510): 5.2: Organic peroxides and self-reacting hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis	
			parameters		
	Remarks	Potential Occupational Carcinogen See Appendix A			
Methylene chloride	75-09-2	TWA	50.000000 ppm	USA. ACGIH Threshold Limit Values	
				(TLV)	
		Central Nervous System impairment Carboxyhemoglobinemia Substances for which there is a Biological Exposure Index or India (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans			
			T		
		TWA	50 ppm	USA. ACGIH Threshold Limit Values (TLV)	
			ous System impai	rment	
		Carboxyhemoglobinemia			
				a Biological Exposure Index or Indices	
		(see BEI® section)			
		Confirmed animal carcinogen with unknown relevance to humans			
		Substance listed; for more information see OSHA document 1910.1052 Substance listed; for more information see OSHA document 1910.1052 See Table Z-2			
		PEL	25.000000 ppm	OSHA Specifically Regulated	
				Chemicals/Carcinogens	
		1910.1052			
			ection applies to all occupational exposures to methylene		
				acts Service Registry Number 75-09-	
		2, in general industry, construction and shipyard employment. Methylene chloride (MC) means an organic compound with chemical formula, CH2Cl2. Its Chemical Abstracts Service Registry Number is 75-09-2. Its molecular weight is 84.9 g/mole OSHA specifically regulated carcinogen			
		STEL	125.000000	OSHA Specifically Regulated	
			ppm	Chemicals/Carcinogens	
		1910.1052			
		This section applies to all occupational exposures to methylene chloride (MC), Chemical Abstracts Service Registry Number 75-09-			

Aldrich - E22201 Page 4 of 9

2, in general industry, construction and shipyard employment. Methylene chloride (MC) means an organic compound with chemical formula, CH2Cl2. Its Chemical Abstracts Service Registry Number is 75-09-2. Its molecular weight is 84.9 g/mole OSHA specifically regulated carcinogen		
PEL	25 ppm 87 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
see section 5202		
STEL	125 ppm 435 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
see section 5202		

Hazardous components without workplace control parameters

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
	-	Dichlorometh ane	0.3000 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As soon as possible after exposure ceases)			

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid
b) Odour No data available
c) Odour Threshold No data available
d) pH No data available

e) Melting point/freezing Melting point/range: -22 °C (-8 °F) - lit.

point

Aldrich - E22201 Page 5 of 9

Initial boiling point and f)

boiling range

140 - 141 °C (284 - 286 °F) at 960 hPa (720 mmHg) - lit.

g) Flash point 47 °C (117 °F) - closed cup

h) Evaporation rate No data available Flammability (solid, gas) No data available i) Upper/lower No data available i)

flammability or explosive limits

k) Vapour pressure No data available Vapour density No data available

1.085 g/mL at 25 °C (77 °F) m) Relative density

n) Water solubility slightly soluble Partition coefficient: n-No data available

octanol/water

Auto-ignition

No data available

temperature Decomposition

temperature

Type E

Viscosity No data available r) No data available s) Explosive properties Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents, Alkali metals, Aluminum, Bases

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx), Hydrogen chloride gas

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 400 mg/kg (Ethyl diazoacetate) Inhalation: No data available (Ethyl diazoacetate)

Dermal: No data available (Ethyl diazoacetate)

Aldrich - E22201 Page 6 of 9 LD50 Intravenous - Rat - 280 mg/kg (Ethyl diazoacetate)

Remarks: Behavioral:Somnolence (general depressed activity). Lungs, Thorax, or Respiration:Dyspnea. Cyanosis

Skin corrosion/irritation

No data available (Ethyl diazoacetate)

Serious eye damage/eye irritation

No data available (Ethyl diazoacetate)

Respiratory or skin sensitisation

No data available (Ethyl diazoacetate)

Germ cell mutagenicity

No data available (Ethyl diazoacetate)

Carcinogenicity

Carcinogenicity classification not possible from current data. (Ethyl diazoacetate)

(Ethyl diazoacetate)

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: OSHA specifically regulated carcinogen (Methylene chloride)

Reproductive toxicity

No data available (Ethyl diazoacetate)

No data available (Ethyl diazoacetate)

Specific target organ toxicity - single exposure

No data available (Ethyl diazoacetate)

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available (Ethyl diazoacetate)

Additional Information

RTECS: Not available

Dichloromethane is metabolized in the body producing carbon monoxide which increases and sustains carboxyhemoglobin levels in the blood, reducing the oxygen-carrying capacity of the blood., Acts as a simple asphyxiant by displacing air., Acute symptoms of overexposure include:, Difficulty in breathing, Headache, Dizziness, Prolonged or repeated exposure to skin causes defatting and dermatitis., Contact with eyes can cause:, Redness, Effects due to ingestion may include:, Gastrointestinal disturbance, Central nervous system depression, Paresthesia., Convulsions, pulmonary edema, Symptoms may be delayed., Increased liver enzymes. (Ethyl diazoacetate)

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence (Methylene chloride)

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available (Ethyl diazoacetate)

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Aldrich - E22201 Page 7 of 9

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3227 Class: 4.1

Proper shipping name: Self-reactive liquid type E (Ethyl diazoacetate)

Reportable Quantity (RQ): 5000 lbs Poison Inhalation Hazard: No.

IMDG

UN number: 3227 Class: 4.1 EMS-No: F-J, S-G

Proper shipping name: SELF-REACTIVE LIQUID TYPE E (Ethyl diazoacetate)

IATA

UN number: 3227 Class: 4.1 (HEAT)

Proper shipping name: Self-reactive liquid type E (Ethyl diazoacetate)Special Provisions: "Keep away from heat" label

required.

Further information

Special competent authority approval required!

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

3	CAS-No.	Revision Date
Dichloromethane	75-09-2	2007-07-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Ethyl diazoacetate	623-73-4	
Dichloromethane	75-09-2	2007-07-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Ethyl diazoacetate	623-73-4	
Dichloromethane	75-09-2	2007-07-01
California Prop. 65 Components		
WARNING! This product contains a chemical known to the	CAS-No.	Revision Date
State of California to cause cancer.	75-09-2	2007-09-28

Aldrich - E22201 Page 8 of 9

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Carc. Carcinogenicity
Eye Irrit. Eye irritation
Flam. Liq. Flammable liquids

H226 Flammable liquid and vapour.
H242 Heating may cause a fire.
H302 Harmful if swallowed.
H315 Causes skin irritation.

H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure if swallowed.

H402 Harmful to aquatic life.

HMIS Rating

Health hazard: 2
Chronic Health Hazard: *
Flammability: 2
Physical Hazard 3

NFPA Rating

Health hazard: 2
Fire Hazard: 2
Reactivity Hazard: 3

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.16 Revision Date: 02/01/2018 Print Date: 11/10/2018

Aldrich - E22201 Page 9 of 9