# **SIGMA-ALDRICH**

sigma-aldrich.com

SAFETY DATA SHEET

Version 4.10 Revision Date 11/06/2017 Print Date 11/10/2018

#### 1. PRODUCT AND COMPANY IDENTIFICATION 1.1 **Product identifiers** Product name **Dimethyl disulfide** Product Number 471569 Brand Aldrich

624-92-0 CAS-No. 1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone Fax	:	+1 800-325-5832 +1 800-325-5052
Emergency telephone number		

Emergency Phone #	+1-703-527-3887 (CHEMTREC)
	 1-105-521-5001 (CHENTIKEC)

## 2. HAZARDS IDENTIFICATION

1.4

#### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 3), H331 Eye irritation (Category 2A), H319 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Acute aquatic toxicity (Category 2), H401 Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word

Danger

Hazard statement(s) H225 Highly flammable liquid and vapour. Harmful if swallowed. H302 Causes serious eye irritation. H319 Toxic if inhaled. H331 May cause respiratory irritation. H335 H411 Toxic to aquatic life with long lasting effects. Precautionary statement(s) P210

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
	Rinse mouth.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated
	clothing. Rinse skin with water/ shower.
P304 + P340 + P311	IF INHALED: Remove victim to fresh air and keep at rest in a position
	comfortable for breathing. Call a POISON CENTER or doctor/ physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for
	extinction.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS Stench.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.1 Substances

Synonyms	: DMDS Mothyl digulfidd	
	Methyl disulfide	;
Formula	: C <sub>2</sub> H <sub>6</sub> S <sub>2</sub>	
Molecular weight	: 94.20 g/mol	
CAS-No.	: 624-92-0	
EC-No.	: 210-871-0	

## Hazardous components

Component	Classification	Concentration
Dimethyl disulphide		
	Flam. Liq. 2; Acute Tox. 4; Acute Tox. 3; Eye Irrit. 2A; STOT SE 3; Aquatic Acute 2; Aquatic Chronic 2; H225, H302, H319, H331, H335, H411	90 - 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **4. FIRST AID MEASURES**

## 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

## If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

## In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3** Indication of any immediate medical attention and special treatment needed No data available

## **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

## 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis	
Dimethyl disulphide	624-92-0	TWA	0.500000 ppm	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Central Nerv	iratory Tract irritatio ous System irritati utaneous absorptio	on	
		TWA	0.5 ppm	USA. ACGIH Threshold Limit Values (TLV)	
		Central Nerv	per Respiratory Tract irritation ntral Nervous System irritation nger of cutaneous absorption		

#### 8.2 Exposure controls

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

#### **Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Full contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 30 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: clear, liquid Colour: light yellow
b)	Odour	Stench.
c)	Odour Threshold	No data available
d)	pН	No data available
e)	Melting point/freezing point	Melting point/range: -85 °C (-121 °F) - lit.
f)	Initial boiling point and boiling range	109 °C (228 °F) - lit.
g)	Flash point	15 °C (59 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 16 %(V) Lower explosion limit: 1.1 %(V)
k)	Vapour pressure	153 hPa (115 mmHg) at 55 °C (131 °F) 38.1 hPa (28.6 mmHg) at 25 °C (77 °F) 22 hPa (17 mmHg) at 20 °C (68 °F) - OECD Test Guideline 104
I)	Vapour density	3.25 - (Air = 1.0)
m)	Relative density	1.046 g/cm3 at 25 °C (77 °F) - lit.
n)	Water solubility	No data available
o)	Partition coefficient: n- octanol/water	log Pow: 1.77 -
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Othe	r safety information	
	Relative vapour density	3.25 - (Air = 1.0)

## **10. STABILITY AND REACTIVITY**

#### 10.1 Reactivity No data available

9.2

# 10.2 Chemical stability

- Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** 
  - Vapours may form explosive mixture with air.

# 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

Strong bases, Strong oxidizing agents, Strong reducing agents

#### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides Other decomposition products - No data available In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

## Acute toxicity

LD50 Oral - Rat - > 300 mg/kg (Directive 67/548/EEC, Annex V, B.1.)

LC50 Inhalation - Rat - 4 h - 1167 - 1471 ppm

LD50 Dermal - Rabbit - > 2,000 mg/kg

No data available

Skin corrosion/irritation Skin - Rabbit

Result: Mild skin irritation

Serious eye damage/eye irritation Eyes - Rabbit Result: Moderate eye irritation

**Respiratory or skin sensitisation** No data available

# Germ cell mutagenicity

No data available

#### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

No data available

No data available

**Specific target organ toxicity - single exposure** Inhalation - May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

#### Additional Information RTECS: JO1927500

Nausea, Headache, Vomiting, anemia

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

#### **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

Toxicity to fish LC50 - Salmo salar (Atlantic salmon) - 1.75 mg/l Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 7 mg/l - 48 h other aquatic invertebrates

#### 12.2 Persistence and degradability Biodegradability

Result: < 10 % - According to the results of tests of biodegradability this product is not readily biodegradable. (OECD Test Guideline 301)

#### 12.3 **Bioaccumulative potential**

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

#### **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

## **Contaminated packaging**

Dispose of as unused product.

#### **14. TRANSPORT INFORMATION**

#### DOT (US)

UN number: 2381 Class: 3 (6.1) Packing group: II Proper shipping name: Dimethyl disulfide Reportable Quantity (RQ): Marine pollutant:yes Poison Inhalation Hazard: No IMDG

UN number: 2381 Class: 3 (6.1) Packing group: II EMS-No: F-E, S-D Proper shipping name: DIMETHYL DISULPHIDE Marine pollutant:yes

## ΙΑΤΑ

UN number: 2381 Class: 3 (6.1) Packing group: II Proper shipping name: Dimethyl disulphide IATA Passenger: Not permitted for transport IATA Cargo: Not permitted for transport

## **15. REGULATORY INFORMATION**

## SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

#### Massachusetts Right To Know Components

	CAS-No.	Revision Date
Dimethyl disulphide	624-92-0	1994-04-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Dimethyl disulphide	624-92-0	1994-04-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Dimethyl disulphide	624-92-0	1994-04-01

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

.....

\_ . .

## **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquids
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

#### HMIS Rating

Health hazard:	2
Chronic Health Hazard:	*
Flammability:	
Physical Hazard	

## NFPA Rating

Health hazard:	3
Fire Hazard:	3
Reactivity Hazard:	0

#### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

## **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.10

Revision Date: 11/06/2017

Print Date: 11/10/2018