SIGMA-ALDRICH

sigma-aldrich.com

SAFETY DATA SHEET

Version 4.8 Revision Date 09/28/2017 Print Date 11/10/2018

| 1. PRODUCT AND COMPANY IDENTIFICATION | | | | | | | |
|---------------------------------------|---|------|--|--|--|--|--|
| | | | | | | | |
| 1.1 | Product identifiers Product name | : | Manganese | | | | |
| | Product Number Brand | : | 266167 Aldrich | | | | |
| | CAS-No. | : | 7439-96-5 | | | | |
| 1.2 | Relevant identified uses of | the | substance or mixture and uses advised against | | | | |
| | Identified uses | : | Laboratory chemicals, Synthesis of substances | | | | |
| 1.3 | Details of the supplier of th | e sa | afety data sheet | | | | |
| | Company | : | Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA | | | | |
| | Telephone Fax | : | +1 800-325-5832 +1 800-325-5052 | | | | |
| 1.4 | Emergency telephone number | | | | | | |
| | Emergency Phone # | : | +1-703-527-3887 (CHEMTREC) | | | | |
| 2. H | AZARDS IDENTIFICATION | | | | | | |
| 2.1 | | | | | | | |
| | GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Acute aquatic toxicity (Category 2), H401 | | | | | | |
| | For the full text of the H-State | eme | nts mentioned in this Section, see Section 16. | | | | |
| 2.2 | GHS Label elements, inclue | ding | precautionary statements | | | | |
| | | | | | | | |

| Pictogram | none |
|--|--|
| Signal word | none |
| Hazard statement(s) H401 | Toxic to aquatic life. |
| Precautionary statement(s) P273 P501 | Avoid release to the environment. Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

| Formula | : | Mn |
|------------------|---|-------------|
| Molecular weight | : | 54.94 g/mol |
| CAS-No. | : | 7439-96-5 |
| EC-No. | : | 231-105-1 |
| | | |

Hazardous components

| Component | Classification | Concentration |
|---|-------------------------------------|---------------|
| Manganese | | |
| | Aquatic Acute 2; H401 | 90 - 100 % |
| an the full tout of the LL Oteters enter second | ned in this Castion, and Castion 40 | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

lf inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Moisture sensitive. Handle and store under inert gas.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

| Component | CAS-No. | Value | Control | Basis | | | |
|-----------|-----------|--------------------------------------|---|--------------------------------------|--|--|--|
| | | | parameters | | | | |
| Manganese | 7439-96-5 | TWA | 0.200000 | USA. ACGIH Threshold Limit Values | | | |
| | | | mg/m3 | (TLV) | | | |
| | Remarks | | Central Nervous System impairment | | | | |
| | | | Adopted values or notations enclosed are those for which changes | | | | |
| | | | are proposed in the NIC See Notice of Intended Changes (NIC) | | | | |
| | | See Notic | | | | | |
| | | С | 5.000000 | USA. Occupational Exposure Limits | | | |
| | | | mg/m3 | (OSHA) - Table Z-1 Limits for Air | | | |
| | | | _ | Contaminants | | | |
| | | Ceiling lir | nit is to be determi | ned from breathing-zone air samples. | | | |
| | | С | 5 mg/m3 | USA. Occupational Exposure Limits | | | |
| | | | 0 | (OSHA) - Table Z-1 Limits for Air | | | |
| | | | | Contaminants | | | |
| | | Ceiling lir | nit is to be determi | ned from breathing-zone air samples. | | | |
| | | TWA | 1.000000 | USA. NIOSH Recommended | | | |
| | | | mg/m3 | Exposure Limits | | | |
| | | ST | 3.000000 | USA. NIOSH Recommended | | | |
| | | 0. | mg/m3 | Exposure Limits | | | |
| | | TWA | 1.000000 | USA. NIOSH Recommended | | | |
| | | | mg/m3 | Exposure Limits | | | |
| | | ST | 3.000000 | USA. NIOSH Recommended | | | |
| | | 0. | mg/m3 | Exposure Limits | | | |
| | | С | 5.000000 | USA. Occupational Exposure Limits | | | |
| | | Ŭ | mg/m3 | (OSHA) - Table Z-1 Limits for Air | | | |
| | | | mg/mo | Contaminants | | | |
| | | Ceilina lir | nit is to be determi | ned from breathing-zone air samples. | | | |
| | | TWA | 1.000000 | USA. NIOSH Recommended | | | |
| | | | mg/m3 | Exposure Limits | | | |
| | | ST | 3.000000 | USA. NIOSH Recommended | | | |
| | | | mg/m3 | Exposure Limits | | | |
| | | TWA | 0.200000 | USA. ACGIH Threshold Limit Values | | | |
| | | | mg/m3 | (TLV) | | | |
| | | Central N | | | | | |
| | | | Central Nervous System impairment Adopted values or notations enclosed are those for which changes | | | | |
| | | are proposed in the NIC | | | | | |
| | | See Notice of Intended Changes (NIC) | | | | | |
| | | | varies | | | | |
| | | Valles | | | | | |

| TWA | 0.100000 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) | |
|---------------------------------|---|---|--|
| Central N 2015 Ado varies | ervous System imp ption | airment | |
| TWA | 0.020000 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) | |
| Central N 2015 Ado varies | ervous System imp ption | airment | |
| TWA | 1 mg/m3 | USA. NIOSH Recommended Exposure Limits | |
| ST | 3 mg/m3 | USA. NIOSH Recommended Exposure Limits | |
| TWA | 0.1 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) | |
| | ervous System imp fiable as a human o | | |
| TWA | 0.02 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) | |
| | Central Nervous System impairment Not classifiable as a human carcinogen varies | | |
| PEL | 0.2 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) | |
| STEL | 3 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) | |

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| a) | Appearance | Form: chips Colour: grey, brown, silver |
|----|--|--|
| b) | Odour | odourless |
| c) | Odour Threshold | No data available |
| d) | рН | No data available |
| e) | Melting point/freezing point | Melting point/range: 1,244 °C (2,271 °F) - lit. |
| f) | Initial boiling point and boiling range | 1,962 °C (3,564 °F) - lit. |
| g) | Flash point | Not applicable |
| h) | Evaporation rate | No data available |
| i) | Flammability (solid, gas) | No data available |
| j) | Upper/lower flammability or explosive limits | No data available |
| k) | Vapour pressure | No data available |
| I) | Vapour density | No data available |
| m) | Relative density | 7.3 g/mL at 25 °C (77 °F) |
| n) | Water solubility | 0.0007 g/l at 20 $^\circ\text{C}$ (68 $^\circ\text{F})$ - slightly soluble |
| o) | Partition coefficient: n- octanol/water | No data available |
| p) | Auto-ignition temperature | No data available |
| q) | Decomposition temperature | No data available |
| r) | Viscosity | No data available |
| s) | Explosive properties | No data available |
| t) | Oxidizing properties | No data available |
| | r safety information ata available | |

10. STABILITY AND REACTIVITY

10.1 Reactivity

9.2

- No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Avoid moisture.

10.5 Incompatible materials

acids, Halogens, Bases, Phosphorus, Sulphur oxides, Hydrogen peroxide, Oxidizing agents, Nitric acid, Sodium Hydroxide, Carbon dioxide (CO2), Nitryl Flouride, Steam

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Manganese/manganese oxides

Other decomposition products - No data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - > 2,000 mg/kg (OECD Test Guideline 420)

LC50 Inhalation - Rat - male and female - 4 h - > 5.14 mg/l (OECD Test Guideline 403)

Dermal: No data available

No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation - 72 h

(OECD Test Guideline 405)

Respiratory or skin sensitisation

- Mouse Result: Does not cause skin sensitisation. (OECD Test Guideline 429)

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information RTECS: Not available Men exposed to manganese dusts showed a decrease in fertility. Chronic manganese poisoning primarily involves the central nervous system. Early symptoms include languor, sleepiness and weakness in the legs. A stolid mask-like appearance of the face, emotional disturbances such as uncontrollable laughter and a spastic gait with tendency to fall in walking are findings in more advanced cases. High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

| Toxicity to fish | semi-static test NOEC - Oncorhynchus mykiss (rainbow trout) - 3.6 mg/l - 96 h (OECD Test Guideline 203) |
|---|--|
| Toxicity to daphnia and other aquatic invertebrates | Immobilization NOEC - Daphnia magna (Water flea) - 1.6 mg/l - 48 h (OECD Test Guideline 202) |
| Toxicity to algae | Growth inhibition EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus) - 4.5 mg/l - 72 h (OECD Test Guideline 201) |
| Toxicity to bacteria | Respiration inhibition EC50 - Sludge Treatment - 1,000 mg/l - 3 h (OECD Test Guideline 209) |

12.2 Persistence and degradability No data available

no data avallable

- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

| The following components are subject to reporting levels establish | ed by SARA Title III, CAS-No. | Section 313: Revision Date |
|--|----------------------------------|-------------------------------|
| Manganese | 7439-96-5 | 2007-07-01 |
| SARA 311/312 Hazards Chronic Health Hazard | | |
| Massachusetts Right To Know Components | | |
| | CAS-No. | Revision Date |
| Manganese | 7439-96-5 | 2007-07-01 |
| Pennsylvania Right To Know Components | | |
| | CAS-No. | Revision Date |
| Manganese | 7439-96-5 | 2007-07-01 |
| New Jersey Right To Know Components | | |
| Manganese | CAS-No. 7439-96-5 | Revision Date 2007-07-01 |

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

| Aquatic Acute | Acute aquatic toxicity |
|---------------|------------------------|
| H401 | Toxic to aquatic life. |

HMIS Rating

| Health hazard: | 0 |
|------------------------|---|
| Chronic Health Hazard: | * |
| Flammability: | 0 |
| Physical Hazard | 0 |
| NFPA Rating | |
| Health hazard: | 0 |
| | |

| Fire Hazard: | 0 |
|--------------------|---|
| Reactivity Hazard: | 0 |

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.8

Revision Date: 09/28/2017

Print Date: 11/10/2018