# **SAFETY DATA SHEET**

Version 5.4 Revision Date 05/18/2018 Print Date 11/10/2018

# 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : N-Methylpyrrolidone

Product Number : PHR1352
Brand : Sigma-Aldrich
Index-No. : 606-021-00-7

CAS-No. : 872-50-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

# 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319

Reproductive toxicity (Category 1B), H360

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H227 Combustible liquid. H315 Causes skin irritation.

H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

H360 May damage fertility or the unborn child.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P321	Specific treatment (see supplemental first aid instructions on this label).
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substances

 Molecular weight
 : 99.13 g/mol

 CAS-No.
 : 872-50-4

 EC-No.
 : 212-828-1

 Index-No.
 : 606-021-00-7

Registration number : 01-2119472430-46-XXXX

**Hazardous components** 

Component	Classification	Concentration		
N-methyl-2-pyrrolidone				
	Flam. Liq. 4; Eye Irrit. 2A;	90 - 100 %		
	Repr. 1B; STOT SE 3; H227	<b>,</b>		
	H319, H335, H360			

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

## General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Sigma-Aldrich - PHR1352 Page 2 of 8

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

## **6. ACCIDENTAL RELEASE MEASURES**

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Store at Room Temperature.

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

### Components with workplace control parameters

Componente with workplace control parameters				
Component	CAS-No.	Value	Control	Basis
			parameters	
N-methyl-2-	872-50-4	TWA	10 ppm	USA. Workplace Environmental
pyrrolidone				Exposure Levels (WEEL)
	Remarks	Skin		

Sigma-Aldrich - PHR1352 Page 3 of 8

	PEL	1 ppm 4 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
	Skin		

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
	-	5-Hydroxy-N- methyl-2- pyrrolidone	100 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As soon as possible after exposure ceases)			

### 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

## Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

## **Body Protection**

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless

b) Odourc) Odour Thresholddata availableNo data available

d) pH 7.7 - 8

e) Melting point/freezing

-23.99 °C (-11.18 °F)

point

) Initial boiling point and boiling range

202 °C (396 °F) at 1,013 hPa (760 mmHg) 81 - 82 °C (178 - 180 °F) at 13 hPa (10 mmHg)

g) Flash point 91 °C (196 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 9.5 %(V) flammability or Lower explosion limit: 1.3 %(V)

explosive limits

Sigma-Aldrich - PHR1352 Page 4 of 8

0.39 - 0.43 hPa (0.29 - 0.32 mmHg) at 20 °C (68 °F) Vapour pressure

1.32 hPa (0.99 mmHg) at 40 °C (104 °F)

I) Vapour density 3.42 - (Air = 1.0)

m) Relative density 1.028 g/cm3

n) Water solubility No data available

o) Partition coefficient: n-

Oxidizing properties

octanol/water

log Pow: -0.46

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

No data available Viscosity r) No data available s) Explosive properties No data available

9.2 Other safety information

> Surface tension 40.7 mN/m

Relative vapour density 3.42 - (Air = 1.0)

# 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 **Chemical stability**

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat, flames and sparks.

#### Incompatible materials 10.5

Strong acids, Strong oxidizing agents, Strong reducing agents

#### 10.6 Hazardous decomposition products

Other decomposition products - No data available

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx)

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - 3,914 mg/kg

LDLO Inhalation - Rat - 4 h - > 5100 ppm

LD50 Dermal - Rabbit - 8,000 mg/kg

No data available

## Skin corrosion/irritation

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation

# Respiratory or skin sensitisation

No data available

Sigma-Aldrich - PHR1352 Page 5 of 8

# Germ cell mutagenicity

No data available

## Carcinogenicity

# Reproductive toxicity

Damage to fetus possible

No data available

# Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

# Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

### **Additional Information**

RTECS: Not available

prolonged or repeated exposure can cause:, Vomiting, Diarrhoea, Abdominal pain, Rats exposed to 1-methyl-2-pyrrolidinone at a concentration of 1 mg/L as an aerosol for 10 days showed depletion of hematopoietic cells in the bone marrow and atrophy of the lymphoid tissues of the thymus, spleen, and lymph nodes.

Bone marrow - Irregularities - Based on Human Evidence Bone marrow - Irregularities - Based on Human Evidence

## 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

Toxicity to fish LC50 - other fish - 4,000 mg/l - 96 h

LC50 - Leuciscus idus (Golden orfe) - > 500 mg/l - 96 h

Toxicity to daphnia and

EC50 - Daphnia magna (Water flea) - > 1,000 mg/l - 24 h

other aquatic invertebrates

Toxicity to bacteria LC50 - Bacteria - > 9,000 mg/l

# 12.2 Persistence and degradability

Biodegradability Result: 90 % - Readily biodegradable.

### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods

### **Product**

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

# Contaminated packaging

Dispose of as unused product.

Sigma-Aldrich - PHR1352 Page 6 of 8

# 14. TRANSPORT INFORMATION

DOT (US)

NA-Number: 1993 Class: NONE Packing group: III
Proper shipping name: Combustible liquid, n.o.s. (N-methyl-2-pyrrolidone)

Reportable Quantity (RQ): Poison Inhalation Hazard: No

**IMDG** 

Not dangerous goods

**IATA** 

Not dangerous goods

# 15. REGULATORY INFORMATION

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

N-methyl-2-pyrrolidone CAS-No. Revision Date 872-50-4 2007-03-01

### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

## **Massachusetts Right To Know Components**

	CAS-No.	Revision Date
N-methyl-2-pyrrolidone	872-50-4	2007-03-01

Pennsylvania Right To Know Components

N-methyl-2-pyrrolidone CAS-No. Revision Date 872-50-4 2007-03-01

**New Jersey Right To Know Components** 

N-methyl-2-pyrrolidone CAS-No. Revision Date 872-50-4 2007-03-01

## 16. OTHER INFORMATION

# Full text of H-Statements referred to under sections 2 and 3.

Eye Irrit.

Flam. Liq.

H227

Combustible liquid.

H315

Causes skin irritation.

H319

Causes serious eye irritation.

H335

May cause respiratory irritation.

H360 May damage fertility or the unborn child.

Repr. Reproductive toxicity

**HMIS Rating** 

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 2
Physical Hazard 0

**NFPA Rating** 

Health hazard: 2
Fire Hazard: 2
Reactivity Hazard: 0

Sigma-Aldrich - PHR1352 Page 7 of 8

## **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.4 Revision Date: 05/18/2018 Print Date: 11/10/2018

Sigma-Aldrich - PHR1352 Page 8 of 8