Printing date 07/31/2016

Reviewed on 07/31/2016

## **1** Identification

- · Product name
- · Trade name: Molybdenum(III) chloride (99.5%-Mo)
- · Item number: 93-4214
- · CAS Number:
- 13478-18-7
- *EC number:* 236-775-9
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Strem Chemicals, Inc.
  7 Mulliken Way NEWBURYPORT, MA 01950

USA

info@strem.com

- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

## 2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements
- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: Molybdenum(III) chloride (99.5%-Mo)
Hazard statements H314 Causes severe skin burns and eye damage.
Precautionary statements P231 Handle under inert gas. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P422 Store contents under inert gas.

(Contd. on page 2)

Printing date 07/31/2016

Reviewed on 07/31/2016



(Contd. of page 1) Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system:

· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

| HEALTH 4     | Health = 4     |
|--------------|----------------|
|              | Fire = 0       |
| REACTIVITY 0 | Reactivity = 0 |

· Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 13478-18-7 Molybdenum(III) chloride (99.5%-Mo)
- *Identification number(s)*
- · EC number: 236-775-9


#### **4** First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- **Protective equipment:** Mouth respiratory protective device.

(Contd. on page 3)



Printing date 07/31/2016

Reviewed on 07/31/2016

Trade name: Molybdenum(III) chloride (99.5%-Mo)

(Contd. of page 2)

#### **6** Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### 7 Handling and storage

· Handling: Handle under inert gas.

- Precautions for safe handling Thorough dedusting. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Information about protection against explosions and fires: Keep respiratory protective device quailable
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- *Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.*
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)

US

# CHEMICALS, IN

<sup>·</sup> Exposure controls

Printing date 07/31/2016

CHEMICALS, INC

Reviewed on 07/31/2016

Trade name: Molybdenum(III) chloride (99.5%-Mo)

(Contd. of page 3)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

| Information on basic physical and | chemical properties                           |  |
|-----------------------------------|---|--|
| General Information               |   |  |
| Appearance:                       |   |  |
| Form:                             | Crystalline                                   |  |
| Color:                            | Red-brown                                     |  |
| Odor:                             | Odorless                                      |  |
| Odor threshold:                   | Not determined.                               |  |
| pH-value:                         | Not applicable.                               |  |
| Change in condition               |   |  |
| Melting point/Melting range:      | $dec \ ^{\circ}C$                             |  |
| Boiling point/Boiling range:      | no data °C                                    |  |
| Flash point:                      | Not applicable.                               |  |
| Flammability (solid, gaseous):    | Not determined.                               |  |
| Ignition temperature:             |   |  |
| Decomposition temperature:        | Not determined.                               |  |
| Auto igniting:                    | Not determined.                               |  |
| Danger of explosion:              | Product does not present an explosion hazard. |  |
| Explosion limits:                 |   |  |
| Lower:                            | Not determined.                               |  |
| Upper:                            | Not determined.                               |  |
| Vapor pressure:                   | no data hPa                                   |  |
| <i>Density at 20 •C (68 •F):</i>  | 3.59 g/cm <sup>3</sup> (29.959 lbs/gal)       |  |
| Relative density                  | Not determined.                               |  |

US

Printing date 07/31/2016

Reviewed on 07/31/2016

Trade name: Molybdenum(III) chloride (99.5%-Mo)

|                                     |  | (Contd. of page |
|-------------------------------------|--|-----------------|
| · Vapor density                     | Not applicable.                            |                 |
| · Evaporation rate                  | Not applicable.                            |                 |
| · Solubility in / Miscibility with  |  |                 |
| Water:                              | Insoluble.                                 |                 |
| · Partition coefficient (n-octanol/ | water): Not determined.                    |                 |
| · Viscosity:                        |  |                 |
| Dynamic:                            | Not applicable.                            |                 |
| Kinematic:                          | Not applicable.                            |                 |
| · Solvent content:                  |  |                 |
| Organic solvents:                   | 0.0 %                                      |                 |
| VOC content:                        | 0.0 g/l / 0.00 lb/gl                       |                 |
| Solids content:                     | 100.0 %                                    |                 |
| • Other information                 | No further relevant information available. |                 |

#### **10 Stability and reactivity**

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

#### · NTP (National Toxicology Program)

Substance is not listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

(Contd. on page 6)

Printing date 07/31/2016

Reviewed on 07/31/2016

Trade name: Molybdenum(III) chloride (99.5%-Mo)

(Contd. of page 5)

#### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- · *PBT:* Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

| · UN-Number                  |                          |  |
|------------------------------|--------------------------|--|
| · DOT, IMDG, IATA            | UN1759                   |  |
| · UN proper shipping name    |                          |  |
| · DOT, IATA                  | Corrosive solids, n.o.s. |  |
| ·IMDG                        | CORROSIVE SOLID, N.O.S.  |  |
| · Transport hazard class(es) |                          |  |
| ·DOT                         |                          |  |
| CORROSIVE<br>8               |                          |  |
| · Class                      | 8 Corrosive substances   |  |
| · Label                      | 8                        |  |
| · IMDG, IATA                 |                          |  |
|                              |                          |  |
| · Class                      | 8 Corrosive substances   |  |
| · Label                      | 8                        |  |



Printing date 07/31/2016

CHEMICALS, INC

Reviewed on 07/31/2016

Trade name: Molybdenum(III) chloride (99.5%-Mo)

|  | (Contd. of pa                                   |
|--|---|
| Packing group                          |   |
| DOT, IMDG, IATA                        | II  |
| Environmental hazards:                 |   |
| Marine pollutant:                      | No  |
| Special precautions for user           | Warning: Corrosive substances                   |
| EMS Number:                            | F-A,S-B   |
| Stowage Category                       | A   |
| Transport in bulk according to Annex   | II of   |
| MARPOL73/78 and the IBC Code           | Not applicable.                                 |
| Transport/Additional information:      |   |
| DOT                                    |   |
| Quantity limitations                   | On passenger aircraft/rail: 15 kg               |
| ~ ·                                    | On cargo aircraft only: 50 kg                   |
| IMDG                                   |   |
| Limited quantities (LQ)                | 1 kg  |
| Excepted quantities $(\widetilde{E}Q)$ | Code: E2  |
|  | Maximum net quantity per inner packaging: 30 g  |
|  | Maximum net quantity per outer packaging: 500 g |
| UN ''Model Regulation'':               | UN 1759 CORROSIVE SOLIDS, N.O.S., 8, II         |

## **15 Regulatory information**

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara
- Section 355 (extremely hazardous substances):
- Substance is not listed.
- $\cdot$  Section 313 (Specific toxic chemical listings):
- Substance is not listed.
- · TSCA (Toxic Substances Control Act):
- Substance is listed.
- · Proposition 65
- · Chemicals known to cause cancer:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females:
- Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males:
- Substance is not listed.
- · Chemicals known to cause developmental toxicity:
- Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- Substance is not listed.

(Contd. on page 8)

US

Printing date 07/31/2016

CHEMICALS, INC

Reviewed on 07/31/2016

Trade name: Molybdenum(III) chloride (99.5%-Mo)

(Contd. of page 7)

| · TLV (Threshold Limi                 | it Value established by ACGIH)  |
|---------------------------------------|---|
| Substance is not listed               | l.  |
| · NIOSH-Ca (National                  | Institute for Occupational Safety and Health)   |
| Substance is not listed               | l.  |
| · GHS label elements                  |   |
| The substance is class                | ified and labeled according to the Globally Harmonized System (GHS).  |
| <ul> <li>Hazard pictograms</li> </ul> |   |
| GHS05                                 |   |
| • Signal word Danger                  | components of labeling:   |
| Molybdenum(III) chlo                  |   |
| • Hazard statements                   |   |
| -                                     | kin burns and eye damage.   |
| · Precautionary statem                |   |
|                                       | andle under inert gas.  |
| P303+P361+P353 If                     | on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ower.                                  |
|                                       | in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present<br>ad easy to do. Continue rinsing. |
| P403+P233 Ste                         | ore in a well-ventilated place. Keep container tightly closed.  |
| P422 Ste                              | ore contents under inert gas.   |
|                                       | ispose of contents/container in accordance with local/regional/national/international gulations.                                |
| · Chemical safety asses               | ssment: A Chemical Safety Assessment has not been carried out.  |

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/31/2016 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

(Contd. on page 9)

Printing date 07/31/2016

Reviewed on 07/31/2016

Trade name: Molybdenum(III) chloride (99.5%-Mo)

REL: Recommended Exposure Limit Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 (Contd. of page 8)

us –

