

1-[4-(Trifluoromethoxy)phenyl]ethylamine Safety Data Sheet 4630384 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 06/07/2018 Version: 1.0

SECTION 1: Identification	
1.1. Identification Product form	: Substance
Substance name CAS No	: 1-[4-(Trifluoromethoxy)phenyl]ethylamine : 123195-23-3
Product code	: 4630-3-84
Foduci code Formula	: C9H10F3NO
Other means of identification	: MFCD07784301
	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the saf	ety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificati	on
2.1. Classification of the substance of	
Classification (GHS-US)	
Skin Corr. 1BH314 - Causes sevenEye Dam. 1H318 - Causes seriouSTOT SE 3H335 - May cause res	
Eye Dam. 1 H318 - Causes seriou	us eye damage
Eye Dam. 1H318 - Causes seriouSTOT SE 3H335 - May cause resFull text of H-phrases: see section 16	us eye damage
Eye Dam. 1 H318 - Causes seriou STOT SE 3 H335 - May cause res Full text of H-phrases: see section 16 2.2. Label elements	Is eye damage spiratory irritation
Eye Dam. 1 H318 - Causes seriou STOT SE 3 H335 - May cause res Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	us eye damage
Eye Dam. 1 H318 - Causes seriou STOT SE 3 H335 - May cause res Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	 spiratory irritation : <li:< li=""> : : <li:< li=""> <li:< li=""></li:<></li:<></li:<>
Eye Dam. 1 H318 - Causes seriou STOT SE 3 H335 - May cause res Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 us eye damage spiratory irritation : Optimized in the spiratory irritation : Optimized is a spiratory irritation : Optimized is a spiratory irritation : Danger : H302 - Harmful if swallowed H314 - Causes severe skin burns and eye damage

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P403+P233 Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up
- P501 Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards					
No additional information available					
2.4. Unknown acute toxicity (GHS US)					
Not applicable					
SECTION 3: Composition/information	n on in	gredients			
3.1. Substance					
Substance type	: Mono	-constituent			
Name		Product identifier	%	Classification (GHS-US)	
1-[4-(Trifluoromethoxy)phenyl]ethylamine (Main constituent)		(CAS No) 123195-23-3	<= 100	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335	
Full text of H-phrases: see section 16		· · · · · · · · · · · · · · · · · · ·		·	
3.2. Mixture					
Not applicable					
SECTION 4: First aid measures					
4.1. Description of first aid measures					
First-aid measures general		se of accident or if you feel unwell, seek is possible). Move the affected personnel			
First-aid measures after inhalation		ove person to fresh air and keep comforta ration. Get immediate medical advice/atte		g. If not breathing, give artificial	
First-aid measures after skin contact		with plenty of soap and water. Remove cal advice/attention.	contaminated cl	othing and shoes. Get immediate	
First-aid measures after eye contact		diately flush eyes thoroughly with water t ent and easy to do. Continue rinsing. Get			
First-aid measures after ingestion		OT induce vomiting. Never give anything h out with water. Get immediate medical			
4.2. Most important symptoms and effect	s, both	acute and delayed			
Symptoms/injuries		nost important known symptoms and effe and/or in section 11.	ects are describe	ed in the labelling (see section	
Symptoms/injuries after inhalation		rial is destructive to tissue of the mucuou ness of breath, headache, nausea.	s membranes a	nd upper respiratory tract. Cough,	
4.3. Indication of any immediate medical	attentio	n and special treatment needed			
Treat symptomatically.					
SECTION 5: Firefighting measures					
5.1. Extinguishing media					
Suitable extinguishing media		ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.	owder. Water sp	ray. Use extinguishing media	
5.2. Special hazards arising from the sub	stance of	or mixture			
Fire hazard	: Therr	nal decomposition generates: Carbon ox	ides. Hydrogen	fluoride. Nitrogen oxides.	
Explosion hazard		of explosion if heated under confinement iners.	. Use water spra	ay or fog for cooling exposed	
5.3. Advice for firefighters					
Firefighting instructions	: In cas	se of fire: Evacuate area. Fight fire remot	ely due to the ris	sk of explosion.	
Protection during firefighting		gas tight chemically protective clothing i ratus. For further information refer to sec			
SECTION 6: Accidental release meas	ures				
6.1. Personal precautions, protective equ		and emergency procedures			
		uate unnecessary personnel. Ensure ade			

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1.	For non-emergency personnel	
Emergen	cy procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2.	For emergency responders	
Protective	e equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergen	cy procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2.	Environmental precautions	

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containm	ent and cleaning up
For containment	
	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, include	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Air sensitive. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.

: Store in dry, cool, well-ventilated area. Storage area

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and			
9.1. Information on basic	physical and chemical properties		
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: 69.7 - 70.1 °C (@ 6 mm Hg)		
06/07/2018	EN (English US)	SDS ID: 4630384	3/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6	
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 205.177 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information**

No additional information available

No additional information available 10.2. Chemical stability The product is stable at normal handling and storage conditions. 10.3. Possibility of hazardous reactions No additional information available 10.4. Conditions to avoid Keep away from heat, sparks and flame. 10.5. Incompatible materials Strong oxidizing agents. Carbon dioxide. 10.6. Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in carbon	10.1.	Reactivity
The product is stable at normal handling and storage conditions. 10.3. Possibility of hazardous reactions No additional information available 10.4. Conditions to avoid Keep away from heat, sparks and flame. 10.5. Incompatible materials Strong oxidizing agents. Carbon dioxide. 10.6. Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in carbon	No add	itional information available
10.3. Possibility of hazardous reactions No additional information available 10.4. Conditions to avoid Keep away from heat, sparks and flame. 10.5. Incompatible materials Strong oxidizing agents. Carbon dioxide. 10.6. Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in carbon	10.2.	Chemical stability
No additional information available 10.4. Conditions to avoid 10.4. Conditions to avoid Keep away from heat, sparks and flame. Incompatible materials 10.5. Incompatible materials Strong oxidizing agents. Carbon dioxide. Incompatible materials 10.6. Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in carbon	The pro	duct is stable at normal handling and storage conditions.
10.4. Conditions to avoid Keep away from heat, sparks and flame. Incompatible materials 10.5. Incompatible materials Strong oxidizing agents. Carbon dioxide. Incompatible materials 10.6. Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in carbon	10.3.	Possibility of hazardous reactions
Keep away from heat, sparks and flame. 10.5. Incompatible materials Strong oxidizing agents. Carbon dioxide. 10.6. Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in carbon conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in carbon	No add	itional information available
10.5. Incompatible materials Strong oxidizing agents. Carbon dioxide. 10.6. Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in carbon conditions of storage and use, hazardous decomposition products should not be produced.	10.4.	Conditions to avoid
Strong oxidizing agents. Carbon dioxide. 10.6. Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in ca	Keep av	way from heat, sparks and flame.
 Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in ca 	10.5.	Incompatible materials
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in ca	Strong	oxidizing agents. Carbon dioxide.
	10.6.	Hazardous decomposition products
fire, see Section 5.		

11.1. Information on toxicological effects	5		
Acute toxicity	: Oral: Harmful if swallowed.		
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	 Causes severe skin burns a Causes serious eye damag Not classified Not classified Not classified Not classified 	, ,	
Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified : May cause respiratory irrita	tion.	
Specific target organ toxicity (repeated exposure)	: Not classified		
Aspiration hazard	: Not classified		
Symptoms/injuries after inhalation	: Material is destructive to tis shortness of breath, heada	sue of the mucuous membranes and upper resp che, nausea.	piratory tract. Cough,
06/07/2018	EN (English US)	SDS ID: 4630384	A/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTI	SECTION 12: Ecological information					
40.4	Taviaia					
12.1.	Toxicity					
No addit	ional information available					
12.2.	Persistence and degradability					
No addit	ional information available					
No adun						
12.3.	Bioaccumulative potential					
No oddi	ional information available					
No addi						
12.4.	Mobility in soil					
12.4.						
No addit	ional information available					
12.5.	Other adverse effects					
12.5.						
No addit	No additional information available					

SECTION 13: Disposal considerations					
13.1. Waste treatment methods					
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.				
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.				
Additional information	: Recycle the material as far as possible.				

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

- : UN2735 Amines, liquid, corrosive, n.o.s., 8, II
- : UN2735
- : Amines, liquid, corrosive, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



1	06/07/2018		ENI (English LIS) SDS ID: 4630384		5/7
	DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo ves passenger vessel.	sel and on a	
	DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	30 L		
	DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	: 1L		
	DOT Packaging Exceptions (49 CFR 173.xxx)	:	154		
	DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols DOT Special Provisions (49 CFR 172.102)		 202 242 G - Identifies PSN requiring a technical name B2 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 4 not authorized. IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and (31HZ1). Additional Requirement: Only liquids with a vapor pressure less kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are at T11 - 6 178.274(d)(2) Normal	d 31H2); Compos than or equal to uthorized. determined by th ean bulk tempera luring filling. may be used of the hazardous	site 110 e ture
	Packing group (DOT)		II - Medium Danger		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Other	: 52 - Stow "separated from" acids
Other information	: No supplementary information available.

TDG

No additional information available

Transport by sea

UN-No. (IMDG)	:	2735
Proper Shipping Name (IMDG)	:	AMINES, LIQUID, CORROSIVE, N.O.S.
Class (IMDG)	:	8 - Corrosive substances
Packing group (IMDG)	:	II - substances presenting medium danger
Air transport		
UN-No. (IATA)	:	2735
Proper Shipping Name (IATA)	:	Amines, liquid, corrosive, n.o.s.

 Proper Shipping Name (IATA)
 : Amines, liquid, corro

 Class (IATA)
 : 8 - Corrosives

 Packing group (IATA)
 : II - Medium Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

1-[4-(Trifluoromethoxy)phenyl]ethylamine	CAS No 123195-23-3	100%
--	--------------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.