

(R)-1-[3-(Trifluoromethyl)phenyl]ethylamine Safety Data Sheet 38303R3 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 11/24/2015 Revision date: 04/18/2016 Version: 1.1

| SECTION 1: Identification | |
|--|---|
| | |
| 1.1. Identification | |
| Product form | : Substance |
| Substance name | : (R)-1-[3-(Trifluoromethyl)phenyl]ethylamine |
| CAS No | : 127852-30-6 |
| Product code | : 3830-3-R3 |
| Formula | : C9H10F3N |
| Synonyms | : R-MTF-PEM |
| Other means of identification | : MFCD03093005 |
| | bstance or mixture and uses advised against |
| Use of the substance/mixture | : Laboratory chemicals Manufacture of substances Scientific research and development |
| 1.3. Details of the supplier of the safet | y data sheet |
| SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.c | <u>com</u> |
| 1.4. Emergency telephone number | |
| Emergency number | : (844) 523-4086 (3E Company - Account 10069) |
| SECTION 2: Hazard(s) identification | n |
| 2.1. Classification of the substance or | |
| Classification (GHS-US) | |
| STOT SE 3 H335 - May cause respiratory i | rritation |
| Full text of H-phrases: see section 16 | |
| 2.2. Label elements | |
| 2.2. Label elements GHS-US labeling | · • |
| 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) | : GHS07 : Warning |
| Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) | |
| 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) | : Warning : H227 - Combustible liquid H315 - Causes skin irritation H319 - Causes serious eye irritation |

(R)-1-[3-(Trifluoromethyl)phenyl]ethylamine

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool
- P405 Store locked up
- P501 Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

| 3.1. Substance | ation on ir | | | |
|--|--|--|---|---|
| Substance type | · Mon | o-constituent | | |
| | . 10101 | | | |
| Name | | Product identifier | % | Classification (GHS-US) |
| (R}-1-[3-(Trifluoromethyl)phenyl]ethylamine (Main constituent) | | (CAS No) 127852-30-6 | <= 100 | Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 |
| Full text of H-phrases: see section 16 | | | · | |
| 3.2. Mixture | | | | |
| Not applicable | | | | |
| SECTION 4: First aid measures | | | | |
| 4.1. Description of first aid measure | s | | | |
| First-aid measures general | | se of accident or if you feel unwe e possible). Move the affected p | | |
| First-aid measures after inhalation | | ove person to fresh air and keep ration. Get medical advice/atten | | hing. If not breathing, give artificial |
| First-aid measures after skin contact | : Was | h with plenty of soap and water. | Get medical advice/at | tention. |
| First-aid measures after eye contact | | ediately flush eyes thoroughly wi ent and easy to do. Continue ring | | 5 minutes. Remove contact lenses, i ce/attention. |
| First-aid measures after ingestion | | IOT induce vomiting. Never give th out with water. Get medical ac | | an unconscious person. Rinse |
| 4.2. Most important symptoms and | effects, both | acute and delayed | | |
| Symptoms/injuries | | most important known symptoms and/or in section 11. | s and effects are desc | ribed in the labelling (see section |
| 4.3. Indication of any immediate me | dical attentio | on and special treatment need | ed | |
| Treat symptomatically. | | | | |
| SECTION 5: Firefighting measure | 29 | | | |
| 5.1. Extinguishing media | | | | |
| Suitable extinguishing media | | hol resistant foam. Carbon dioxic opriate for surrounding fire. | de. Dry powder. Water | spray. Use extinguishing media |
| 5.2. Special hazards arising from the | e substance | or mixture | | |
| Fire hazard | : Ther | mal decomposition generates: C | arbon oxides. Hydrog | en fluoride. Nitrogen oxides. |
| Explosion hazard | : Risk conta | of explosion if heated under con ainers. May form flammable/expl | finement. Use water s osive vapor-air mixtur | pray or fog for cooling exposed e. |
| | | | | |
| 5.3. Advice for firefighters | : In ca | se of fire: Evacuate area. Fight f | fire remotely due to the | e risk of explosion. |
| | | | clothing in combinatio | n with self contained breathing |
| 5.3. Advice for firefighters Firefighting instructions Protection during firefighting | | r gas tight chemically protective iratus. For further information ref | | sure controls/personal protection". |
| Firefighting instructions Protection during firefighting | appa | | | |
| Firefighting instructions Protection during firefighting SECTION 6: Accidental release n | appa neasures | ratus. For further information ref | | |
| Firefighting instructions Protection during firefighting SECTION 6: Accidental release n | appa neasures /e equipment : Evac | ratus. For further information ref | fer to section 8: "Expo | |
| Firefighting instructions Protection during firefighting SECTION 6: Accidental release m 6.1. Personal precautions, protectiv General measures | appa neasures /e equipment : Evac | and emergency procedures | fer to section 8: "Expo | sure controls/personal protection". |
| Firefighting instructions Protection during firefighting SECTION 6: Accidental release n 6.1. Personal precautions, protectiv | appa neasures re equipment : Evac vapo | and emergency procedures | fer to section 8: "Expo | sure controls/personal protection". ntilation. Do not breathe gas, fumes, |

(R)-1-[3-(Trifluoromethyl)phenyl]ethylamine Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| .1.2. For emergency responders | |
|--|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| mergency procedures | : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition. |
| .2. Environmental precautions | |
| void release to the environment. Notify authoritie | es if product enters sewers or public waters. |
| .3. Methods and material for containme | nt and cleaning up |
| or containment | : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. |
| lethods for cleaning up | : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. |
| Other information | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". |
| .4. Reference to other sections | |
| lo additional information available | |
| ECTION 7: Handling and storage | |
| .1. Precautions for safe handling | |
| dditional hazards when processed | : Handle empty containers with care because residual vapors are flammable. |
| Precautions for safe handling | : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. |
| lygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| .2. Conditions for safe storage, includin | g any incompatibilities |
| echnical measures | : Comply with applicable regulations. |
| torage conditions | : Keep container closed when not in use. Keep away from ignition sources. Air sensitive. Keep contents under inert gas. |
| ncompatible materials | : Refer to Section 10 on Incompatible Materials. |
| storage area | : Store in dry, cool, well-ventilated area. |
| | und must action |
| SECTION 8: Exposure controls/perso | |

No additional information available

| 8.2. Exposure controls | |
|--------------------------------------|---|
| Appropriate engineering controls | : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. |
| Hand protection | : Protective gloves. 29 CFR 1910.138: Hand Protection. |
| Eye protection | : Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection. |
| Skin and body protection | : Wear suitable protective clothing. |
| Respiratory protection | : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection. |
| Other information | : Safety shoes. 29 CFR 1910.136: Foot Protection. |
| SECTION & Physical and shami | |
| SECTION 9: Physical and chemi | cal properties |
| 9.1. Information on basic physical a | and chemical properties |

| 3.1. | information on pasic physical and c | ne | inical properties |
|------------|-------------------------------------|----|-------------------|
| Physical | state | : | Liquid |
| Color | | : | No data available |
| Odor | | : | No data available |
| Odor three | eshold | : | No data available |
| pН | | : | No data available |
| Melting p | point | : | No data available |
| | | | |

(R)-1-[3-(Trifluoromethyl)phenyl]ethylamine Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Freezing point | : No data available |
|---|--------------------------------|
| Boiling point | : 69.4 - 70.8 °C (@ 4.5 mm Hg) |
| Flash point | : 72 °C |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Vapor pressure | : No data available |
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Molecular mass | : 189.18 g/mol |
| Solubility | : No data available |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| | |

9.2. Other information

No additional information available

| SECT | ION 10: Stability and reactivity |
|----------|---|
| 10.1. | Reactivity |
| No addi | tional information available |
| 10.2. | Chemical stability |
| The pro | duct is stable at normal handling and storage conditions. |
| 10.3. | Possibility of hazardous reactions |
| No addi | tional information available |
| 10.4. | Conditions to avoid |
| No addi | tional information available |
| 10.5. | Incompatible materials |
| Acids. A | Acid chlorides. Acid anhydrides. Carbon dioxide. Strong oxidizing agents. |
| 10.6. | Hazardous decomposition products |
| | normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of e Section 5. |
| SECT | ION 11: Toxicological information |
| 11.1. | Information on toxicological effects |

| Acute toxicity | : Not classified |
|--|---|
| Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity | Causes skin irritation. Causes serious eye irritation. Not classified Not classified Not classified Not classified |
| Reproductive toxicity Specific target organ toxicity (single exposure) | Not classifiedMay cause respiratory irritation. |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |
| 12/08/2016 | EN (English US) |

(R)-1-[3-(Trifluoromethyl)phenyl]ethylamine

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Potential Adverse human health effects and symptoms | : Overexposure to this material may result in methemoglobinemia. Cyanosis may occur (lips and fingernails turn blue). |
|--|---|
| ECTION 12: Ecological information | n |
| 2.1. Toxicity | |
| lo additional information available | |
| 2.2. Persistence and degradability | |
| lo additional information available | |
| 2.3. Bioaccumulative potential | |
| lo additional information available | |
| 2.4. Mobility in soil | |
| lo additional information available | |
| 2.5. Other adverse effects | |
| No additional information available | |
| | |
| SECTION 13: Disposal consideratio | ns |
| 3.1. Waste treatment methods | |
| Vaste treatment methods | : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. |
| Vaste disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| dditional information | : Recycle the material as far as possible. |
| ECTION 14: Transport information | |
| Department of Transportation (DOT) | |
| n accordance with DOT | |
| ransport document description | : NA1993 Combustible liquid, n.o.s., 3, III |
| | |
| | NA 1003 |
| | : NA1993 Combustible liquid in o s |
| Proper Shipping Name (DOT) | : Combustible liquid, n.o.s. |
| Proper Shipping Name (DOT) ransport hazard class(es) (DOT) | Combustible liquid, n.o.s. 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 |
| Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Packing group (DOT) | Combustible liquid, n.o.s. 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 III - Minor Danger |
| Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) | Combustible liquid, n.o.s. 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 III - Minor Danger 203 |
| Proper Shipping Name (DOT) Fransport hazard class(es) (DOT) Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) | Combustible liquid, n.o.s. 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 III - Minor Danger |
| Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols | Combustible liquid, n.o.s. 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 III - Minor Danger 203 241 D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN |
| UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols DOT Special Provisions (49 CFR 172.102) | Combustible liquid, n.o.s. 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 III - Minor Danger 203 241 D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 56 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal |

DOT Vessel Stowage Location Other information

DOT Quantity Limitations Passenger aircraft/rail : 60 L

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

TDG

No additional information available

(49 CFR 173.27)

CFR 175.75)

passenger vessel.

: No supplementary information available.

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

(R)-1-[3-(Trifluoromethyl)phenyl]ethylamine

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea

No additional information available

Air transport

No additional information available

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

| | (R)-1-[3-(Trifluoromethyl)phenyl]ethylamine | CAS No 127852-30-6 | 100% |
|--|---|--------------------|------|
|--|---|--------------------|------|

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

: 04/18/2016

Full text of H-phrases:

Revision date

| i uli tex | a or ri-prilases. | |
|--|---|---|
| | Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| | Flam. Liq. 4 | Flammable liquids Category 4 |
| | Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| | STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| | H227 | Combustible liquid |
| | H315 | Causes skin irritation |
| | H319 | Causes serious eye irritation |
| | H335 | May cause respiratory irritation |
| NFPA fire hazard : 1 - Must NFPA reactivity : 0 - Norm | | : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. : 1 - Must be preheated before ignition can occur. : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. |
| HMIS I | II Rating | · · |
| Health | | : 2 Moderate Hazard - Temporary or minor injury may occur |
| Flamm | ammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes live solids and semi solids having a flash point above 200 F. (Class IIIB) | |
| Physic | al | : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. |
| SDS US | 6 (GHS HazCom 2012) | |
| | | |

(R)-1-[3-(Trifluoromethyl)phenyl]ethylamine Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.