

2,3,5-Trifluorobenzoyl chloride Safety Data Sheet 2616748 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 04/28/2016 Version: 1.0

| SECTION 1: Identification | |
|--|---|
| 1.1. Identification | |
| Product form : | Substance |
| Substance name : | 2,3,5-Trifluorobenzoyl chloride |
| CAS No : | 240800-48-0 |
| Product code : | 2616-7-48 |
| Formula : | C7H2CIF3O |
| Other means of identification : | MFCD00083541 |
| 1.2. Relevant identified uses of the substar | nce or mixture and uses advised against |
| | Laboratory chemicals Manufacture of substances Scientific research and development |
| 1.3. Details of the supplier of the safety dat | ta sheet |
| SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com | |
| 1.4. Emergency telephone number | |
| Emergency number : | (844) 523-4086 (3E Company - Account 10069) |
| SECTION 2: Hazard(s) identification | |
| 2.1. Classification of the substance or mixt | hure |
| | |
| Classification (GHS-US) | |
| Skin Corr. 1BH314 - Causes severe skin burnsEye Dam. 1H318 - Causes serious eye damagSTOT SE 3H335 - May cause respiratory irrita | ge |
| Full text of H-phrases: see section 16 | |
| | |
| 2.2. Label elements | |
| GHS-US labeling | |
| Hazard pictograms (GHS-US) : | GHS05 GHS07 |
| o | Danger |
| Hazard statements (GHS-US) : | H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation |
| Precautionary statements (GHS-US) : | P260 - Do not breathe fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician P321 - Specific treatment (see supplemental first aid instructions on this label) P363 - Wash contaminated clothing before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant |

2,3,5-Trifluorobenzoyl chloride Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / R

| 2.3. Other hazards | | | | |
|---|---------------------|---|-----------------------|--|
| Other hazards not contributing to the classification | : Lachrymator. | | | |
| 2.4. Unknown acute toxicity (GHS US) | | | | |
| Not applicable | | | | |
| SECTION 3: Composition/informat | ion on ingre | edients | | |
| 3.1. Substance | | | | |
| Substance type | : Mono-co | nstituent | | |
| Name | P | roduct identifier | % | Classification (GHS-US) |
| 2,3,5-Trifluorobenzoyl chloride (Main constituent) | (C | CAS No) 240800-48-0 | <= 100 | Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 |
| Full text of H-phrases: see section 16 | I | | | |
| 3.2. Mixture | | | | |
| Not applicable | | | | |
| SECTION 4: First aid measures | | | | |
| 4.1. Description of first aid measures | | | | |
| First-aid measures general | | of accident or if you feel unwell, ossible). Move the affected pers | | |
| First-aid measures after inhalation | | person to fresh air and keep co on. Get immediate medical advi | | ning. If not breathing, give artificial |
| First-aid measures after skin contact | medical a | : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention. | | |
| First-aid measures after eye contact | present a | : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. | | |
| First-aid measures after ingestion | | : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention. | | |
| 4.2. Most important symptoms and eff | | | | |
| Symptoms/injuries | | t important known symptoms ai ′or in section 11. | nd effects are descri | ibed in the labelling (see section |
| Symptoms/injuries after inhalation | | : Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea. | | |
| 4.3. Indication of any immediate media | cal attention a | nd special treatment needed | | |
| Treat symptomatically. | | | | |
| SECTION 5: Firefighting measures | ; | | | |
| 5.1. Extinguishing media | | | | |
| Suitable extinguishing media | | esistant foam. Carbon dioxide. ate for surrounding fire. | Dry powder. Water | spray. Use extinguishing media |
| 5.2. Special hazards arising from the s | substance or n | nixture | | |
| Fire hazard | : Thermal | decomposition generates: Cart | oon oxides. Hydroge | en chloride. Hydrogen fluoride. |
| Explosion hazard | container | | | |
| Reactivity | | vith water, generates gases or h nighly explosive/flammable hydr | | osure to water with some metals to |
| 5.3. Advice for firefighters | | | | |
| Firefighting instructions | : In case o | of fire: Evacuate area. Fight fire | remotely due to the | risk of explosion. |
| Protection during firefighting | | s tight chemically protective clo s. For further information refer | | with self contained breathing ure controls/personal protection". |
| SECTION 6: Accidental release me | easures | | | |
| 6.1. Personal precautions, protective | equipment and | l emergency procedures | | |
| | : Evacuate vapor or | | ire adequate air ven | tilation. Do not breathe gas, fumes, |
| General measures | | 1 5 | | |
| General measures 6.1.1. For non-emergency personnel | · | | | |

2.3.5-Trifluorobenzovl chloride

| 6.1.2. For emergency responders | |
|--|--|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. |
| 6.2. Environmental precautions | |
| Avoid release to the environment. Notify | authorities if product enters sewers or public waters. |
| 6.3. Methods and material for co | ontainment and cleaning up |
| For containment | : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. |
| Methods for cleaning up | : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. |
| Other information | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". |
| 6.4. Reference to other sections | |
| No additional information available | |
| SECTION 7: Handling and sto | rage |
| 7.1. Precautions for safe handlin | |
| Precautions for safe handling | Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or |
| Hygiene measures | smoke when using this product. Always wash hands after handling the product. |
| 7.2. Conditions for safe storage | , including any incompatibilities |
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas. |
| Incompatible materials | : Refer to Section 10 on Incompatible Materials. |
| Storage area | : Store in dry, cool, well-ventilated area. |
| SECTION 8: Exposure control | s/personal protection |
| 8.1. Control parameters | |
| No additional information available | |
| 8.2. Exposure controls | |
| Appropriate engineering controls | : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. |
| Hand protection | : Protective gloves. 29 CFR 1910.138: Hand Protection. |
| | |

- : Protective gloves. 29 CFR 1910.138: Hand Protection.
- : Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
- Skin and body protection : Wear suitable protective clothing.
- Respiratory protection : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
 - : Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state : Liquid : No data available Color Odor : No data available Odor threshold : No data available pН : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point : No data available Relative evaporation rate (butyl acetate=1) : No data available

Eye protection

Other information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Flammability (solid, gas) | : No data available |
|---------------------------------|---------------------|
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Vapor pressure | : No data available |
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Molecular mass | : 194.54 g/mol |
| Solubility | : No data available |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| | |

9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.

10.2. **Chemical stability**

The product is stable at normal handling and storage conditions.

Possibility of hazardous reactions 10.3.

No additional information available

10.4. **Conditions to avoid**

Keep away from heat, sparks and flame. Moisture.

Incompatible materials 10.5.

Alcohols. Oxidizing agents. Strong bases. Water.

Hazardous decomposition products 10.6.

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

| Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity | Causes severe skin burns and eye damage. Causes serious eye damage. Not classified Not classified |
|--|--|
| Carcinogenicity Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated | Not classified Not classified May cause respiratory irritation. Not classified |
| exposure) Aspiration hazard | : Not classified |
| Symptoms/injuries after inhalation | : Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea. |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTI | ON 12: Ecological information | | |
|-------------------------------------|-------------------------------|--|--|
| | | | |
| 12.1. | Toxicity | | |
| No addit | ional information available | | |
| | | | |
| 12.2. | Persistence and degradability | | |
| | | | |
| No addit | ional information available | | |
| 10.0 | | | |
| 12.3. | Bioaccumulative potential | | |
| No addit | ional information available | | |
| | | | |
| 12.4. | Mobility in soil | | |
| No additional information available | | | |
| NO auun | | | |
| | | | |
| 12.5. | Other adverse effects | | |
| No additional information available | | | |
| INO addit | | | |

| SECTION 13: Disposal consideratio | ns |
|-----------------------------------|---|
| 13.1. Waste treatment methods | |
| Waste treatment methods | : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. |
| Waste disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Additional information | : Recycle the material as far as possible. |
| | |

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

| : | UN3265 | Corrosive | liquid, | acidic, | organic, | n.o.s., | 8, II | I |
|---|--------|-----------|---------|---------|----------|---------|-------|---|
|---|--------|-----------|---------|---------|----------|---------|-------|---|

: UN3265

- : Corrosive liquid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



| Packing group (DOT) | III - Minor Danger |
|--|--|
| DOT Packaging Non Bulk (49 CFR 173.xxx) | 203 |
| DOT Packaging Bulk (49 CFR 173.xxx) | 241 |
| DOT Symbols | G - Identifies PSN requiring a technical name |
| DOT Special Provisions (49 CFR 172.102) | IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T7 - 4 178.274(d)(2) Normal |
| DOT Packaging Exceptions (49 CFR 173.xxx) | 154 |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | 5 L |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | 60 L |
| DOT Vessel Stowage Location | A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 DOT Vessel Stowage Other
 : 40 - Stow "clear of living quarters"

 Other information
 : No supplementary information available.

 TDG
 No additional information available

 Transport by sea
 : 3265

| | . 5265 |
|-----------------------------|---|
| Proper Shipping Name (IMDG) | : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. |
| Class (IMDG) | : 8 - Corrosive substances |
| Packing group (IMDG) | : III - substances presenting low danger |
| | |
| Air transport | |
| UN-No. (IATA) | : 3265 |
| Proper Shipping Name (IATA) | : Corrosive liquid, acidic, organic, n.o.s. |
| Class (IATA) | : 8 - Corrosives |

Class (IATA) Packing group (IATA)

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

2,3,5-Trifluorobenzoyl chloride CAS No 240800-48-0 100%

: III - Minor Danger

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
|---------------|---|
| Skin Corr. 1B | Skin corrosion/irritation Category 1B |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H314 | Causes severe skin burns and eye damage |
| H318 | Causes serious eye damage |
| H335 | May cause respiratory irritation |

| NFPA health hazard | : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. |
|--------------------|---|
| NFPA fire hazard | : 1 - Must be preheated before ignition can occur. |
| NFPA reactivity | : 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently. |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| HMIS III Rating | |
|-----------------|--|
| Health | : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given |
| Flammability | 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) |
| Physical | : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors. |

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.