

5-Fluoro-2-methylbenzyl bromide Safety Data Sheet 1700B15 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 01/08/2015 Version: 1.0

1.1. Identification	
Product form	: Substance
Substance name	: 5-Fluoro-2-methylbenzyl bromide
CAS No	: 261951-71-7
Product code	: 1700-B-15
Formula	: C8H8BrF
Synonyms	: 2-(Bromomethyl)-4-fluoro-1-methylbenzene; alpha-Bromo-5-fluoro-o-xylene
Other means of identification	: MFCD01631528
	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals
Use of the substance/mixture	Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	ifety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - <u>www.synquestlab</u>	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificat	tion
2.1. Classification of the substance	or mixture
Classification (GHS-US)	
Skin Corr. 1AH314 - Causes severe skinEye Dam. 1H318 - Causes serious eyeSTOT SE 3H335 - May cause respirat	n burns and eye damage re damage
Skin Corr. 1A H314 - Causes severe skii Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirat Full text of H-phrases: see section 16	n burns and eye damage re damage
Skin Corr. 1A H314 - Causes severe skii Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirate Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	n burns and eye damage re damage
Skin Corr. 1A H314 - Causes severe skii Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirate Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	n burns and eye damage re damage tory irritation
Skin Corr. 1A H314 - Causes severe skii Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirat Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	n burns and eye damage re damage tory irritation
Skin Corr. 1A H314 - Causes severe skii Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirat Full text of H-phrases: see section 16	n burns and eye damage re damage tory irritation
Skin Corr. 1A H314 - Causes severe skii Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirat Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	n burns and eye damage te damage tory irritation : : : : : : : : : : : : : : : : : :

5-Fluoro-2-methylbenzyl bromide Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P403 P405	 +P233 - Store in a well-ventilated place. +P235 - Store in a well-ventilated place. - Store locked up - Dispose of contents/container to an ap 	Keep cool	
2.3. Other hazards				
Other hazards not contributing to the classification	: Lach	rymator.		
2.4. Unknown acute toxicity (GHS US	5)			
Not applicable				
SECTION 3: Composition/informa	tion on in	aradionte		
		greulents		
3.1. Substance				
Substance type	: Mono	p-constituent		
Name		Product identifier	%	Classification (GHS-US)
5-Fluoro-2-methylbenzyl bromide (Main constituent)		(CAS No) 261951-71-7	<= 100	Flam. Liq. 4, H227 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	: In ca	se of accident or if you feel unwell, seek e possible). Move the affected personnel		
First-aid measures after inhalation	: Remo	ove person to fresh air and keep comfort ration. Get immediate medical advice/atto	able for breathir	
First-aid measures after skin contact	: Wash	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention.		
First-aid measures after eye contact		Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.		
First-aid measures after ingestion		Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.		
4.2. Most important symptoms and e	ffects, both	acute and delayed		
Symptoms/injuries		nost important known symptoms and effe and/or in section 11.	ects are describ	ed in the labelling (see section
Symptoms/injuries after inhalation		rial is destructive to tissue of the mucuou ness of breath, headache, nausea.	s membranes a	and upper respiratory tract. Cough,
4.3. Indication of any immediate med Treat symptomatically.	ical attentio	n and special treatment needed		
SECTION 5: Firefighting measures	S			
5.1. Extinguishing media				
Suitable extinguishing media		nol resistant foam. Carbon dioxide. Dry popriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
5.2. Special hazards arising from the	substance	or mixture		
Fire hazard	: Therr	nal decomposition generates: Carbon ox	ides. Hydrogen	bromide. Hydrogen fluoride.
Explosion hazard		of explosion if heated under confinement iners. May form flammable/explosive va		ay or fog for cooling exposed
5.3. Advice for firefighters				
Firefighting instructions	: In ca	se of fire: Evacuate area. Fight fire remo	ely due to the ri	isk of explosion.
Protection during firefighting	: Wear	gas tight chemically protective clothing i ratus. For further information refer to sec	n combination v	vith self contained breathing
SECTION 6: Accidental release m				
6.1. Personal precautions, protective	equipment	and emergency procedures		
General measures		uate unnecessary personnel. Ensure ade r or spray.	equate air ventil	ation. Do not breathe gas, fumes,
		glish US)	SDS ID: 1700B15	5 2/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1.	For non-emergency personnel	
Emergen	cy procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2.	For emergency responders	
Protective	e equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergen	cy procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2.	Environmental precautions	

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3.	Methods and material for containment and cleaning up		
For cont	ainment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods	s for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other in	formation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4.	Reference to other sections		

No additional information available

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection 8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

hold	: No data available : No data available	
	: No data available	
	: No data available	
	. Liquid	
ate	· Liquid	
Information on basic physical and chemical properties		
N 9: Physical and chemical p	properties	
		: No data available

5-Fluoro-2-methylbenzyl bromide Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 84 - 85 °C (@ 8 mm Hg)
Flash point	: 85 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 203.05 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.5485 (@ 20 °C)
SECTION 10: Stability and reactivit	У
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and st	torage conditions.
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	
10.5. Incompatible materials	
Strong bases. Strong oxidizing agents.	
10.6. Hazardous decomposition product	ts
Under normal conditions of storage and use, hat fire, see Section 5.	azardous decomposition products should not be produced. Hazardous decomposition products in case of

11.1. Information on toxicological effects

Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes severe skin burns and eye damage.	
Serious eye damage/irritation	: Causes serious eye damage.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure)	: Not classified	
12/06/2016	EN (English US)	SDS ID: 1700B15

Safety Data Sheet

Symptoms/injuries after inhalation

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Assistion boxed	. Not clossified
Aspiration hazard	: Not classified

: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECT	ON 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects

No additional information available

SECTION 13: Disposal consideration	ons
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	1

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

DOT Symbols

DOT Special Provisions (49 CFR 172.102)

- : UN3265 Corrosive liquid, acidic, organic, n.o.s., 8, III
- : UN3265
- : Corrosive liquid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- : 203

: 241

: G - Identifies PSN requiring a technical name

: IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

DOT Packaging Exceptions (49 CFR 173.xxx) : 154 DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

12/06/2016

Safety Data Sheet

DOT Quantity Limitations Cargo aircraft on CFR 175.75)	ly (49 : 60 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3265
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3265
Proper Shipping Name (IATA)	: Corrosive liquid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

5-Fluoro-2-methylbenzyl bromide	CAS No 261951-71-7	100%	

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 4	Flammable liquids Category 4
Skin Corr. 1A	Skin corrosion/irritation Category 1A
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.