

Revision number: 2 Revision date: 10/06/2014

IDENTIFICATION 1.

Product name: Product code:

N-Butylaniline B0711

Product use: **Restrictions on use:**

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity - Oral [Category 4] Skin Corrosion/Irritation [Category 2] Eye Damage/Irritation [Category 2A] Specific Target Organ Toxicity (Single Exposure) [Category 1] Specific Target Organ Toxicity (Repeated Exposure) [Category 1]

Danger!

Signal word:

Hazard Statement(s):

Causes serious eye irritation Causes skin irritation Harmful if swallowed Causes damage to: Blood Causes damage to organs: Blood through prolonged or repeated exposure.

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention]

[Response]

[Storage] [Disposal]

Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Wear protective gloves. Wear eye and face protection. Do not breathe fume, mist, vapors or spray. If swallowed: Immediately call a poison center or doctor. Rinse mouth. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. If exposed: Call a poison center or doctor. Get medical advice or attention if you feel unwell. Store locked up.

Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

For laboratory research purposes. Not for drug or household use.

TCI AMERICA

SAFETY DATA SHEET

Company:	Emergency telephone number:
TCI America	Chemical Emergencies:
9211 N. Harborgate Street	TCI America (8:00am - 5:00pm) PST
Portland, OR 97203 U.S.A.	+1-503-286-7624
Telephone:	Transportation Emergencies:
+1-800-423-8616 / +1-503-283-1681	Chemtrec 24-Hour
Fax:	+1-800-424-9300 (U.S.A.)
+1-888-520-1075 / +1-503-283-1987	+1-703-527-3887 (International)
e-mail:	Responsible department:
sales-US@TCIchemicals.com	TCI America
www.TCIchemicals.com	Environmental Health Safety and Security
	+1- 503-286-7624

TCI AMERICA

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Components:	Substance N-Butylaniline
Percent:	>98.0%(GC)(T)
CAS Number:	1126-78-9
Molecular Weight:	149.24
Chemical Formula:	C ₁₀ H ₁₅ N

4. FIRST-AID MEASURES

Inhalation:	Call a poison center or doctor if you feel unwell. Effects of exposure (inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Skin contact:	Call a poison center or doctor if you feel unwell. Effects of exposure (skin contact) to substance may be delayed. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye contact:	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with material may irritate or burn eyes. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion:	Harmful if swallowed. Do not induce vomiting without medical advice. Effects of exposure (ingestion) to substance may be delayed. If swallowed, seek medical advice immediately and show the container or label. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Symptoms/effects:	
Acute: Delayed:	Redness. No data available
Immediate medical attention:	WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is harmful. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media:	Dry chemical, CO_2 , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations.
Specific hazards arising from the chem Hazardous combustion products: Other specific hazards:	ical These products include: Carbon oxides Nitrogen oxides Closed containers may explode from heat of a fire.
heated. Move containers from fire area if y Special protective equipment for fire-fig	

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Personal protective equipment:	Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
Emergency procedures:	Do not clean-up or dispose except under supervision of a specialist. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. **Environmental precautions:**

Keep away from living quarters. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE	
Precautions for safe handling:	Do NOT breath gas, fumes, vapor, or spray. Do not ingest. Avoid contact with skin and eyes. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.
Conditions for safe storage:	Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store under inert gas (e.g. Argon).
Storage incompatibilities:	Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment

Respiratory protection:	Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
Hand protection:	Wear protective gloves.
Eye protection:	Splash goggles.
Skin and body protection:	Lab coat.

No data available

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Form: Color: Odor: Odor threshold:	Liquid Clear Yellow - Yellow red No data available No data available		
Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic Viscosity:	No data available 240°C (464°F) No data available 0.93 No data available	pH: Vapor pressure: Vapor density: Dynamic Viscosity:	No data available No data available No data available No data available
Partition coefficient: n-octanol/water (log P _{ow})	No data available	Evaporation rate: (Butyl Acetate = 1)	No data available
Flash point: Flammability (solid, gas):	105°C (221°F) No data available	Autoignition temper Flammability or exp Lower: Upper:	

Solubility(ies):

Water: Insoluble Soluble: Ether, Alcohols, Benzene

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: Possibility of Hazardous Reactions: Conditions to avoid: Incompatible materials: Hazardous Decomposition Products:	Not Available. Air sensitive. No hazardous reactivity has been reported. Air sensitive. Exposure to air. Oxidizing agents No data available	
11. TOXICOLOGICAL INFORMATION	V	
RTECS Number: BW9450000		
Acute Toxicity: orl-rat LD50:1620 mg/kg	skn-rbt LD50:5990 uL/kg	
unr-mam LD50:282 mg/kg		
Skin corrosion/irritation: skn-rbt 10 mg/24H open SEV	skn-rbt 20 mg/24H MOD	
Serious eye damage/irritation: eye-rbt 500 mg/24H MLD	eye-rbt 500 mg open	
Respiratory or skin sensitization: No data available		

Germ cell mutagenicity: No data available

Carcinogenicity:

No data available

IARC: No data available

NTP: No data available

OSHA: No data available

Reproductive toxicity: No data available

 Routes of Exposure:
 Inhalation, Eye contact, Ingestion, Skin contact.

 Symptoms related to exposure:
 Overexposure may result in serious illness or death. Skin contact may result in inflammation; characterized by itching, scaling, reddening, or occasionally blistering. Skin contact may result in redness, pain or dry skin. Eye contact may result in redness or pain.

 Potential Health Effects:
 Skin and eye contact may result in irritation.

 Target organ(s):
 Causes damage to: Blood

 Causes damage to organs: Blood through prolonged or repeated exposure.

12. ECOLOGICAL INFORMATION

Ecotoxicity Fish: Crustacea: Algae:	No data available No data available No data available
Persistence and degradability:	No data available
Bioaccumulative potential (BCF):	No data available
Mobillity in soil:	No data available
Partition coefficient:	No data available
n-octanol/water (log Pow)	
Soil adsorption (Koc):	No data available
Henry's Law:	No data available
constant (PaM ³ /mol)	

13. DISPOSAL	CONSIDERATIONS						
Disposal of product: Recy rules chen assis regu Was wate Disposal of container: Disp		Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil. Dispose of as unused product. Do not re-use empty containers. Observe all federal, state and local regulations when disposing of the substance.					
					14. TRANSPOI	RT INFORMATION	
					DOT (US)		
UN number:	Proper Shipping Nan	Class or Division: Packing Group:					
UN2738	N-Butylaniline	6.1 Toxic material.					
ΙΑΤΑ							
UN number:	Proper Shipping Nan	Class or Division: Packing Group:					
UN2738	N-Butylaniline	6.1 Toxic material.					
	-						

Class or Division:

6.1 Toxic material.

Packing Group:

Ш

 IMDG

 UN number:
 Proper Shipping Name:

 UN2738
 N-Butylaniline

F-A, S-A

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

CERCLA Hazardous substance and Reportable Quantity:		
SARA 313:	Not Listed	
SARA 302:	Not Listed	

State Regulations

EmS number:

State Right-to-Know

Massachusetts	Not Listed
New Jersey	Not Listed
Pennsylvania	Not Listed
California Proposition 65:	Not Listed

Other Information

NFPA Rating:

EC-No:

Health:	2
Flammability:	1
Instability:	0

HMIS Classification:

Health:	2
Flammability:	1
Physical:	0

International Inventories

WHMIS hazard cl	ass:
-----------------	------

D2A: Materials causing other toxic effects. (Very Toxic) D2B: Materials causing other toxic effects. (Toxic) 214-425-6

16. OTHER INFORMATION

Revision date: 10/06/2014 Revision number: 2

TCI AMERICA

16. OTHER INFORMATION

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective gogles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.