

TCI AMERICA

SAFETY DATA SHEET

Revision number: 4
Revision date: 11/12/2015

1. IDENTIFICATION

Product name: Tolylene Diisocyanate (2,4- ≈80%, 2,6- ≈20%)

Product code: T0264

Product use:For laboratory research purposes.Restrictions on use:Not for drug or household use.

Company: TCI America

9211 N. Harborgate Street Portland, OR 97203 U.S.A.

Telephone:

+1-800-423-8616 / +1-503-283-1681

Fax:

+1-888-520-1075 / +1-503-283-1987

e-mail:

sales-US@TClchemicals.com www.TClchemicals.com

Emergency telephone number:

Chemical Emergencies:

TCI America (8:00am - 5:00pm) PST

+1-503-286-7624

Transportation Emergencies:

Chemtrec 24-Hour

+1-800-424-9300 (U.S.A.)

+1-703-527-3887 (International)

Responsible department:

TCI America

Environmental Health Safety and Security

+1-503-286-7624

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity - Inhalation [Category 1]

Eye Damage/Irritation [Category 2A] Sensitization - Respiratory [Category 1] Sensitization - Skin [Category 1] Carcinogenicity [Category 2]

Specific Target Organ Toxicity (Single Exposure) [Category 1] Specific Target Organ Toxicity (Repeated Exposure) [Category 1] Specific Target Organ Toxicity (Repeated Exposure) [Category 2]

Aquatic Hazard (Acute) [Category 1] Aquatic Hazard (Long-Term) [Category 1] Skin Corrosion/Irritation [Category 1B]

Signal word: Danger!

Hazard Statement(s): Causes serious eye irritation

Causes severe skin burns and eye damage

Fatal if inhaled

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction Suspected of causing cancer Very toxic to aquatic life

Very toxic to aquatic life with long lasting effects

Causes damage to: Respiratory System Central Nervous System

Causes damage to organs: Respiratory System through prolonged or repeated exposure.

May cause damage to organs: Liver through prolonged or repeated exposure.

Pictogram(s) or Symbol(s):









Precautionary Statement(s):

2. HAZARD(S) IDENTIFICATION

[Prevention] Do not breathe fume, mist, vapors or spray. Use only outdoors or in a well-ventilated area. In case of

inadequate ventilation wear respiratory protection. Do not breathe dusts or mists. Wear protective gloves, protective clothing, eye protection and face protection. Wash hands and face thoroughly after handling. Wear eye and face protection. Avoid breathing dusts or mists. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using

this product.

[Response] If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center

or doctor. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or doctor. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. If exposed: Call a poison center

or doctor. Get medical advice or attention if you feel unwell.

[Storage] Store in a well-ventilated place. Keep container tightly closed. Store locked up.

[Disposal] Dispose of contents and container in accordance with US EPA guidelines for the classification and

determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

Hazards not otherwise classified: [HNOC] May cause polymerization. May be harmful if swallowed. Lachrymator

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture

Components: Tolylene Diisocyanate (2,4- ≈80%, 2,6- ≈20%)

 $\begin{array}{lll} \textbf{Percent:} & > 98.0\% (GC) \\ \textbf{CAS Number:} & 26471-62-5 \\ \textbf{Molecular Weight:} & 174.16 \\ \textbf{Chemical Formula:} & C_9H_6N_2O_2 \\ \end{array}$

Synonyms: Toluene Diisocyanate (2,4- ≈80%, 2,6- ≈20%)

4. FIRST-AID MEASURES

Inhalation: May cause coughing, difficult breathing and nausea. Immediately call a poison center or doctor. Effects of

exposure (inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and

take precautions to protect themselves.

Skin contact: For severe burns, immediate medical attention is required. Immediately call a poison center or doctor.

Effects of exposure (skin contact) to substance may be delayed. Remove and wash contaminated clothing before re-use. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the

material(s) involved and take precautions to protect themselves.

Eye contact: IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with

material may irritate or burn eyes. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s)

involved and take precautions to protect themselves.

Ingestion: Do not induce vomiting with out medical advice. Effects of exposure (ingestion) to substance may be

delayed. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Symptoms/effects:

Acute: Pain. Redness.

Delayed: May cause skin sensitization. Possibly carcinogenic to humans.

4. FIRST-AID MEASURES

Immediate medical attention:

WARNING: It might be dangerous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is toxic. WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is corrosive. CAUTION: Victim may be a source of contamination. For severe burns, immediate medical attention is required. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Dry chemical, CO_2 or water spray. Consult with local fire authorities before attempting large scale fire

fighting operations.

Specific hazards arising from the chemical

Hazardous combustion products: These products include: Carbon oxides Nitrogen oxides Other specific hazards: Closed containers may explode from heat of a fire.

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation.

Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Personal protective equipment: Wear eye protection (splash goggles) and face protection (full length face shield). Wear eye protection (splash goggles) and face protection (full length face shield).

Wear eye protection (splash goggles) and face protection (full length face shield). Wear protective clothing (chemical resistant suit and chemical resistant boots). Vapor respirator. Be sure to use a MSHA/NIOSH

approved respirator or equivalent. Wear protective gloves (nitrile).

Emergency procedures: Do not clean-up or dispose except under supervision of a specialist. In case of a spill and/or a leak, always

shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move

away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill; use dry sand to contain the flow of material. Ventilate the area.

Environmental precautions:

Keep away from living quarters. Environmental hazard. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE

Precautions for safe handling: Do NOT breath gas, fumes, vapor, or spray. Manipulate under an adequate fume hood. Avoid contact with

skin and eyes. Avoid exposure - obtain special instructions before use. Avoid prolonged or repeated exposure. Normal measures for preventive fire protection. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources

of ignition.

Conditions for safe storage: Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from

incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store under inert gas (e.g. Argon). Moisture sensitive. Store in

refrigerator.

Storage incompatibilities: Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits: No data available

Appropriate engineering controls:

Handle only in a fully enclosed system and equipment. Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment

Respiratory protection: Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.

Hand protection: Wear protective gloves. Eye protection: Splash goggles.

Skin and body protection: Wear protective clothing (chemical resistant suit and chemical resistant boots).

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Liquid Form: Clear

Color: Colorless - Slightly pale yellow

Odor: Pungent

Odor threshold: No data available

Melting point/freezing point: 14°C (57°F) pH: No data available Boiling point/range: 251°C (484°F) Vapor pressure: 67Pa/25°C No data available No data available Decomposition temperature: Vapor density: Relative density: 1.22 **Dynamic Viscosity:** No data available

Kinematic Viscosity: No data available

Partition coefficient: 0.21 (2,4-form) Evaporation rate: No data available

n-octanol/water (log P_{ow}) (Butyl Acetate = 1)

Flash point: 137°C (279°F) Autoignition temperature: No data available

Flammability (solid, gas): No data available Flammability or explosive limits:

Lower: No data available

Upper: No data available

Solubility(ies):

Miscible: Ether, Benzene, Acetone, Carbon tetrachloride

10. STABILITY AND REACTIVITY

Reactivity: Not Available.

Chemical Stability: Heat sensitive. Moisture sensitive. Light sensitive. Possibility of Hazardous Reactions: No hazardous reactivity has been reported.

Conditions to avoid: Exposure to light. Exposure to moisture. Heat sensitive. Moisture sensitive.

Incompatible materials:

Hazardous Decomposition Products:

Oxidizing agents

No data available

11. TOXICOLOGICAL INFORMATION

RTECS Number: NQ9490000

Acute Toxicity:

ihl-mus LC50:9700 ppb/4H ihl-rat LCLo:600 ppm/6H

ihl-rbt LC50:11 ppm/4H orl-mus LD50:1950 mg/kg

orl-rat LD50:4130 mg/kg

Skin corrosion/irritation: skn-rbt 500 mg open SEV

Serious eye damage/irritation:

No data available

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity:

cyt-hmn-lym 92 mg/L mmo-sat 100 ug/plate (-S9)

Carcinogenicity:

orl-mus TDLo:63 g/kg/2Y-l orl-rat TD:63600 mg/kg/2Y-l

orl-rat TDLo:31800 mg/kg/2Y-I

IARC: Group 2B (Possibly carcinogenic NTP: b (Reasonably anticipated to be OSHA: No data available

to humans) . carcinogens).

Reproductive toxicity: No data available

Routes of Exposure: Inhalation, Eye contact, Ingestion, Skin contact.

Symptoms related to exposure:

Overexposure may result in serious illness or death. Skin contact may produce burrns. Skin contact may result in inflammation; characterized by itching, scaling, reddening, or occasionally blistering. Eye contact may result in redness or pain. Inhalation causes irritation of the lungs and respiratory system. Skin contact may result in sensitization. Readily absorbed through skin. Inflammation of the eye is characterized by redness, watering, and itching.

Potential Health Effects:

Skin and eye contact may result in irritation. May be harmful if inhaled or ingested. Overexposure may result in serious illness or death.

Target organ(s):

Causes damage to: Respiratory System Central Nervous System

Causes damage to organs: Respiratory System through prolonged or repeated exposure.

May cause damage to organs: Liver through prolonged or repeated exposure.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Fish: No data available
Crustacea: No data available
Algae: No data available

Persistence and degradability:

Bioaccumulative potential (BCF):

Mobillity in soil:

Partition coefficient:

No data available
No data available
0.21 (2,4-form)

n-octanol/water (log Pow) Soil adsorption (Koc):

Soil adsorption (Koc):
Henry's Law:
No data available
No data available

constant (PaM3/mol)

13. DISPOSAL CONSIDERATIONS

Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local

rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains,

water ways, or the soil.

Disposal of container: Dispose of as unused product. Do not re-use empty containers.

Other considerations: Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

DOT (US)

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN2078 Toluene diisocyanate 6.1 Toxic material.

IATA

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN2078 Toluene diisocyanate 6.1 Toxic material. I

IMDG

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN2078 Toluene diisocyanate 6.1 Toxic material. II

EmS number: F-A, S-A

Reportable Quantitiy: 100 Pounds (45.4 Kilograms)

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity:

SARA 313: Listed SARA 302: Not Listed

State Regulations

State Right-to-Know

MassachusettsListedNew JerseyNot ListedPennsylvaniaListedCalifornia Proposition 65:Listed

Other Information

NFPA Rating: HMIS Classification:

 Health:
 3
 Health:
 3

 Flammability:
 1
 Flammability:
 1

 Instability:
 0
 Physical:
 0

International Inventories

WHMIS hazard class: E: Corrosive material.

D1A: Materials causing immediate and serious toxic effects. (Very Toxic)

D2B: Materials causing other toxic effects. (Toxic)

EC-No: 247-722-4

16. OTHER INFORMATION

Revision date: 11/12/2015 Revision number: 4

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.