

TCI AMERICA **SAFETY DATA SHEET**

Revision number: 3 Revision date: 08/15/2016

IDENTIFICATION

Product name: 3-Chloro-2-butanone

Product code: C0170

For laboratory research purposes. Product use: Restrictions on use: Not for drug or household use.

Company: TCI America

9211 N. Harborgate Street Portland, OR 97203 U.S.A.

Telephone:

+1-800-423-8616 / +1-503-283-1681

Fax:

+1-888-520-1075 / +1-503-283-1987

sales-US@TCIchemicals.com www.TCIchemicals.com

Emergency telephone number:

Chemical Emergencies:

TCI America (8:00am - 5:00pm) PST

+1-503-286-7624

Transportation Emergencies:

Chemtrec 24-Hour

+1-800-424-9300 (U.S.A.)

+1-703-527-3887 (International) Responsible department:

TCI America

Environmental Health Safety and Security

+1-503-286-7624

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity - Oral [Category 4]

Skin Corrosion/Irritation [Category 2] Eye Damage/Irritation [Category 2A] Flammable Liquids [Category 3]

Signal word: Warning!

Causes serious eye irritation Hazard Statement(s):

Causes skin irritation Flammable liquid and vapor Harmful if swallowed

Pictogram(s) or Symbol(s):





Precautionary Statement(s):

[Prevention]

Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Wear protective gloves. Wear eye and face protection. Keep away from heat, sparks, open flames or other hot surfaces. - No smoking. Keep container tightly closed. Ground or bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting, and equipment. Use only non-sparking tools. Take

[Response]

If swallowed: Immediately call a poison center or doctor. Rinse mouth. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. In case of

fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish.

[Storage] Store in a well-ventilated place. Keep cool. [Disposal]

Dispose of contents and container in accordance with US EPA guidelines for the classification and

precautionary measures against static discharge. Wear protective gloves, eye protection and face

determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

3-Chloro-2-butanone TCI AMERICA Page 2 of 6

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Substance

Components: 3-Chloro-2-butanone

 Percent:
 >95.0%(GC)

 CAS Number:
 4091-39-8

 Molecular Weight:
 106.55

 Chemical Formula:
 C₄H₇CIO

Synonyms: 1-Acetyl-1-chloroethane , 1-Chloroethyl Methyl Ketone

4. FIRST-AID MEASURES

Eye contact:

Inhalation: Call a poison center or doctor if you feel unwell. Move victim to fresh air. Give artificial respiration if victim

is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat

symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and

take precautions to protect themselves.

Skin contact:

Call a poison center or doctor if you feel unwell. Remove and wash contaminated clothing before re-use.

Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately

flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with material may irritate or burn eyes. Call emergency medical service. Move victim to fresh air. Check for and

remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s)

involved and take precautions to protect themselves.

Ingestion: Harmful if swallowed. Do not induce vomiting with out medical advice. Call a physician or Poison Control

Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the

material(s) involved and take precautions to protect themselves.

Symptoms/effects:

Acute: Redness.

Delayed: No data available

Immediate medical attention: WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because

the inhaled material is harmful. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s)

involved and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, CO₂, water spray, or alcohol-resistant foam. Consult with local fire authorities before

attempting large scale fire fighting operations.

Specific hazards arising from the chemical

Hazardous combustion products: These products include: Carbon oxides Halogenated compounds Other specific hazards: WARNING: Highly toxic HCl gas is produced during combustion.

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient. Do not use straight streams. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Use spark-

proof tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation.

Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

3-Chloro-2-butanone TCI AMERICA Page 3 of 6

6. ACCIDENTAL RELEASE MEASURES

Personal protective equipment: Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Vapor

respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves

nitrile)

Emergency procedures: Isolate area until gas has dispersed. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless

wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers,

basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material.

Environmental precautions:

Keep away from living quarters. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE

Precautions for safe handling: Do NOT breath gas, fumes, vapor, or spray. Do not ingest. Avoid contact with skin and eyes. Keep away

from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face

protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.

Conditions for safe storage: Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of ignition. Store

and use away from heat, sparks, open flame, or any other ignition source. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid

prolonged storage periods. Store under inert gas (e.g. Argon).

Storage incompatibilities: Combustible substances, Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits: No data available

Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment

Respiratory protection: Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.

Hand protection:Wear protective gloves.Eye protection:Splash goggles.Skin and body protection:Lab coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Liquid Form: Clear

Color: Slightly pale yellow - Yellow

Odor:
Odor threshold:
No data available
No data available

No data available Melting point/freezing point: No data available pH: Boiling point/range: 116°C (241°F) Vapor pressure: No data available **Decomposition temperature:** No data available Vapor density: No data available Relative density: **Dynamic Viscosity:** No data available 1.06

Kinematic Viscosity: No data available

Partition coefficient:No data availableEvaporation rate:No data available

n-octanol/water (log P_{ow}) (Butyl Acetate = 1)

Flash point: 23°C (73°F) Autoignition temperature: No data available

Flammability (solid, gas): No data available Flammability or explosive limits:

Lower: No data available

Upper: No data available

Solubility(ies):

3-Chloro-2-butanone TCI AMERICA Page 4 of 6

10. STABILITY AND REACTIVITY

Reactivity: Not Available.

Chemical Stability: Air sensitive. Heat sensitive.

Possibility of Hazardous Reactions: In use, may form flammable/explosive vapor-air mixture.

Conditions to avoid:
Incompatible materials:

Air sensitive. Exposure to air. Heat sensitive.
Strong bases, Strong oxidizing agents

Hazardous Decomposition Products: No data available

11. TOXICOLOGICAL INFORMATION

RTECS Number: EL7062000

Acute Toxicity:

unr-mus LD50:810 mg/kg

Skin corrosion/irritation:

No data available

Serious eye damage/irritation:

No data available

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity:

No data available

Carcinogenicity:

No data available

IARC: No data available NTP: No data available OSHA: No data available

Reproductive toxicity:

No data available

Routes of Exposure: Inhalation, Eye contact, Ingestion, Skin contact.

Symptoms related to exposure:

Overexposure may result in serious illness or death. Skin contact may result in inflammation; characterized by itching, scaling, reddening, or occasionally blistering. Skin contact may result in redness, pain or dry skin. Eye contact may result in redness or pain.

Potential Health Effects:

Skin and eye contact may result in irritation.

Target organ(s): No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Fish:

Crustacea:

Algae:

No data available
No data available
No data available

Persistence and degradability:
Bioaccumulative potential (BCF):
Mobillity in soil:
Partition coefficient:
No data available
No data available
No data available

n-octanol/water (log Pow)

Soil adsorption (Koc):

Henry's Law:

No data available
No data available

constant (PaM³/mol)

3-Chloro-2-butanone TCI AMERICA Page 5 of 6

13. DISPOSAL CONSIDERATIONS

Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local

rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains,

water ways, or the soil.

Disposal of container: Dispose of as unused product. Do not re-use empty containers.

Other considerations: Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

DOT (US)

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN1224 Ketones, liquid, n.o.s. 3 Flammable liquid III

IATA

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN1224 Ketones, liquid, n.o.s. 3 Flammable liquid III

IMDG

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN1224 Ketones, liquid, n.o.s. 3 Flammable liquid

EmS number: F-E, S-D

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity:

SARA 313: Not Listed SARA 302: Not Listed

State Regulations

State Right-to-Know

MassachusettsNot ListedNew JerseyNot ListedPennsylvaniaNot ListedCalifornia Proposition 65:Not Listed

Other Information

NFPA Rating: HMIS Classification:

Health:1Health:1Flammability:3Flammability:3Instability:0Physical:0

International Inventories

WHMIS hazard class: B2: Flammable Liquid.

D2A: Materials causing other toxic effects. (Very Toxic) D2B: Materials causing other toxic effects. (Toxic)

EC-No: 223-834-9

C-NO: 223-034-8

16. OTHER INFORMATION

Revision date: 08/15/2016 Revision number: 3 3-Chloro-2-butanone TCI AMERICA Page 6 of 6

16. OTHER INFORMATION

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.