



Material Safety Data Sheet

PROTECTIVE CLOTHING RISK PHRASES HAZARD WARNINGS Toxic compound, do not ingest or inhale. Avoid all contact with Corrosive to eyes and skin on contact. Combustible material; avoid heat and sources of ignition. Lachrymator. Store under nitrogen.

Section I. Chemical Product and Company Identification				
Chemical Name	Chloroformic Acid 1-Chloroethyl Ester			
Catalog Number	C1395	Supplier	TCI America 9211 N. Harborgate St.	
Synonym	Chloroformic Acid 1-Chloroethyl Ester		Portland OR 1-800-423-8616	
Chemical Formula	C ₃ H ₄ Cl ₂ O ₂			
CAS Number	50893-53-3	In case of Emergency	Chemtrec® (800) 424-9300 (U.S.)	
		Call	(703) 527-3887 (International)	

Section II. Composition and Information on Ingredients					
Chemi	ical Name	CAS Number	Percent (%)	TLV/PEL	Toxicology Data
Chloroformic Acid 1-Chloroethyl Ester		50893-53-3	Min. 98.0 (GC)	Not available.	Rat LD ₅₀ (oral) 470 mg/kg

			(,-)		
Chloroformic Acid 1-Chloroethyl Ester		50893-53-3	Min. 98.0 (GC)	Not available.	Rat LD₅₀ (oral) 470 mg/kg
Section III. Hazards Identification					
Acute Health Effects Toxic if ingested or inhaled. Avoid prolonged contact with this material. Overexposure may result in serious illness or					

Corrosive to skin, eyes, and respiratory system. Liquid or spray mist may produce tissue damage, particularly in mucous membranes of the eyes, mouth and respiratory tract. Skin contact may produce burns. Eye contact can result in corneal damage or blindness. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Corrosive materials may cause serious injury if ingested. Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.

CARCINOGENIC EFFECTS: Not available. Chronic Health Effects MUTAGENIC EFFECTS: Not available.
TERATOGENIC EFFECTS: Not available. **DEVELOPMENTAL TOXICITY**: Not available.

Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection. Repeated exposure to an highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

Section IV.	First Aid Measures
Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
Skin Contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
Inhalation	If the victim is not breathing, perform mouth-to-mouth resuscitation. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, oxygen can be administered. Seek medical attention if respiration problems do not improve.
Ingestion	DO NOT INDUCE VOMITING. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was indested: the absence of such signs, however, is not conclusive.

ection V. F	ire and Explosion Data	1		
Flammability	Combustible.	Auto-Ignition	Not available.	
Flash Points	40°C (104°F).	Flammable Limits	Not available.	
Combustion Products	These products are toxic carbon oxides (CO, CO ₂), halogenated compounds. WARNING: Highly toxic HCl gas is produced during combustion.			
Fire Hazards	Not available.			
	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.			

C1395 Chloroformic Acid 1-Chloroethyl Ester Page 2

Fire Fighting Media and Instructions

Combustible liquid.

SMALL FIRE: Use DRY chemical powder.

LARGE FIRE: Use alcohol foam, water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion. Consult with local fire authorities before attempting large scale fire-fighting operations.

Section VI. Accidental Release Measures

Spill Cleanup Instructions Toxic material. Corrosive material. Combustible material. Lachrymatory material.

Keep away from heat. Mechanical exhaust required. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. DO NOT get water inside container. DO NOT touch spilled material. Use water spray curtain to divert vapor drift. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if

needed. Consult federal, state, and/or local authorities for assistance on disposal.

Section VII. Handling and Storage

Handling and Storage Information TOXIC. CORROSIVE. COMBUSTIBLE. LACHRYMATOR. STORE UNDER NITROGEN. Keep locked up. Keep container dry. Keep away from heat. Mechanical exhaust required. Avoid excessive heat and light. DO NOT ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label. Treat symptomatically and supportively. Always store away from incompatible compounds such as oxidizing agents, alkalis (bases).

Section VIII. Exposure Controls/Personal Protection

Engineering Controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash station and safety shower is proximal to the work-station location.

Personal Protection

Face shield. Lab coat. Vapor respirator. Boots. Gloves. A MSHA/NIOSH approved respirator must be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Taste

Not available.



Exposure Limits

Not available

Section IX. Physical and Chemical Properties					
Physical state @ 20°C	Liquid. (Clear, colorless.)	Solubility	Not available.		
Specific Gravity	1.31 (water=1)	_			
Molecular Weight	142.97	Partition Coefficient	Not available.		
Boiling Point	118 to 123 °C (244.4 to 253.4 °F)	Vapor Pressure	24 kPa (@ 77℃)		
Melting Point	Not available.	- Vapor Density	Not available.		
Refractive Index	1.424	Volatility	Not available.		
Critical Temperature	Not available.	Odor	Not available.		

Section X. Stability and Reactivity Data

Not available.

Stability

Viscosity

This material is stable if stored under proper conditions. (See Section VII for instructions)

Conditions of Instability

Avoid excessive heat and light.

Incompatibilities

Section XI. Toxicological Information

RTECS Number

Not available.

Routes of Exposure

Eye Contact. Ingestion. Inhalation. Skin contact.

Toxicity Data

Rat LD_{50} (oral) 470 mg/kg

Chronic Toxic Effects

CARCINOGENIC EFFECTS: Not available.
MUTAGENIC EFFECTS: Not available.
TERATOGENIC EFFECTS: Not available.
DEVELOPMENTAL TOXICITY: Not available.

Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection. Repeated exposure to an highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

Continued on Next Page

Emergency phone number (800) 424-9300

rinted 9/21/2009

C1395 Chloroformic Acid 1-Chloroethyl Ester Page 3 Acute Toxic Effects Toxic if ingested or inhaled. Avoid prolonged contact with this material. Overexposure may result in serious illness or death. Corrosive to skin, eyes, and respiratory system. Liquid or spray mist may produce tissue damage, particularly in mucous membranes of the eyes, mouth and respiratory tract. Skin contact may produce burns. Eye contact can result in corneal damage or blindness. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Corrosive materials may cause serious injury if ingested. Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.

Section XII. **Ecological Information**

> Ecotoxicity Not available.

Not available. Environmental Fate

Section XIII. Disposal Considerations

Waste Disposal Recycle to process, if possible. Consult your local regional authorities. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all

federal, state and local regulations when disposing of the substance

Section XIV. Transport Information

DOT Classification DOT Class 6.1: Poisonous material.

DOT Class 8: Corrosive material DOT Class 3: Flammable liquid.

PIN Number UN2742

Proper Shipping Name Chloroformates, toxic, corrosive, flammable, n.o.s.

Packing Group (PG)

DOT Pictograms





Section XV. Other Regulatory Information and Pictograms

TSCA Chemical Inventory This product is NOT on the EPA Toxic Substances Control Act (TSCA) inventory. The following notices are required by 40 (EPA)

CFR 720.36 (C) for those products not on the inventory list:

(i) These products are supplied solely for use in research and development by or under the supervision of a technically qualified individual as defined in 40 CFR 720.0 et sec.

(ii) The health risks of these products have not been fully determined. Any information that is or becomes available will be

supplied on an MSDS sheet.

WHMIS Classification CLASS B-3: Combustible liquid with a flash point between 37.8 °C (100 °F) and 93.3 °C (200 °F).

CLASS D-1B: Material causing immediate and serious toxic effects (TOXIC). (Canada)

CLASS E: Corrosive liquid.

EINECS Number (EEC) 256-834-2

EEC Risk Statements R23/24/25- Toxic by inhalation, in contact with skin and if swallowed.

R34- Causes burns.

Japanese Regulatory Data ENCS No. 2-3560

Section XVI. Other Information

Version 1.0

Validated on 1/9/2007.

Printed 8/21/2008.

Notice to Reader

TCI laboratory chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our MSDS sheets are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated MSDS sheets for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, facial mask, fume hood). For proper handling and disposal, always comply with federal, state, and local regulations

Printed 8/21/2008