

Revision number: 2 Revision date: 10/06/2014

1. IDENTIFICATION

Product name: Product code: 4-Chloropiperidine C2182

For laboratory research purposes.

Not for drug or household use.

Product use: Restrictions on use:

Company: TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:

Eye Damage/Irritation [Category 1] Flammable Liquids [Category 3] Skin Corrosion/Irritation [Category 1B]

Signal word:

Danger!

Hazard Statement(s):

Causes serious eye damage Causes severe skin burns and eye damage Flammable liquid and vapor

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention]

[Response]

[Storage] [Disposal] Page 1 of 6

TCI AMERICA SAFETY DATA SHEET

Emergency telephone number: Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) **Responsible department:** TCI America Environmental Health Safety and Security +1-503-286-7624

inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish. Store locked up. Store in a well-ventilated place. Keep cool. Dispose of contents and container in accordance with US EPA guidelines for the classification and

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. If

static discharge. Wear protective gloves, eye protection and face protection.

Do not breathe dusts or mists. Use only outdoors or in a well-ventilated area. Wear protective gloves,

protective clothing, eye protection and face protection. Wear eye protection. Wear face protection (full length face shield). Keep away from heat, sparks, open flames or other hot surfaces. - No smoking. Keep container tightly closed. Ground or bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting, and equipment. Use only non-sparking tools. Take precautionary measures against

Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

TCI AMERICA

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Components:	Substance 4-Chloropiperidine
Percent:	>97.0%(GC)(T)
CAS Number:	5382-18-3
Molecular Weight:	119.59
Chemical Formula:	C ₅ H ₁₀ CIN

4. FIRST-AID MEASURES

Inhalation:	Immediately call a poison center or doctor. Effects of exposure (inhalation) to substance may be delayed. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Skin contact:	For severe burns, immediate medical attention is required. Immediately call a poison center or doctor. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye contact:	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Eye contact with vapors or substance may cause severe injury, burns, or death. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion:	Do not induce vomiting with out medical advice. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Symptoms/effects:	
Acute: Delayed:	Pain. Redness. No data available
Immediate medical attention:	WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is corrosive. For severe burns, immediate medical attention is required. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
5. FIRE-FIGHTING MEASURES	
Suitable extinguishing media:	Dry chemical, CO ₂ or water spray. Consult with local fire authorities before attempting large scale fire fighting operations.
Specific hazards arising from the chemic Hazardous combustion products: Other specific hazards:	cal These products include: Carbon oxides Nitrogen oxides Halogenated compounds WARNING: Highly toxic HCI gas is produced during combustion.
	streams. Dike fire-control water for later disposal; do not scatter the material. CAUTION: All these products

Us have a very low flash point: Use of water spray when fighting fire may be inefficient. Do not use straight streams. Runoff to sewer may create fire or

explosion hazard. Containers may explode when heated. Move containers from fire area if you can do it without risk. Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Use sparkproof tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6. ACCIDENTAL RELEASE MEASURES			
Personal protective equipment:	Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).		
Emergency procedures:	Isolate area until gas has dispersed. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.		

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE				
Precautions for safe handling:	Do NOT breath gas, fumes, vapor, or spray. Manipulate under an adequate fume hood. Avoid contact with skin and eyes. Keep away from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.			
Conditions for safe storage:	Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of ignition. Store and use away from heat, sparks, open flame, or any other ignition source. Store locked up. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store under inert gas (e.g. Argon). Store in refrigerator.			
Storage incompatibilities:	Bases, Store away from oxidizing agents			

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits: No data available

Appropriate engineering controls:

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment

Respiratory protection:	Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
Hand protection:	Wear protective gloves.
Eye protection:	Splash goggles.
Skin and body protection:	Lab coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):
Form:
Color:
Odor:
Odor threshold:

Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic Viscosity:

Partition coefficient: n-octanol/water (log Pow) Liquid Clear Colorless - Pale yellow No data available No data available

No data available 60°C (140°F)/1.5kPa No data available 1.09 No data available

No data available

pH: Vapor pressure: Vapor density: Dynamic Viscosity:

Evaporation rate: (Butyl Acetate = 1) No data available No data available No data available No data available

No data available

4-Chloropiperidine

TCI AMERICA

0. PHYSICAL AND CHEMICA lash point:	48°C (118°F)	Autoignition tem	perature:	No data available
lammability (solid, gas):	No data available	Flammability or		
		Lower:	-	le
		Upper:	No data availab	le
olubility(ies):		opper.		
olubility(les).				
0. STABILITY AND REACT	Ίνιτγ			
eactivity:	Not Available.	1 11		
hemical Stability:	Air sensitive. Hea			
ossibility of Hazardous Reacti		flammable/explosive vapor-air	mixture.	
onditions to avoid:	Air sensitive. Exp	osure to air. Heat sensitive.		
compatible materials:	Oxidizing agents			
azardous Decomposition Proc	ducts: No data available			
1. TOXICOLOGICAL INFOR	RMATION			
cute Toxicity: o data available				
kin corrosion/irritation: lo data available				
erious eye damage/irritation: o data available				
espiratory or skin sensitizatio	on:			
ierm cell mutagenicity: lo data available				
arcinogenicity:				
o data available				
IARC: No data available	NTP:	No data available	OSHA:	No data available
eproductive toxicity: o data available				
autos of Functions		ontact, Ingestion, Skin contact.		
		lammation: characterized by ite	ching, scaling, redden	ing, or occasionally blistering. Eye
ymptoms related to exposure: kin contact may produce burrns. ontact can result in corneal dama	. Skin contact may result in infl			
ymptoms related to exposure: kin contact may produce burrns. ontact can result in corneal dama otential Health Effects: o specific information available;	. Skin contact may result in inflage or blindness.	ult in irriatation. May be harmfu		
ymptoms related to exposure: kin contact may produce burrns. ontact can result in corneal dama otential Health Effects: lo specific information available; arget organ(s):	. Skin contact may result in infl age or blindness. skin and eye contact may resu No data available	ult in irriatation. May be harmfu		
ymptoms related to exposure: kin contact may produce burrns. ontact can result in corneal dama otential Health Effects: lo specific information available; arget organ(s): 2. ECOLOGICAL INFORMA	. Skin contact may result in infl age or blindness. skin and eye contact may resu No data available	ult in irriatation. May be harmfu		
ontact can result in corneal dama otential Health Effects: lo specific information available; arget organ(s): 2. ECOLOGICAL INFORMA	. Skin contact may result in infl age or blindness. skin and eye contact may res No data available	ult in irriatation. May be harmfu		
ymptoms related to exposure: kin contact may produce burrns. ontact can result in corneal dama otential Health Effects: lo specific information available; arget organ(s): 2. ECOLOGICAL INFORMA	. Skin contact may result in infl age or blindness. skin and eye contact may resu No data available	ult in irriatation. May be harmfu		

Persistence and degradability: Bioaccumulative potential (BCF): Mobility in soil: Partition coefficient: n-octanol/water (log Pow) Soil adsorption (Koc): Henry's Law: constant (PaM³/mol)

No data available No data available

12. ECOLOGICAL INFORMATION

generator's responsibility to comply with Federal, State and Local e to dissolve or mix material with a combustible solvent and burn in a afterburner and scrubber system. This section is intended to provide laws, nor does compliance in accordance with this section ensure e law. US EPA guidelines for Identification and Listing of Hazardous The product should not be allowed to enter the environment, drains,
re-use empty containers. Julations when disposing of the substance.

14. TRANSPORT INFORMATION

DOT (US) UN number: UN2920	Proper Shipping Name: Corrosive liquids, flammable, n.o.s.	Class or Division: 8 Corrosive material	Subrisk(s): 3 Flammable liquid	Packing Group: II
IATA UN number: UN2920	Proper Shipping Name: Corrosive liquid, flammable, n.o.s.	Class or Division: 8 Corrosive material	Subrisk(s): 3 Flammable liquid	Packing Group: II
IMDG UN number: UN2920	Proper Shipping Name: Corrosive liquid, flammable, n.o.s.	Class or Division: 8 Corrosive material	Subrisk(s): 3 Flammable liquid	Packing Group: II
EmS number:	F-E, S-C			

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is NOT on the EPA Toxic Substances Control Act (TSCA) inventory. The following notices are required by 40 CFR 720.36 (C) for those products not on the inventory list:

(i) These products are supplied solely for use in research and development by or under the supervision of a technically qualified individual as defined in 40 CFR 720.0 et sec.

HMIS Classification:

Flammability:

Health:

Physical:

2

2

0

(ii) The health risks of these products have not been fully determined. Any information that is or becomes available will be supplied on a SDS sheet.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity:			
SARA 313:	Not Listed		
SARA 302:	Not Listed		

State Regulations

State Right-to-Know

Massachusetts	Not Listed
New Jersey	Not Listed
Pennsylvania	Not Listed
California Proposition 65:	Not Listed

Other Information

 	-	
	Ratin	n
 	Traum	м.

Health:2Flammability:2Instability:0

International Inventories

WHMIS hazard class:

E: Corrosive material. B2: Flammable Liquid.

16. OTHER INFORMATION

16. OTHER INFORMATION

Revision date: 10/06/2014 Revision number: 2

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective gogles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.