

TCI AMERICA

SAFETY DATA SHEET

Revision number: 3 Revision date: 11/10/2015

1. IDENTIFICATION

Product name: Ebselen Product code: E0946

Product use: For laboratory research purposes. **Restrictions on use:** Not for drug or household use.

Company: TCI America

9211 N. Harborgate Street Portland, OR 97203 U.S.A.

Telephone:

+1-800-423-8616 / +1-503-283-1681

Fax:

+1-888-520-1075 / +1-503-283-1987

e-mail

sales-US@TCIchemicals.com www.TCIchemicals.com

Emergency telephone number:

Chemical Emergencies:

TCI America (8:00am - 5:00pm) PST

+1-503-286-7624

Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) Responsible department:

TCI America

Environmental Health Safety and Security

+1-503-286-7624

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Specific Target Organ Toxicity (Repeated Exposure) [Category 2]

Aquatic Hazard (Acute) [Category 1]
Aquatic Hazard (Long-Term) [Category 1]

Signal word: Warning!

Hazard Statement(s): Very toxic to aquatic life

Very toxic to aquatic life with long lasting effects

May cause damage to organs: through prolonged or repeated exposure.

Pictogram(s) or Symbol(s):





Precautionary Statement(s):

[Prevention] Do not breathe dusts or mists.

[Response] Get medical advice or attention if you feel unwell.

[Storage] None

[Disposal] Dispose of contents and container in accordance with US EPA guidelines for the classification and

determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms: 2-Phenyl-1,2-benzoisoselenazol-3(2H)-one

Ebselen TCI AMERICA Page 2 of 5

4. FIRST-AID MEASURES

Inhalation: Call emergency medical service. Effects of exposure (inhalation) to substance may be delayed. Inhalation

of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are

aware of the material(s) involved and take precautions to protect themselves.

Skin contact: Call a poison center or doctor if you feel unwell. Effects of exposure (skin contact) to substance may be

delayed. Remove and wash contaminated clothing before re-use. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect

themselves.

Eye contact: In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye

irritation persists get medical advice/attention. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take

precautions to protect themselves.

Ingestion: Effects of exposure (ingestion) to substance may be delayed. If swallowed, seek medical advice

immediately and show the container or label. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical

personnel are aware of the material(s) involved and take precautions to protect themselves.

Symptoms/effects:

Acute: No data available Delayed: No data available

Immediate medical attention: If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the

injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect

themselves.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, CO₂, water spray, or alcohol-resistant foam. Consult with local fire authorities before

attempting large scale fire fighting operations.

Specific hazards arising from the chemical

Hazardous combustion products: These products include: Carbon oxides Nitrogen oxides Other specific hazards: Closed containers may explode from heat of a fire.

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation.

Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Personal protective equipment: Splash goggles. Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or

equivalent. Wear protective gloves (nitrile).

Emergency procedures: Prevent dust cloud. Do not clean-up or dispose except under supervision of a specialist. In case of a spill

and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill; use dry sand to contain the flow of material. Ventilate the area.

Environmental precautions:

Keep away from living quarters. Environmental hazard. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

Ebselen TCI AMERICA Page 3 of 5

7. HANDLING AND STORAGE

Conditions for safe storage:

Precautions for safe handling: Avoid inhalation of vapor or mist. Avoid contact with skin and eyes. Use process enclosures, local exhaust

ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition. Keep only in the original container in a cool well-ventilated place. Keep away from incompatibles.

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid

prolonged storage periods. Store in refrigerator.

Storage incompatibilities: Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

 ACGIH TLV (TWA):
 0.2 mg(Se)/m³

 OSHA PEL (TWA):
 0.2 mg(Se)/m³

Appropriate engineering controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment

Respiratory protection: Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.

Hand protection: Wear protective gloves.

Eye protection:Safety glasses.
Skin and body protection:
Lab coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Solid

Form: Crystal - Powder

Color: Slightly pale yellow - Yellow

Odor: No data available
Odor threshold: No data available

Melting point/freezing point: 183°C (361°F) pH: No data available Boiling point/range: No data available Vapor pressure: No data available **Decomposition temperature:** No data available Vapor density: No data available Relative density: No data available **Dynamic Viscosity:** No data available

Kinematic Viscosity: No data available

Partition coefficient: No data available Evaporation rate: No data available

n-octanol/water (log Pow) (Butyl Acetate = 1)

Flash point: 197°C (387°F) **Autoignition temperature:** No data available

Flammability (solid, gas): No data available Flammability or explosive limits:

Lower: No data available
Upper: No data available

Solubility(ies):

10. STABILITY AND REACTIVITY

Reactivity: Not Available. Chemical Stability: Heat sensitive.

Possibility of Hazardous Reactions: No hazardous reactivity has been reported.

Conditions to avoid:
Incompatible materials:
Hazardous Decomposition Products:
Hazardous Decomposition Products:
Heat sensitive.
Oxidizing agents
No data available

11. TOXICOLOGICAL INFORMATION

RTECS Number: DE4140750

Acute Toxicity:

orl-mus LD50:6810 mg/kg ipr-rat LD50:110 mg/kg

Skin corrosion/irritation:

No data available

Serious eye damage/irritation:

No data available

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity:

No data available

Carcinogenicity:

No data available

IARC: Group 3 (Not classifiable as

carcinogenic to humans).

NTP: No data available

OSHA: No data available

Reproductive toxicity:

orl-rat TDLo:14500 mg/kg(15-22D preg/21D post)

Routes of Exposure: Inhalation, Eye contact, Ingestion, Skin contact.

Symptoms related to exposure:

No specific information is available in our data base regarding the toxic effects of this material for humans. However, exposure to any chemical should be kept to a minimum. Always follow safe industrial hygiene practices and wear proper protective equipment when handling this compound.

Potential Health Effects:

No specific information available; skin and eye contact may result in irriatation. May be harmful if inhaled or ingested.

Target organ(s):

May cause damage to organs: through prolonged or repeated exposure.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Fish:

Crustacea:

Algae:

No data available
No data available
No data available

Persistence and degradability:
Bioaccumulative potential (BCF):
Mo data available
No data available
No data available
No data available
No data available
n-octanol/water (log Pow)
Soil adsorption (Koc):
No data available
No data available

Henry's Law: constant (PaM³/mol)

13. DISPOSAL CONSIDERATIONS

Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local

rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains,

water ways, or the soil.

Disposal of container: Dispose of as unused product. Do not re-use empty containers.

Other considerations: Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

DOT (US)

TCI AMERICA Page 5 of 5 Ebselen

14. TRANSPORT INFORMATION

UN number: **Proper Shipping Name:** Class or Division: Packing Group:

Environmentally hazardous substance, solid, 9 Miscellaneous hazardous UN3077

material n.o.s.

IATA

UN number: **Proper Shipping Name:** Class or Division: **Packing Group:** UN3077

Environmentally hazardous substance, solid, 9 Miscellaneous hazardous

material

IMDG

UN number: Class or Division: **Proper Shipping Name: Packing Group:**

UN3077 Environmentally hazardous substance, solid, 9 Miscellaneous hazardous

material

EmS number: F-A, S-F

n.o.s.

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is NOT on the EPA Toxic Substances Control Act (TSCA) inventory. The following notices are required by 40 CFR 720.36 (C) for those products not on the inventory list:

- (i) These products are supplied solely for use in research and development by or under the supervision of a technically qualified individual as defined in 40 CFR 720.0 et sec.
- (ii) The health risks of these products have not been fully determined. Any information that is or becomes available will be supplied on a SDS sheet.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity:

Not Listed SARA 313: **SARA 302:** Not Listed

State Regulations

State Right-to-Know

Massachusetts Not Listed **New Jersey** Not Listed Pennsylvania Not Listed California Proposition 65: Not Listed

Other Information

HMIS Classification: NFPA Rating:

Health: Health: 0 Flammability: Λ Flammability: Λ Instability: Physical: 0

International Inventories

WHMIS hazard class: No data available.

16. OTHER INFORMATION

Revision date: 11/10/2015 Revision number: 3

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.