

Revision number: 1 Revision date: 11/19/2013

1. IDENTIFICATION

2-Isobutyl-4,5-dimethyl-3-thiazoline (mixture of isomers)
10737

TCI AMERICA

SAFETY DATA SHEET

Product use: Restrictions on use:

Product name: Product code:

> For laboratory research purposes. Not for drug or household use.

Company:	Emergency telephone number:
TCI America	Chemical Emergencies:
9211 N. Harborgate Street	TCI America (8:00am - 5:00pm) PST
Portland, OR 97203 U.S.A.	+1-503-286-7624
Telephone:	Transportation Emergencies:
+1-800-423-8616 / +1-503-283-1681	Chemtrec 24-Hour
Fax:	+1-800-424-9300 (U.S.A.)
+1-888-520-1075 / +1-503-283-1987	+1-703-527-3887 (International)
e-mail:	Responsible department:
sales@tciamerica.com	TCI America
www.TCIchemicals.com	Environmental Health Safety and Security +1- 503-286-7624

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:	Flammable Liquids [Category 4]
Signal word:	Warning!
Hazard Statement(s):	Combustible liquid
Pictogram(s) or Symbol(s):	None
Precautionary Statement(s): [Prevention] [Response] [Storage] [Disposal]	Keep away from heat, sparks, open flames or other hot surfaces No smoking. Wear protective gloves, eye protection and face protection. In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish. Store in well-ventilated place. Keep cool. Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

Hazards not otherwise classified: [HNOC] May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Components:	Substance 2-Isobutyl-4,5-dimethyl-3-thiazoline (mixture of isomers)
Percent:	>95.0%(GC)
CAS Number:	65894-83-9
Molecular Weight:	171.30
Chemical Formula:	C ₉ H ₁₇ NS

4. FIRST-AID MEASURES

Inhalation:

Call emergency medical service. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Eye contact: with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Eye contact: In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists get medical advice/attention. Move victim to fresh air. Check for and remove any contat lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Ingestion: If swallowed, seek medical advice immediately and show the container or label. Loosen tight clothing sug as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Symptoms/effects: Acute: No data available Minuediate medical attention: If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the inselves. S. FIRE-FIGHTING MEASURES Dry chemical, CO2, water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations. Specific hazards arising from the chemical Hazardous combustion products: These products include: Carbon oxides Nitrogen oxides Silicates Closed con	4. FIRST-AID MEASURES	
irritation persists get medical advice/attention. Move victim to fresh air. Check for and remove any contained lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Ingestion: If swallowed, seek medical advice immediately and show the container or label. Loosen tight clothing sugars a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Symptoms/effects: Acute: No data available No data available No data available Immediate medical attention: If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. 5. FIRE-FIGHTING MEASURES Dry chemical, CO ₂ , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations. Specific hazards arising from the chemical Hazardous combustion products: These products include: Carbon oxides Nitrogen oxides Silicates Closed containers may explode from heat of a fire. These products include: Carbon oxides Nitrogen oxides Silicates	Skin contact:	personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion: If swallowed, seek medical advice immediately and show the container or label. Loosen tight clothing such as a collar, tie, bell or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Symptoms/effects: Acute: No data available Delayed: No data available Immediate medical attention: If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. 5. FIRE-FIGHTING MEASURES Suitable extinguishing media: Suitable extinguishing media: Dry chemical, CO ₂ , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations. Specific hazards arising from the chemical These products include: Carbon oxides Nitrogen oxides Silicates Closed containers may explode from heat of a fire.	Eye contact:	substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take
Acute: Delayed: No data available No data available Immediate medical attention: If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to prote themselves. 5. FIRE-FIGHTING MEASURES Dry chemical, CO ₂ , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations. Specific hazards arising from the chemical Hazardous combustion products: Other specific hazards: These products include: Carbon oxides Nitrogen oxides Silicates Closed containers may explode from heat of a fire.	Ingestion:	If swallowed, seek medical advice immediately and show the container or label. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to
Delayed: No data available Immediate medical attention: If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to prote themselves. 5. FIRE-FIGHTING MEASURES Suitable extinguishing media: Dry chemical, CO ₂ , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations. Specific hazards arising from the chemical Hazardous combustion products: These products include: Carbon oxides Nitrogen oxides Silicates Closed containers may explode from heat of a fire.	Symptoms/effects:	
injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to prote themselves. 5. FIRE-FIGHTING MEASURES Suitable extinguishing media: Dry chemical, CO ₂ , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations. Specific hazards arising from the chemical Hazardous combustion products: These products include: Carbon oxides Nitrogen oxides Silicates Closed containers may explode from heat of a fire.		
Suitable extinguishing media: Dry chemical, CO2, water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations. Specific hazards arising from the chemical Hazardous combustion products: These products include: Carbon oxides Nitrogen oxides Silicates Closed containers may explode from heat of a fire.	Immediate medical attention:	If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Specific hazards arising from the chemical Hazardous combustion products: These products include: Carbon oxides Nitrogen oxides Silicates Other specific hazards: Closed containers may explode from heat of a fire.	5. FIRE-FIGHTING MEASURES	
Hazardous combustion products: These products include: Carbon oxides Nitrogen oxides Silicates Other specific hazards: Closed containers may explode from heat of a fire.	Suitable extinguishing media:	
Other specific hazards: Closed containers may explode from heat of a fire.		
Consistence for first fighters	•	
CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient. Use water spray or fog: do not use	Special precautions for fire-fighters:	

CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient. Use water spray or fog; do not use straight streams. Do not use straight streams. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Use spark-proof tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Splash goggles. Lab coat. Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
Emergency procedures:	Isolate area until gas has dispersed. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE

Precautions for safe handling: Do NOT breath gas, fumes, vapor, or spray. Avoid contact with skin and eyes. Keep away from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.

-Isobutyl-4,5-dimethyl-3-thiazol somers)	ine (mixture of TCI AMERIC		Page 3 of	
7. HANDLING AND STORAG	E			
Conditions for safe storage:	Store and use away from incompatibles. Contained leakage. Avoid prolonged		ignition source. Keep away from	
storage incompatibilities:	Combustible substance	s, Store away from oxidizing agents		
B. EXPOSURE CONTROLS /	PERSONAL PROTECTION			
exposure limits:	No data available			
	e sufficient to control airborne levels eas where there is any possibility th	s. Ventilation is normally required when h at workers could be exposed to the subs		
Personal protective equipment				
Respiratory protection: land protection:	Vapor respirator. Be sur Wear protective gloves.	re to use a MSHA/NIOSH approved resp	pirator or equivalent.	
ye protection:	Splash goggles.	Splash goggles.		
kin and body protection:	Lab coat.			
. PHYSICAL AND CHEMICA	L PROPERTIES			
Physical state (20°C):	Liquid			
form: Color:	Clear Slightly pale yellow - Ye	llow		
Ddor:	No data available			
Odor threshold:	No data available			
lelting point/freezing point:	No data available	pH:	No data available	
Boiling point/range:	70°C (158°F)/0.5kPa	Vapor pressure:	No data available	
Decomposition temperature: Relative density:	No data available 0.95	Vapor density: Dynamic Viscosity:	No data available No data available	
Kinematic viscosity:	No data available	Dynamie Viscosity.		
Partition coefficient: -octanol/water (log Pow)	No data available	Evaporation rate: (Butyl Acetate = 1)	No data available	
lash point:	87°C (189°F)	Autoignition temperature:	No data available	
lammability (solid, gas):	No data available	Flammability or explosive limits Lower: No data av		
		Upper: No data av	vailable	
olubility(ies):				
0. STABILITY AND REACTI	VITY			
Reactivity: Chemical Stability: Possibility of Hazardous Reactio Conditions to avoid:		nded storage conditions. (See Section 7) able/explosive vapor-air mixture. nd light		
ncompatible materials:	Oxidizing agents	ing ingrite		
Iazardous Decomposition Prod	5 5			

11. TOXICOLOGICAL INFORMATION

RTECS Number: XJ6642800

2-IsobutyI-4,5-dimethyI-3-thiazoline (mixt isomers) Acute Toxicity: No data available	ure of TCI AMERICA	Page 4 of 5
Skin corrosion/irritation: No data available		
Serious eye damage/irritation: No data available		
Respiratory or skin sensitization: No data available		
Germ cell mutagenicity: No data available		
Carcinogenicity:		
No data available		
IARC: No data available	NTP: No data available OSHA: No data available	
Reproductive toxicity: No data available		
Routes of Exposure: Symptoms related to exposure: Overexposure may result in serious illness of Potential Health Effects:		
Target organ(s):	exposure may result in serious illness or death. No data available	
12. ECOLOGICAL INFORMATION		
Ecotoxicity		
Fish: Crustacea:	No data available No data available	
Algae:	No data available	
Persistence and degradability: Bioaccumulative potential (BCF):	No data available No data available	
Mobillity in soil: Partition coefficient:	No data available No data available	
n-octanol/water (log P _{ow}) Soil adsorption (Koc):	No data available	
Henry's Law: constant (PaM³/mol)	No data available	
13. DISPOSAL CONSIDERATIONS	Decude to proceed if non-the life the proceeded proceediiii to the conclusion Endevel. Otate of	and Lengt
Disposal of product:	Recycle to process if possible. It is the generator's responsibility to comply with Federal, State a rules and regulations. You may be able to dissolve or mix material with a combustible solvent at chemical incinerator equipped with an afterburner and scrubber system. This section is intended assistance but does not replace these laws, nor does compliance in accordance with this sectio regulatory compliance according to the law. US EPA guidelines for Identification and Listing of H Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environm water ways, or the soil.	nd burn in a d to provide n ensure Hazardous
Disposal of container: Other considerations:	Dispose of as unused product. Do not re-use empty containers. Observe all federal, state and local regulations when disposing of the substance.	
14. TRANSPORT INFORMATION		
DOT (US)	Non-hazardous for transportation.	
ΙΑΤΑ	Non-hazardous for transportation.	
IMDG	Non-hazardous for transportation.	

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

SARA 313: SARA 302:		d Reportable Quantity: Not Listed Not Listed		
State Regulations				
State Right-to-Kno	w			
Massachusetts New Jersey		Not Listed		
		Not Listed		
Pennsylvan		Not Listed		
California Proposition 65:		Not Listed		
Other Information				
NFPA Rating:		H	HMIS Classification:	
Health:	0		Health:	1
Flammability:	2		Flammability:	2
Instability:	0		Physical:	0
International Inven	tories			
WHMIS hazard clas	SS:	B3: Combustible Liquid		
EC-No:		265-969-6		
Notice Through Of ENCS:	ficial Gazettes I	Reference Number: (Japan) Not Listed		

16. OTHER INFORMATION

Revision date: 11/19/2013

Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.