

Revision number: 2 Revision date: 10/06/2014

1. IDENTIFICATION

| Product | name: |
|---------|-------|
| Product | code: |

Methyl (R)-(-)-3-Hydroxyisobutyrate H0703

For laboratory research purposes.

Not for drug or household use.

TCI AMERICA

SAFETY DATA SHEET

Product use: Restrictions on use:

> **Company:** TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

www.TCIchemicals.com

| Emergency telephone number: |
|--|
| Chemical Emergencies: |
| TCI America (8:00am - 5:00pm) PST |
| +1-503-286-7624 |
| Transportation Emergencies: |
| Chemtrec 24-Hour |
| +1-800-424-9300 (U.S.A.) |
| +1-703-527-3887 (International) |
| Responsible department: |
| TCI America |
| Environmental Health Safety and Security |
| |

+1- 503-286-7624

| 2. HAZARD(S) IDENTIFICATION | |
|--|---|
| OSHA Haz Com: CFR 1910.1200: | Flammable Liquids [Category 4] |
| Signal word: | Warning! |
| Hazard Statement(s): | Combustible liquid |
| Pictogram(s) or Symbol(s): | None |
| Precautionary Statement(s): [Prevention] [Response] [Storage] [Disposal] | Keep away from heat, sparks, open flames or other hot surfaces No smoking. Wear protective gloves, eye protection and face protection. In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish. Store in well-ventilated place. Keep cool. Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13) |

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Substance/Mixture: Components: Percent: | Substance Methyl (R)-(-)-3-Hydroxyisobutyrate >99.0%(GC) |
|---|--|
| CAS Number: | 72657-23-9 |
| Molecular Weight: | 118.13 |
| Chemical Formula: Synonyms: | $C_5H_{10}O_3$ (R)-(-)-3-Hydroxyisobutyric Acid Methyl Ester , (R)-(-)-3-Hydroxy-2-methylpropionic Acid Methyl Ester , Methyl (R)-(-)-3-Hydroxy-2-methylpropionate |

4. FIRST-AID MEASURES

Inhalation:

Call emergency medical service. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

| 4. FIRST-AID MEASURES | |
|-------------------------------|---|
| | |
| Skin contact: | Call a poison center or doctor if you feel unwell. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. |
| Eye contact: | In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists get medical advice/attention. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. |
| Ingestion: | If swallowed, seek medical advice immediately and show the container or label. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. |
| Symptoms/effects: | |
| Acute: Delayed: | No data available No data available |
| Immediate medical attention: | If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. |
| 5. FIRE-FIGHTING MEASURES | |
| Suitable extinguishing media: | Dry chemical, CO_2 , water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations. |
| | |

CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient. Use water spray or fog; do not use straight streams. Do not use straight streams. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

| Personal precautions: | Use spark-proof tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. |
|--------------------------------|---|
| Personal protective equipment: | Splash goggles. Lab coat. Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile). |
| Emergency procedures: | Isolate area until gas has dispersed. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed. |

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE

Precautions for safe handling: Do NOT breath gas, fumes, vapor, or spray. Avoid contact with skin and eyes. Keep away from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.

| 7. HANDLING AND STORAGE Conditions for safe storage: Storage incompatibilities: 8. EXPOSURE CONTROLS / PEI Exposure limits: | Store and use away from hea incompatibles. Containers will leakage. Avoid prolonged sto Combustible substances, Sto | at, sparks, open flame, or any other i nich are opened must be carefully re | |
|---|--|--|--|
| torage incompatibilities: | Store and use away from hea incompatibles. Containers will leakage. Avoid prolonged sto Combustible substances, Sto | at, sparks, open flame, or any other in hich are opened must be carefully re- prage periods. | gnition source. Keep away from |
| 3. EXPOSURE CONTROLS / PEI | | The away norm oxidizing agents | |
| | RSONAL PROTECTION | | |
| Exposure limits: | | | |
| | No data available | | |
| Appropriate engineering controls: Good general ventilation should be suf ountains should be provided in areas engineering/laboratory practices when | where there is any possibility that we | | ndling or using this product. Eyewash ance. Follow safe industrial |
| Personal protective equipment | | | |
| Respiratory protection: Hand protection: Eye protection: Skin and body protection: | Vapor respirator. Be sure to Wear protective gloves. Splash goggles. Lab coat. | use a MSHA/NIOSH approved respir | ator or equivalent. |
| 9. PHYSICAL AND CHEMICAL P | PROPERTIES | | |
| Physical state (20°C): Form: Color: Odor: Odor threshold: | Liquid Clear Colorless - Very pale yellow No data available No data available | | |
| Boiling point/range: | No data available 60°C (140°F)/0.5kPa No data available 1.07 No data available | pH: Vapor pressure: Vapor density: Dynamic Viscosity: | No data available No data available No data available No data available |
| - | No data available | Evaporation rate: (Butyl Acetate = 1) | No data available |
| • | 81°C (178°F) No data available | Autoignition temperature: Flammability or explosive limits: Lower: No data ava | |
| | | Upper: No data ava | ailable |
| Solubility(ies): | | | |
| 10. STABILITY AND REACTIVIT | Ϋ́ | | |
| Reactivity: Chemical Stability: Possibility of Hazardous Reactions: Conditions to avoid: ncompatible materials: Hazardous Decomposition Products | : In use, may form flammable/ Avoid excessive heat and lig Acids, Alkali, Bases, Reducir | | |
| 11. TOXICOLOGICAL INFORMA | TION | | |
| | | | |

| Methyl (R)-(-)-3-Hydroxyisobutyrate | TCI AMERICA | Page 4 of 5 |
|---|---|---|
| Acute Toxicity: No data available | | |
| Skin corrosion/irritation: No data available | | |
| Serious eye damage/irritation: No data available | | |
| Respiratory or skin sensitization: No data available | | |
| Germ cell mutagenicity: No data available | | |
| Carcinogenicity: | | |
| No data available | | |
| IARC: No data available | NTP: No data available | OSHA: No data available |
| Reproductive toxicity: No data available | | |
| be kept to a minimum. Always follow safe Potential Health Effects: | data base regarding the toxic effects of this material for industrial hygiene practices and wear proper protective I eye contact may result in irriatation. May be harmful if No data available | e equipment when handling this compound. |
| 12. ECOLOGICAL INFORMATION | | |
| Ecotoxicity Fish: Crustacea: Algae: | No data available No data available No data available | |
| | | |
| Persistence and degradability: Bioaccumulative potential (BCF): Mobillity in soil: Partition coefficient: n-octanol/water (log Pow) Soil adsorption (Koc): Henry's Law: constant (PaM ³ /mol) | No data available No data available No data available No data available No data available No data available | |
| Bioaccumulative potential (BCF): Mobillity in soil: Partition coefficient: n-octanol/water (log Pow) Soil adsorption (Koc): Henry's Law: | No data available No data available No data available No data available No data available No data available Recycle to process if possible. It is the generator's rules and regulations. You may be able to dissolve chemical incinerator equipped with an afterburner a assistance but does not replace these laws, nor do regulatory compliance according to the law. US EP | responsibility to comply with Federal, State and Local or mix material with a combustible solvent and burn in a and scrubber system. This section is intended to provide es compliance in accordance with this section ensure A guidelines for Identification and Listing of Hazardous should not be allowed to enter the environment, drains, |

14. TRANSPORT INFORMATION

| DOT (US) | Non-hazardous for transportation. |
|----------|-----------------------------------|
| ΙΑΤΑ | Non-hazardous for transportation. |
| IMDG | Non-hazardous for transportation. |

Toxic Substance Control Act (TSCA 8b.):

This product is NOT on the EPA Toxic Substances Control Act (TSCA) inventory. The following notices are required by 40 CFR 720.36 (C) for those products not on the inventory list:

(i) These products are supplied solely for use in research and development by or under the supervision of a technically qualified individual as defined in 40 CFR 720.0 et sec.

(ii) The health risks of these products have not been fully determined. Any information that is or becomes available will be supplied on a SDS sheet.

US Federal Regulations

SARA 313:

SARA 302:

CERCLA Hazardous substance and Reportable Quantity:

| Not Listed |
|------------|
| Not Listed |

State Regulations

State Right-to-Know

| Massachusetts | Not Listed |
|----------------------------|------------|
| New Jersey | Not Listed |
| Pennsylvania | Not Listed |
| California Proposition 65: | Not Listed |

Other Information

NFPA Rating:

| Flammability: 2 | 2 | | |
|-----------------|---|--|--|
| Instability: (| 0 | | |

International Inventories

WHMIS hazard class:

16. OTHER INFORMATION

Revision date: 10/06/2014

Revision number: 2

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective gogles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.

HMIS Classification: Health:

Flammability:

Physical:

B3: Combustible Liquid.

0

2 0