

Revision number: 3 Revision date: 08/18/2015

IDENTIFICATION 1.

Product name: Product code:

3-Methyl-3-buten-2-one (stabilized with HQ) M0378

TCI AMERICA

SAFETY DATA SHEET

Product use: Restrictions on use:

Company:

TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity - Oral [Category 3] Acute Toxicity - Dermal [Category 2] Acute Toxicity - Inhalation [Category 1] Skin Corrosion/Irritation [Category 2] Specific Target Organ Toxicity (Single Exposure) [Category 1] Specific Target Organ Toxicity (Repeated Exposure) [Category 1] Flammable Liquids [Category 2]

Signal word:

Hazard Statement(s):

Causes skin irritation Fatal in contact with skin Fatal if inhaled Causes damage to: Respiratory System Nervous System Causes damage to organs: Respiratory System Kidney through prolonged or repeated exposure.

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention]





Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Do not get in eyes, on skin, or on clothing. Wear protective gloves and protective clothing. Do not breathe fume, mist, vapors or spray. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. Wear protective gloves. Keep away from heat, sparks, open flames or other hot surfaces. - No smoking. Keep container tightly closed. Ground or bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting, and equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves, eye protection and

For laboratory research purposes. Not for drug or household use.

> Emergency telephone number: Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) **Responsible department: TCI** America Environmental Health Safety and Security +1-503-286-7624



face protection.

Danger!

skin: Wash with plenty of contaminated clothing and was e for breathing. If skin irritation
g and wash it before reuse. If ou feel unwell. If on skin (or or shower. In case of fire: Use
ed. Store in a well-ventilated
or the classification and

Hazards not otherwise classified: [HNOC] May cause polimerization. Lachrymator

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Components:	Substance 3-Methyl-3-buten-2-one (stabilized with HQ)
Percent:	>95.0%(GC)
CAS Number:	814-78-8
Molecular Weight:	84.12
Chemical Formula:	C₅H ₈ O
Synonyms:	Isopropenyl Methyl Ketone (stabilized with HQ)
Stabilizers:	Hydroquinone

4. FIRST-AID MEASURES

Inhalation: Skin contact:	Immediately call a poison center or doctor. Effects of exposure (inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Immediately call a poison center or doctor. Effects of exposure (skin contact) to substance may be
Skin contact:	delayed. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye contact:	If this chemical contacts the eyes, immediately wash (irrigate) the eyes with large amounts of water, occasionally lifting the lower and upper eyelids. Contact with material may irritate or burn eyes. If eye irritation persists get medical advice/attention. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Ingestion:	Toxic if swallowed. Do not induce vomiting with out medical advice. Effects of exposure (ingestion) to substance may be delayed. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Symptoms/effects:	
Acute: Delayed:	Redness. No data available
Immediate medical attention:	WARNING: It might be dangerous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is toxic. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
5. FIRE-FIGHTING MEASURES	

Suitable extinguishing media:

Dry chemical, CO_2 or water spray. Consult with local fire authorities before attempting large scale fire fighting operations.

5. FIRE-FIGHTING MEASURES

Specific hazards arising from the chemical

These products include: Carbon oxides Hazardous combustion products:

Other specific hazards:

Closed containers may explode from heat of a fire.

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient. Do not use straight streams. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Use spark- proof tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Personal protective equipment:	Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
Emergency procedures:	Isolate area until gas has dispersed. Do not clean-up or dispose except under supervision of a specialist. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material.

Environmental precautions:

Keep away from living quarters. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE

Precautions for safe handling:	Do NOT breath gas, fumes, vapor, or spray. Manipulate under an adequate fume hood. Do not ingest. Avoid contact with skin and eyes. Avoid contact with skin. Keep away from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Good general ventilation should be sufficient to control airborne levels. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.
Conditions for safe storage:	Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of ignition. Store and use away from heat, sparks, open flame, or any other ignition source. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods. Store in a freezer.
Storage incompatibilities:	Combustible substances, Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

No data available

Appropriate engineering controls:

Porconal protoctive equipment

Good general ventilation should be sufficient to control airborne levels. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment	
Respiratory protection:	Vapor respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
Hand protection:	Wear protective gloves.
Eye protection:	Splash goggles.
Skin and body protection:	Lab coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Form: Color: Odor: Odor threshold:	Liquid Clear Colorless - Slightly pale y Characteristic No data available	rellow	
Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic Viscosity:	No data available 100°C (212°F) No data available 0.86 No data available	pH: Vapor pressure: Vapor density: Dynamic Viscosity:	No data available 5.6kPa/25°C 2.9 No data available
Partition coefficient: n-octanol/water (log Pow)	No data available	Evaporation rate: (Butyl Acetate = 1)	No data available
Flash point: Flammability (solid, gas):	9°C (48°F) No data available	Autoignition temperature: Flammability or explosive limits: Lower: 1.8%	No data available
Solubility(ies): Water: Slightly soluble Very soluble: Ether, A		Upper: 9.0%	
10. STABILITY AND REACTI	VITY		
Reactivity: Chemical Stability: Possibility of Hazardous Reactio Conditions to avoid: Incompatible materials: Hazardous Decomposition Prod	In use, may form flammal Air sensitive. Exposure to Moisture sensitive. Strong oxidizing agents No data available	ive. Light sensitive. Moisture sensitive. ble/explosive vapor-air mixture. o air. Exposure to light. Exposure to moisti	ure. Heat sensitive. Light sensitive.
RTECS Number: EN0175000			
Acute Toxicity: orl-rat LD50:180 mg/kg		skn-rbt LD50:230 uL/kg	
ihl-rat LCLo:125 ppm/4H		ipr-mus LD50:490 mg/kg	
Skin corrosion/irritation: skn-rbt 10 mL/24H MOD			
Serious eye damage/irritation: No data available			
Respiratory or skin sensitizatior No data available	1:		
Germ cell mutagenicity: No data available			
Carcinogenicity:			
No data available			
IARC: No data available	NTP: No da	ata available OSHA	No data available

TCI AMERICA

Routes of Exposure:

Inhalation, Eye contact, Ingestion, Skin contact.

Symptoms related to exposure: Overexposure may result in serious illness or death. Skin contact may result in inflammation; characterized by itching, scaling, reddening, or occasionally blistering. Skin contact may result in redness, pain or dry skin. Inflammation of the eye is characterized by redness, watering, and itching. Potential Health Effects:

Skin and eye contact may result in irritation. **Target organ(s):** Causes damage to: Respiratory System Nervous System Causes damage to organs: Respiratory System Kidney through prolonged or repeated exposure.

12. ECOLOGICAL INFORMATION

Ecotoxicity Fish: Crustacea: Algae:	No data available No data available No data available
Persistence and degradability: Bioaccumulative potential (BCF): Mobillity in soil: Partition coefficient:	No data available No data available No data available No data available
n-octanol/water (log P _{ow}) Soil adsorption (Koc): Henry's Law: constant (PaM ³ /mol)	No data available No data available

[13. DISPOSAL CONSIDERATIONS Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federules and regulations. You may be able to dissolve or mix material with a combustible chemical incinerator equipped with an afterburner and scrubber system. This section assistance but does not replace these laws, nor does compliance in accordance with regulatory compliance according to the law. US EPA guidelines for Identification and Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the water ways, or the soil.				or mix material with a combustible solvent and burn in a and scrubber system. This section is intended to provide es compliance in accordance with this section ensure A guidelines for Identification and Listing of Hazardous		
Disposal of containe	er:	Dispose of as unuse	d product. Do not re-use empty	/ containers.		
Other consideration	S:	Observe all federal, s	Observe all federal, state and local regulations when disposing of the substance.			
DOT (US) UN number: UN1246	Proper Shipping Nar Methyl isopropenyl ke		Class or Division: 3 Flammable liquid	Packing Group:		
ΙΑΤΑ						
UN number:	Proper Shipping Nar		Class or Division:	Packing Group:		
UN1246	Methyl isopropenyl ke	tone, stabilized	3 Flammable liquid	II		
IMDG						
UN number:	Proper Shipping Nar	ne:	Class or Division:	Packing Group:		
UN1246	Methyl isopropenyl ke	tone, stabilized	3 Flammable liquid	II		

15. REGULATORY INFORMATION

EmS number:

Toxic Substance Control Act (TSCA 8b.): This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

F-E, S-D

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity:			
SARA 313:	Not Listed		
SARA 302:	Not Listed		

15. REGULATORY INFORMATION

State Regulations
State Right-to-Know

Massachus New Jersey Pennsylvar California Proposi	/ nia	Not Listed Not Listed Not Listed Not Listed			
Other Information					
NFPA Rating:			HMIS Classification:		
Health:	3		Health:	3	
Flammability:	3		Flammability:	3	
Instability:	0		Physical:	0	
International Inver	itories				
WHMIS hazard cla	ss:	D1A: Materials ca	B2: Flammable Liquid. D1A: Materials causing immediate and serious toxic effects. (Very Toxic) D1B: Materials causing immediate and serious toxic effects. (Toxic)		
Canada: DSL EC-No:		On DSL 212-405-1			

16. OTHER INFORMATION

Revision date: 08/18/2015

Revision number: 3

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.